Pharmacopœia Meadiana.

FEVERS.

CONTINUAL FEVERS.

Hauſtus Bezoardici.

℞ Aq. Ceraſ. Nigr. ʒjſs. Aq. Pæon. comp. ʒſs. Pulv. è Chel. C. comp. ℈j. Syr. Croci, q. ſ. m. f. Hauſtus.

℞ Aq. Ceraſ. Nigr. ʒj. Aq. Pæon. comp. Cinnam. ten. āā ʒſs. Pulv. è Chel. Cancr. C. ℈ſs. Confect. Raleigh. ℈j. Syr. è Succ. Cherm. ʒij. m. f. Hauſtus.

Bezoartick Draughts.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Compound Powder of Crabs Claws, one Scruple: Syrup of Saffron, a ſufficient Quantity. Mix and make a Draught.

Take Black Cherry Water, one Ounce: Compound Piony and ſmall Cinnamon Waters, of each Half an Ounce: Compound Powder of Crabs Claws, Half a Scruple: *Rawleigh's* Confection, one Scruple: Syrup of the Juice of Kermes, two Drachms. Mix and make a Draught.

Obſervations.

Theſe are proper Alexipharmicks in moſt continual, malignant, and epidemical Fevers, and in the Small-pox and Meaſles. They are ordered to be given once in ſix or eight Hours, according to the Degree of the Diſeaſe.

Bolus Cephalicus.

℞ Pulv. è Chel. Cancr. C. ℈j. Caſtor. Ruſſ. Rad. Serpent. Virg. Spec. Diambr. āā gr. vj. Conf. Alcherm. q. ſ. m. f. Bolus octava quaque Hora ſumendus.

The Cephalick Bolus.

Take Compound Powder of Crabs Claws, one Scruple: *Ruſſia* Caſtor, Snake Root powdered, and Species Diambra, of each ſix Grains: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus, to be taken every eight Hours.

Obſervations.

This is given in moſt nervous Caſes attended with a Fever, and is of Service in bringing to their due Tone the decayed Fibres of the Stomach.

Bolus

Bolus Stomachicus.

℞ Spec. Diambr. ℈ss. Croc. Castor. Russ. pulv. āā gr. v. Confect. Alcherm. q. s. m. f. Bolus, octava quaque Hora sumend.

The Stomach Bolus.

Take Species Diambra, Half a Scruple: Saffron and *Russia* Castor powdered, of each five Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus, to be taken every eight Hours.

Observations.

This is intended to comfort the Stomach, and retrieve its natural Warmth in hard Drinkers when afflicted with slow nervous Fevers, attended with great Faintness, and Loss of Appetite. It stimulates and warms the nervous Fibres relaxed and impaired by preceding Debauches, and promotes a free Circulation of the Blood; re-invigorating its languid Motion, and causing a greater Flow of Spirits into the *Tubuli* of the Nerves.

Emplastrum Cephalicum.

℞ Empl. Cephalic. cum duplici Quantitate Euphorbii parati, ℥ss. Galbani colati, ℥j. m. f. Emplastra totos Pedes obvolvenda.

The Cephalick Plaister.

Take Cephalick Plaister, prepared with a double Quantity of Euphorbium, Half an Ounce: Strained Galbanum, an Ounce. Mix and make Plaisters to roll the Feet in.

Obſervations.

Theſe are applied in Fevers that violently affect the Head.

Emplaſtr. ad Dolorem Capitis.

℞ Empl. Epiſpaſtic. Picis Burgund. āā Partes æquales. m. f. Emplaſtrum Occipiti raſo applicandum, ad magnitudinem Palmæ Manus.

The Plaiſter for a Pain in the Head.

Take Bliſter Plaiſter and *Burgundy* Pitch, of each equal Parts. Mix and make a Plaiſter the Bigneſs of the Palm of the Hand, to be applied to the hinder Part of the Head, after it is ſhaved.

Obſervations.

This anſwers the Intention its Title expreſſes, and is good in Fevers attended with Coma, Delirium, or Lethargy.

Julepum Reſtringens.

℞ Aq. Lactis Alex. ℥vj. Cinnam. ten. ℥iv. Pæon. comp. ℥ij. Syr. Cydonior q. ſ. m. f. Julepum.

The Reſtringent Julep.

Take Alexiterial Milk Water, ſix Ounces: Small Cinnamon Water, four Ounces: Compound Piony Water, two Ounces: Syrup of Quinces, a ſufficient Quantity. Mix and make a Julep.

Julepum

Julepum Album.

℞ Julep. Cretac. Batean. ℥v. Aq. Cinnam. ten. ℥ij. m. f. Julepum.

The White Julep.

Take *Bates*'s Chalk Julep, five Ounces: Small Cinnamon Water, two Ounces. Mix and make a Julep.

Julepum Cardiacum.

℞ Aq. Lactis Alexit. ℥vj. Ceraſ. Nigr. Pæon. comp. āā ℥ij. Conf. Alcherm. q. ſ. m. f. Julepum.

The Cardiack Julep.

Take Alexiterial Milk Water, ſix Ounces: Black Cherry and Piony Waters, of each two Ounces: Confection of Kermes, a ſufficient Quantity. Mix and make a Julep.

Julepum Cephalicum.

℞ Aq. Lactis Alexit. Ceraſ. Nigr. āā ℥iij. Pæon. comp. ℥ij. Spir. Lavend. comp. Tinct. Caſtor. Ruſſ. āā ʒiij. m. f. Julepum.

The Cephalick Julep.

Take Alexiterial Milk Water and Black Cherry Water, of each three Ounces: Compound Piony Water, two Ounces: Compound Spirit of Lavender and Tincture of *Ruſſia* Caſtor, of each three Drachms. Mix and make a Julep.

Julepum Stomachicum.

℞ Aq. Lactis Alex. Ceraſor. Nigr. āā ℥iij. Abſinth. mag. comp. ℥ij. Syr. è Cort. Aurant. ℥ſs. m. f. Julepum.

The

The Stomach Julep.

Take Alexiterial Milk and Black Cherry Waters, of each three Ounces: Wormwood Water, of the greater Compoſition, two Ounces: Syrup of Orange-peel, Half an Ounce. Mix and make a Julep.

Julepum de Croco.

℞ Aq. Ceraſ. Nigr. ℥vj. Tinct. Croci, Aq. Pæon. comp. āā ℥ij. Conf. Alcherm. ʒij. Sacch. alb. q. ſ. m. f. Julepum.

The Saffron Julep.

Take Black Cherry Water, ſix Ounces: Tincture of Saffron and Piony Water, of each two Ounces: Confection of Kermes, two Drachms: Loaf-Sugar, a ſufficient Quantity. Mix and make a Julep.

Julepum Perlatum.

℞ Aq. Lactis Alexit. Ceraſ. Nigr. āā ℥iij. Epidem. Pæon. comp. āā ℥j. Margarit. ppt. ʒj. Sacch. alb. q. ſ. m. f. Julepum.

The Pearl Julep.

Take Alexiterial Milk Water and Black Cherry Water, of each three Ounces: Epidemic and Piony Waters, of each an Ounce: Pearl prepared, one Drachm: Loaf-Sugar, a ſufficient Quantity. Mix and make a Julep.

Julepum Perlatum Nephriticum.

℞ Aq. Lactis Alexit. Nephritic. āā ℥iv. Margarit. ppt. ʒj. Spir. Nitr. Dulc. ʒſs. Sacch. alb. q. ſ. m. f. Julepum.

The Nephritick Pearl Julep.

Take Alexiterial Milk and Nephritick Waters, of each four Ounces: Pearl prepared, one Drachm: Sweet Spirit of Nitre, Half a Drachm: White Sugar, a ſufficient Quantity. Mix and make a Julep.

Obſervations.

The Efficacy of Juleps is not to be relied on in Caſes of Conſequence; their Intention in general being only as pleaſant Vehicles to convey Medicines of greater Energy to the Stomach.

Fevers *attended with* Eruptions.

The Miliary and Petechial Fever and Eryſipelas.

Bolus Cardiacus.

℞ Pulv. è Chel. Cancr. comp. ℈j. Margarit. ppt. ℈ſs. Conf. Alcherm. q. ſ. m. f. Bolus.

The Cardiack Bolus.

Take compound Powder of Crabs Claws, one Scruple: Pearl prepared, Half a Scruple: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus.

Obſervations.

This is given in the Miliary and Petechial Fever every ſix or eight Hours, as the Symptoms require, with the Pearl Julep.

Pulvis

Pulvis Cardiacus.

℞ Pulv. è Chel. Cancr. comp. ℈j. Margarit. ppt. ℈ſs. m. f. Pulvis h. ſ. & mane ſumend. cum Cochl. iv. Julepi Perlat.

The Cordial Powder.

Take compound Powder of Crabs Claws, one Scruple: Pearl prepared, Half a Scruple. Mix and make a Powder to be taken Night and Morning, with four Spoonfuls of the Pearl Julep.

Obſervations.

This is good in Fevers, attended with Eruptions, to promote Perſpiration, and in the Small-Pox.

Electarium Cardiacum Reſtring.

℞ Conf. Fracaſt. ſ. m. ℥j. Lapid. Contrayerv. Chel. Cancr. ppt. āā ʒjſs. Syr. Caryoph. q. ſ. m. f. Electarium ſumat Quantitatem Nucis Moſchatæ, omni Nocte Hora Somni, cum Coch. iv. Julepi Cardiaci.

The Cordial Reſtringent Electuary.

Take *Fracaſtorius*'s Confection, made without Honey, one Ounce: Contrayerva Stone and Crabs Claws prepared, of each one Drachm and an Half: Syrup of Clove Gilly-flowers, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken every Night, at going to Reſt, with four Spoonfuls of the Cardiack Julep.

Obſervations.

This is given in Fevers and Eryſipelas, attended with a Diarrhœa.

Apo-

Apozema Cardiacum.

℞ Decoct. alb. ℔ ij. Aq. Cinnam. fort. ℥ij. Sacchar. albiſſim. q. ſ. m. f. Apozema.

The Cardiack Apozem.

Take white Drink, a Quart: Strong Cinnamon Water, two Ounces: Refined Sugar, a ſufficient Quantity. Mix and make an Apozem.

Obſervations.

This is given for common Drink in all acute Caſes, inclining to a Looſeneſs.

Apozema Pectorale.

℞ Decoct. Pectoral. ℔ ij.

The Pectoral Apozem.

Take Pectoral Decoction, a Quart.

Obſervations.

This is ordered for common Drink in Petechial and other Fevers, attended with a Cough.

Enema Emolliens.

℞ Decoct. commun. ℔ ſs. Syr. Violar. Ol. Lini, ää ℥ij. m. f. Enema.

The Emollient Clyſter.

Take the common Decoction, Half a Pint: Syrup of Violets and Linſeed Oil, of each two Ounces. Mix and make a Clyſter.

Obſervations.

This is given in the Small-Pox and Petechial Fevers, when ſtrong irritating Clyſters are not required.

Hauſtus Paregorici.

℞ Aq. Ceraſ. Nigr. Lactis Alexit. āā ʒvj. Syr. de Mecon. ℥j. m. f. Hauſtus ſumat Nocte.

Paregorick Draughts.

Take Black Cherry and Alexiterial Milk Water, of each ſix Drachms: Diacodium, one Ounce. Mix and make a Draught to be taken at Night.

℞ Aq. Ceraſ. Nigr. ℥jſs. Aq. Pæon. comp. ℥ſs. Laud. Liquid. gutt. xv. Syr. de Mecon. ʒiij. Sp. Lavend. comp. Sp. Sal. Volat. Oleoſ. āā gutt. x. m. f. Hauſtus.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Liquid Laudanum, fifteen Drops: Diacodium, three Drachms: Compound Spirit of Lavender and Oily Spirit of Volatile Salt, of each ten Drops. Mix and make a Draught.

Obſervations.

Theſe are given in the Small-Pox, to procure Reſt, and in other Caſes, where Opiates are required.

Hauſtus Cathartici.

℞ Infuſ. Senæ, ℥ij. Mannæ opt. ʒvj. Syr. Roſ. Solut. ℥ſs. m. f. Potio mane ſumenda debito Regimine.

Purging Draughts.

Take Infuſion of Sena, two Ounces: Beſt Manna, ſix Drachms: Solutive Syrup of Roſes, Half an Ounce. Mix and make a

Potion to be taken in the Morning, with proper Regimen.

℞. Infuſ. Senæ, ℥ijſs. Syr. è Spin. Cerv. Roſ. Solutiv. āā ℥ſs. Sp. Lavend. comp. ʒſs. m. f. Hauſtus primo mane ſumendus.

Take Infuſion of Sena, two Ounces and an Half: Syrup of Buckthorn and Roſes Solutive, of each Half an Ounce: Compound Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken in the Morning early.

Obſervations.

Theſe are the general Rule for Catharticks after Mercurials, or alone, as the Caſe may require.

Particular Fevers.

A Pleuriſy.

Bolus Balſamicus.

℞ Sperm. Ceti, Spec. Diatragacanth. frigid. āā gr. xij. Mithrid. ϑſs. Syr. Balſamic. q. ſ. m. f. Bolus ſexta vel octava quaque Hora ſumendus.

The Balſamick Bolus.

Take Sperma Ceti and cooling Species of Gum Tragacanth, of each twelve Grains: Mithridate, Half a Scruple: Balſamick Syrup, a ſufficient Quantity. Mix and make a Bolus, to be taken every ſix or eight Hours.

Observations.

This is ordered in Coughs, Pleurisies, inward Bruises, and many Distempers of the Breast; is balsamick, anodyne, and alexipharmick.

Boli Cordiales Balsamici.

℞ Pulv. è Chel. Cancr. comp. Sperm. Ceti, āā ℈ss. Croc. & Castor. Ruff. pulv. āā gr. iij. Syr. Caryoph. q. s. m. f. Haustus sexta vel octava quoque Hora sumendus.

Cordial Balsamick Boluses.

Take compound Powder of Crabs Claws and Sperma Ceti, of each Half a Scruple: Saffron and *Russia* Castor powdered, of each three Grains: Syrup of Clove Gilly-flowers, a sufficient Quantity. Mix and make a Bolus to be taken every six or eight Hours.

℞ Lapid. Contrayerv. Sperm. Ceti, āā gr. xv. Croci pulv. gr. v. Syr. Caryoph. q. s. m. f. Bolus.

Take Contrayerva Stone and Sperma Ceti, of each fifteen Grains: Saffron powdered, five Grains: Syrup of Clove Gilly-flowers, a sufficient Quantity. Mix and make a Bolus.

℞ Sperm. Ceti, Pulv. è Chel. Cancr. comp. āā ℈j. Balsf. Gileadens. ℈ss. Syr. Balsamic. q. s. m. f. Bolus.

Take Sperma Ceti and compound Powder of Crabs Claws, of each one Scruple: Balm of *Gilead*, Half a Scruple: Balsamick Syrup, a sufficient Quantity. Mix and make a Bolus.

Obser-

Observations.

These are used in Disorders of the Lungs, Pleurisies, Consumptions, and Coughs with Fevers: And are likewise of great Service, when given soon after Delivery, to heal and allay the Pain and Soreness of the Uterus, by inducing an agreeable Relaxation and Diaphoresis. They may be rendered more anodyne and proper in the latter Case, by the Addition of Half a Scruple of Mithridate to each, which is generally required to appease the Spasms and painful Contractions of the Membranes, called the After-Pains.

Confectio Pectoralis.

℞. Conf. Rosar. Rubr. ʒj. Spec. Diatragacanth. frigid. Terr. Japon. pulv. āā ʒj. Syr. Balsamic. q. s. m. f. Confectio, sumat Cochl. ij. Theæ sæpè ut urgeat Tussis.

The Pectoral Confection.

Take Conserv. of Red Roses, one Ounce: The cooling Species of Gum Tragacanth and *Japan* Earth powdered, of each one Drachm: Balsamic Syrup, a sufficient Quantity, to make a Confection. Two Tea Spoonfuls to be taken often, when the Cough is troublesome.

Observations.

This is ordered in a Pleurisy, attended with a Cough and Spitting of Blood; is cooling, balsamick, and restringent.

Emplas-

Emplaſtrum Diſcutiens.

℞ Empl. Diachyl. cum Gummis Stict. Paracelſ. āā Partes æquales, m. f. Emplaſtrum Thoraci applicandum.

The Diſcutient Plaiſter.

Take Diachylon Plaiſter made with the Gums, and *Paracelſus*'s Stictick Plaiſter, of each equal Parts. Mix and make a Plaiſter to be applied to the Breaſt.

Obſervations.

This is applied to the Thorax for any Inflammation, or Soreneſs of that Part, proceeding from Cold.

Enema Carminativum.

℞ Decoct. commun. ℥x. Syr. Violar. Mell. Mercur. āā ℥jſs. Elect. è Bacc. Lauri ℥ſs. Sal. commun. ʒiij. m. f. Enema.

The Carminative Clyſter.

Take the common Decoction, ten Ounces: Syrup of Violets and Honey of Mercury, of each one Ounce and an Half: Electuary of Laurel Berries, Half an Ounce: Common Salt, three Drachms. Mix and make a Clyſter.

Obſervations.

This is ordered to relax the Belly in Pleuriſies, and ſet at Liberty Wind pent up in the Hypochondria.

Guttulæ Volatiles.

℞ Sp. Corn. Cerv. per ſe, ℥j. capiat gutt. xx. frequenter ex hauſtu Seri Lactis Vinoſi.

The

The Volatile Drops.

Take Spirit of Hartshorn, one Ounce. Twenty Drops to be taken frequently in a Draught of Wine Whey.

Obſervations.

Theſe are ordered in Inflammations of the Pleura, attended with an acute Fever, to attenuate the Sizineſs of the Blood.

Hauſtus Oleoſi.

℞ Ol. Lini S. I. extract. ℥j. Tinct. Croci ʒij. Aq. Puleg. ʒvj. m. f. Hauſtus quinta vel ſexta quaque Hora ſumendus.

Oily Draughts.

Take cold drawn Linſeed Oil, one Ounce: Tincture of Saffron, two Drachms: Penny-royal Water, ſix Drachms. Mix and make a Draught to be taken every five or ſix Hours.

℞ Ol. Amygd. dulc. Ol. Lini recent. āā ℥ſs. Syr. de Mecon. ℥ſs. Sp. C. Cerv. gutt. xx. m. f. Hauſtus.

Take Oil of ſweet Almonds and Linſeed Oil, freſh drawn, of each Half an Ounce: Diacodium, Half an Ounce: Spirit of Hartshorn, twenty Drops. Mix and make a Draught.

℞ Ol. Amygd. dulc. ℥j. Aq. Cinnam. ten. ʒvj. Syr. Cap. Vener. ℥ſs. Sp. Sulph. gutt. x. m. f. Hauſtus.

Take Oil of ſweet Almonds, one Ounce: Small Cinnamom Water, ſix Drachms: Syrup

Syrup of Maidenhair, Half an Ounce: Spirit of Sulphur, ten Drops. Mix and make a Draught.

Obſervations.

Theſe are given in dry Coughs, Hoarſeneſs, Wheeſing, and Pleuriſies; are lubricating, pectoral, and anodyne.

Hauſtus Volatilis.

℞ Sperm. Ceti ſolut. ʒſs. Sal. Vol. C. C. ℈ſs. Aq. Alex. ſimp. ℥ij. Aq. Pæon. comp. ʒiij. Syr. Balſamic. ʒj. m. f. Hauſtus ſexta quaque Hora ſumendus.

The Volatile Draught.

Take Sperma Ceti diſſolved, Half a Drachm: Volatile Salt of Hartshorn, Half a Scruple: Simple Alexiterial Water, two Ounces: Compound Piony Water, three Drachms: Balſamick Syrup, one Drachm. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This the Doctor ordered with good Succeſs in the Gouty Pleuriſy, after Bleeding, with a Spoonful of *the Pectoral Linctus*, to be taken in the Intervals. The Caſe was an inveterate Gout, which ſhifted from the Foot to the Acromion of the Shoulder, and after a Day or two ſeized on the Pleura, and cauſed acute Pain, with almoſt total Stoppage of Reſpiration. It is of a penetrating balſamick Quality, diſſolves the Lentor of the Blood, and makes it circulate freely through the ſmall Veſſels of the Pleura, and other Capillaries of the Body.

Lina-

Linamentum Pleuriticum.

℞ Ung. de Althæa, Ol. Palmæ, āā ℥j. Ol. Macis per Expreſſ. ʒij. Sp. Sal. Ammon. ʒj. m. f. Linamentum Partes affectas illinandum.

The Linament for a Pleuriſy.

Take Ointment of Marſhmallows and Palm Oil, of each one Ounce: Oil of Mace, by Expreſſion, two Drachms: Spirit of Salt Ammoniack, one Drachm. Mix and make a Linament to anoint the Parts affected.

Obſervations.

This is excellent in Pleuriſies and Pains of the Side, attended with a Cough, being of an emollient and diſcutient Quality.

Linct. Incraſſantes.

℞ Conſ. Roſar. Rubr. ℥jſs. Spec. Diatragacanth. frigid. ʒiij. Syr. Capill. Ven. q. ſ. m. f. Linctus ſumat Cochlearium mediocre ſæpe urgente Tuſſi.

Incraſſating Linctuſes.

Take Conſerve of Red Roſes, one Ounce and an Half: Cooling Species of Gum Tragacanth, three Drachms: Syrup of Maidenhair, a ſufficient Quantity. Mix and make a Linctus. A moderate Spoonful to be taken often, when the Cough is troubleſome.

℞ Ol. Amyg. Dulc. Syr. Capill. Ven. āā ℥ij. Sacchar. cand. alb. ℥ſs. m. f. Linctus ſumat Cochl. i. ampl. quarta quaque Hora.

Take Oil of Sweet Almonds and Syrup of Maidenhair, of each two Ounces: White Sugar Candy, Half an Ounce. Mix and make a Linctus. One large Spoonful to be taken every four Hours.

Observations.

Theſe are given to thicken ſharp Rheums that prick and ſtimulate the Fibres of the Larynx, and by their Irritation excite a frequent and troubleſome Cough. They are balſamick, pectoral, and agglutinant.

Linctus Pectoralis.

℞ Syr. Capill. Ven. Ol. Amygd. Dulc. ää ℥ij. Sacchar. Alb. ℥j. Spir. Sulph. gutt. x. m. f. Linctus.

The Pectoral Linctus.

Take Syrup of Maidenhair and Oil of Sweet Almonds, of each two Ounces: Loaf Sugar, One Drachm: Spirit of Sulphur, ten Drops. Mix and make a Linctus.

Observations.

This is given in Coughs, Pleuriſies, Inflammations of the Lungs, and Conſumptions; is lubricating, pectoral, and balſamick; takes off the Acrimony of the Rheum, and, by looſening the viſcid Matter that falls on the Larynx, promotes its Diſcharge, and relieves the Cough.

Inter-

Intermitting and Epidemick Fevers.

Hauſtus Antifebrificus.

℞ Cort. Perua opt. pulv. ℈ij. Aq. Ceraſ. Nigr. ℥j. Aq. Pæon. comp. ℥ſs. Syr. Caryoph. q. ſ. m. f. Hauſtus tertia vel quarta quaque Hora ſumendus.

The Antifebrifick Draught.

Take the beſt Bark powdered, two Scruples: Black Cherry Water, one Ounce: Compound Piony Water, Half an Ounce: Syrup of Clove Gilly-flowers, a ſufficient Quantity. Mix and make a Draught to be taken every three or four Hours, when the Fit is off.

Obſervations.

This is given between the Fits of the Ague; where there is a regular Intermiſſion, ſhould be continued till the Patient hath miſſed the Fit once, and be repeated afterwards three Times a Day, for a few Days, to prevent a Relapſe. Obſerve, this ſhould generally be preceded by a proper Emetick, to diſcharge the Phlegm and bilious Matter, lodged in the Stomach, which otherwiſe will often prevent the Bark from taking Effect, and cauſe it to purge.

Hauſtus Stomachicus Amarus.

℞ Infuſ. Amar. Simpl. ℥jſs. Aq. Abſinth. mag. comp. ℥ſs. Spirit Lavend. comp. ʒſs. m. f. Hauſtus Mane ac Veſperi ſumend.

The Bitter Stomach Draught.

Take the Simple Bitter Infusion, one Ounce and an Half: The greater Composition of Wormwood Water, Half an Ounce: Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken Morning and Evening.

Observations.

This is beneficial to the Stomach, and is often ordered after a Course of the Bark, to strengthen Digestion, and prevent a Return of the Fever, for both which Purposes it is well adapted.

Haustus Salinus.

℞ Sal. Absinth. ʒss. Succ. Limon. Aq. Cinnam. ten. āā ℥j. Syr. è Cort. Aurant. ʒij. m. f. Haustus quarta quaque Hora sumendus.

The Saline Draught.

Take Salt of Wormwood, Half a Drachm: Juice of Lemons and Small Cinnamon Water, of each one Ounce: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken every four Hours.

Observations.

This often carries off a recent Intermittent, without the Bark, or brings the Fits to a regular Intermission; is of Service in the Jaundice, helps Vomiting, and is accounted a good Stomachick. It is best fresh made.

Pulvis

Pulvis Febrifugus.

℞ Pulv. Cortic. Peruv. opt. ℥j. Serpentar. Virg. ʒj. m. f. Pulvis dividend. in Doſ. xii. ſumat unam quarta quaque Hora, abſente Paroxyſmo, cum Vin. Rubr.

The Febrifuge Powder.

Take Powder of the beſt *Peruvian* Bark, one Ounce: Snake-root, one Drachm. Mix and make a Powder to be divided into twelve Doſes; one of which are to be taken every four Hours, when the Paroxyſm is off, with Red Wine.

Obſervations.

This is good in Intermittents, and, in Caſes where the Fibres are oppreſſed with a Load of cold phlegmatick Humours, takes better Effect than the Bark given alone: Although it muſt be allowed, that in general the Bark is moſt advantageouſly adminiſtered by itſelf.

Tinctura Antifebrifica.

℞ Cort. Peruv. opt. pulv. ℥j. Cort. Aurantior. Sal. Tartar. āā ʒj. coque in Aquæ Fontan. q. ſ. ad colatur. ℔j. adde. Aq. Abſinth. mag. comp. Aq. Pæon. comp. āā ℥ij. m. f. Tinctura ſumat Cochl. iv. vel vj. quarta quaque Hora, abſente Febre.

The Antifebrifick Tincture.

Take Powder of the beſt Bark, one Ounce: Orange Peel and Salt of Tartar, of each one Drachm; boil them in a ſufficient Quantity of Spring Water to a Pint. Strain it, and add the greater Compoſition of Wormwood Water

Water and compound Piony Water, of each two Ounces. Mix and make a Tincture. Four or six large Spoonfuls to be taken every four Hours, in the Absence of the Fever.

Observations.

This is given in Intermittents, when the Bark cannot be taken in Substance. The Ingredients must be boiled in three Pints of Water at least, to a Pint, to extract sufficient Virtue from the Bark, to answer the Intention of an Antifebrifick.

Tinctura Amara Febrifuga.

℞ Cort. Peruv. ℥ss. Cort. Aurantior. Sem. Cardamom. min. Rad. Zedoar. āā ʒj. Sal. Absinth. ʒss. infunde in Aquæ bullientis ℥xij. colaturæ adde Aq. Absinth. mag. comp. ℥iv. m. f. Tinctura sumat Cochl. iv. Hora ante Prandium & Hora quinta Pomeridiana.

The Bitter Febrifuge Tincture.

Take *Peruvian* Bark, Half an Ounce: Orange Peel, Lesser Cardamoms and Zedoary, of each one Drachm: Salt of Wormwood, Half a Drachm. Infuse them in twelve Ounces of boiling Water. To the strained Liquor add Wormwood Water of the greater Composition, four Ounces. Mix and make a Tincture. Four Spoonfuls to be taken an Hour before Dinner, and at Five in the Afternoon.

Observations.

This is a warm Stomachick, promotes Digestion, and prevents the Return of intermitting Fevers,

Fevers, after the Patient hath left off taking the Bark.

Elixir Acidum.

℞ Tinct. Spec. Diambr. Elix. Vitriol. Mynſicht. āā ℥ſs. m. ſumat Cochlearium minimum Hora undecima Matutina & quinta Pomeridiana ex Cyatho Aquæ Briſtolienſ. tepefact.

The Acid Elixir.

Take Tincture of Species Diambra and *Mynſicht*'s Elixir of Vitriol, of each Half an Ounce: Mix them together. A Tea Spoonful to be taken at Eleven in the Forenoon, and at Five in the Afternoon, in a Glaſs of warm *Briſtol* Water.

Obſervations.

This is excellent to ſtrengthen the Stomach and Organs of Chylification, after they have been relaxed and weakened by the long Continuance of Intermitting Fevers. It braces up the Fibres of the whole Body, and ſtops profuſe Sweats.

Slow or Hectick Fevers.

Electarium Alterans.

℞ Conſ. Roſar. Rubr. ℥j. Spec. Diatrag. frigid. Chel. Cancr. ppt. āā ʒj. Syr. Capill. Veneris q. ſ. m. f. Electarium ſumat quantitatem Nucis Moſchatæ omni Mane cum Lactis Aſinini ℔ſs.

The Alterative Electuary.

Take Conſerve of Red Roſes, one Ounce: Cooling Species of Gum Tragacanth and Crabs Claws prepared, of each one Drachm: Syrup of Maidenhair, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken every Morning, with Half a Pint of Aſſes Milk.

Obſervations.

This is a good Pectoral in Defluxions of Rheum that cauſe tickling Coughs, is likewiſe a good Reſtorative, and of Service in conſumptive Caſes.

Electarium Lujulatum.

℞ Conſ. Lujulæ, ℥jſs. Chel. & Ocul. Cancror. ppt. āā ʒij. Syr. de Althæa q. ſ. m. f. Electarium ſumat Quantitatem Nucis Moſchatæ bis in Die ſuperbibendo Hauſtum Vini Albi Aqua Briſtolienſi commiſti.

The Sorrel Electuary.

Take Conſerve of Wood Sorrel, one Ounce and an Half: Crabs Claws and Eyes prepared, of each two Drachms: Syrup of Marſhmallows, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, drinking after it a Draught of White Wine and *Briſtol* Water mixed.

Electaria Corroborantia.

℞ Conſ. Fruct. Cynoſbat. Roſar. Rubr. āā ʒvj. Spec. Diatragacanth. frig. ʒiij. Gum. Guaiac.

ac. & Terr. Japonic. pulv. āā ʒj. Syr. è Rosis sicc. q. s. m. f. Electarium sum. Quantitatem Nucis Moschatæ bis in Die.

Strengthening Electuaries.

Take Conserve of Hips and Red Roses, of each six Drachms: Cooling Species of Gum Tragacanth, three Drachms: Gum Guaiacum and Japan Earth powdered, of each one Drachm: Syrup of dried Roses, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day.

℞ Conf. Rad. Symphyt. Rosar. Rubr. āā ℥j. Gum. Tragacanth. Terr. Japonic. pulv. Coral. Rubr. ppt. āā ʒij. Syr. de Symphyto q. s. m. f. Electarium. Sumat Quantitatem Nucis Moschatæ Mane ac Vesperi cum Aquæ Bristolienſ. ℔ss.

Take Conserve of Comfrey Roots and Red Roses, of each one Ounce: Gum Tragacanth and *Japan* Earth powdered, Red Coral prepared, of each two Drachms: Syrup of Comfrey, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken Morning and Evening, with Half a Pint of *Bristol* Water.

Observations.

These are of Service in Consumptions, Spitting of Blood, Fluor Albus, Seminal Weaknesses, old Gleets, *&c.* They strengthen and restore the decayed Tone of the respective Parts, and by their incrassating Quality alter the Tex-

ture of the Blood, and render it more nutritive and balſamick.

Electarium Pectorale.

℞ Sacch. Roſar. ℥jſs. Spec. Diatragacanth. frig. ʒiij. Chel. & Ocul. Cancr. ppt. āā ʒij. Syr. Balſamic. q. ſ. m. f. Electarium. Sumat Quantitatem Nucis Jugland. omni Mane cum Hauſtu Lactis Vaccin. recent. Sacchar. alb. edulcorat.

The Pectoral Electuary.

Take Sugar of Roſes, one Ounce and an Half: Cooling Species of Gum Tragacanth, three Drachms: Crabs Claws and Eyes prepared, of each two Drachms: Balſamick Syrup, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Walnut to be taken every Morning, with a Draught of new Cow's Milk, ſweetened with Loaf Sugar.

Obſervations.

This is good in conſumptive Caſes and Ulcerations of the Lungs, and deſtroys Acidities in the *Primæ Viæ*.

Emulſio Balſamica.

℞ Sperm. Ceti ſolut. ʒiij. affunde Aq. Ceraſ. Nigr. ℥viij. Cinnam. ten. ʒij. Sacc. alb. q. ſ. m. f. Emulſio de qua bibat Hauſtum tepide frequenter.

The Balſamick Emulſion.

Take Sperma Ceti diſſolved, three Drachms: Add to it Black Cherry Water, eight Ounces: Small

Small Cinnamom Water, two Ounces: White Sugar, a ſufficient Quantity. Mix and make an Emulſion. A Draught of it to be taken often a little warm.

Obſervations.

This is an excellent balſamick Remedy in all Coughs, Hoarſeneſs and Soreneſs of the Breaſt.

Hauſtus cum Milleped.

℞ Milleped. viv. No. LX. contuſis affunde Aq. Nephritic. ʒiij. fiat Expreſſio, adde Sp. Lavend. comp. ʒj. Syr. Balſamic. ʒij. m. f. Hauſtus Mane & Sero ſumend.

The Draught with Millepedes.

Take ſixty Millepedes alive, bruiſe them, and pour on Nephritick Water, three Drachms: Compound Spirit of Lavender, one Drachm: Balſamick Syrup, two Drachms. Mix and make a Draught to be taken Morning and Evening.

Obſervations.

This is given in Hectical Complaints, where the Lungs are ſuppoſed to have Schrophulous Tubercles. It is likewiſe good in Dropſies and Nephritick Caſes, to open Obſtructions in the urinary Paſſages, and evacuate viſcid Humours congeſted in the Glands of any Part of the Body; which renders it uſeful in the Jaundice, and in ſhort all Glandular Diſeaſes.

Hauſtus Traumaticus.

℞ Balſ. Gileadenſ. ſolut. ℈j. Aq. Ceraſ. Nigr.

℥jſs. Pæon. comp. Syr. Balſamic. āā ʒij. m. f. Hauſt. ſumend. Mane & Sero.

The Vulnerary Draught.

Take Balm of *Gilead* diſſolved, a Scruple: Black Cherry Water, one Ounce and an Half: Compound Piony Water and Balſamick Syrup, of each two Drachms. Mix and make a Draught to be taken Night and Morning.

Obſervations.

This is ordered in Ulcers of the Lungs, and inward Bruiſes of the Thorax; is a warm detergent Balſam, comforts and ſtrengthens the nervous Fibres, and diſſolves Coagulations of Blood proceeding from Wounds, Bruiſes, or other external Injuries.

Hauſtus Antihectus.

℞ Sal. Abſinth. ʒſs. Succ. Limon. ʒvj. Aq. Cinnam. ten. ℥j. Sacch. alb. q. ſ. m. f. Hauſt. ſumend. ſexta quaque Hora.

The Antihectick Draught.

Take Salt of Wormwood, Half a Drachm: Juice of Lemons, ſix Drachms: Small Cinnamon Water, one Ounce: Sugar, a ſufficient Quantity. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This is ordered to attemper the hectick Heat attendant in conſumptive Caſes; which it effects, in an admirable Manner, by allaying the Acrimony of the Blood and Juices, and opening

Universitäts- und Landesbibliothek Düsseldorf urn:nbn:de:hbz:061:2-9731-p0038-3

ing the Obſtructions that are the Cauſe of their irregular Circulation and increaſed feveriſh Motion.

Pulvis Alterativus.

℞ Ocul. Cancr. ppt. Chel. Cancr. ppt. Margarit. ppt. āā ℈j. m. f. Pulvis ſumendus omni Mane & Nocte cum Lactis Aſinin. ℔ſs.

The Alterative Powder.

Take Crabs Eyes, Crabs Claws, and Pearl prepared, of each one Scruple. Mix and make a Powder to be taken every Night and Morning, with Half a Pint of Aſſes Milk.

Obſervations.

This is given in Coughs, Hecticks, and Conſumptions, to prevent the Aſſes Milk from turning ſour on the Stomach.

Of the Diſeaſes of the HEAD.

The Apoplexy.

Hauſtus Catharticus.

℞ Spec. pro Elect. Caryocoſt. ℈ij. vel ʒj. Vini Alb. ʒji. m. f. Hauſtus primo Mane ſumendus cum Regimine.

The Cathartick Draught.

Take Species for the Clove and Coſtus Electuary, two Scruples, or one Drachm: White Wine, two Ounces. Mix and make a Draught to be taken in the Morning early, with proper Regimen.

Obſer-

Obſervations.

This is a warm ſtimulating Cathartick, and therefore very proper in Apoplexies, Rheumatiſms, and other Caſes, where the Nerves are oppreſſed. It diſcharges viſcid Matter from the excretory Ducts of the Glands, and frees the whole Habit from the Load of Humours that clog and obſtruct the elaſtick Motion of the animal Fibres.

Hauſtus Aloeticus.

℞ Tinct. Sacræ Vinoſ. ℥ijſs. Sp. Lavend. comp. ℥j. m. f. Hauſtus Hora Somni ſumendus.

The Aloe Draught.

Take Tincture of Hiera Picra, made with Wine, two Ounces and an Half: Compound Spirit of Lavender, one Drachm. Mix and make a Draught to be taken going to Reſt.

Obſervations.

This in ſome Meaſure anſwers the Intention of the foregoing Cathartick Draught, but is not ſo violent in its Operation; for which Reaſon it is more proper for Perſons of weaker Conſtitutions, who are unable to ſupport the Vellications occaſioned by the former.

Hauſtus Cephalicus.

℞ Aq. Ceraſ. Nigr. ℥jſs. Pæon. comp. ℥ſs. Sal. C. C. vol. gr. xv. Tinct. Caſtor. Ruſſ. ℥j. Syr. è Cort. Aurant. q. ſ. m. f. Hauſtus ſexta quaque Hora ſumend.

The

The Cephalick Draught.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Volatile Salt of Hartſhorn, fifteen Grains: Tincture of *Ruſſia* Caſtor, one Drachm: Syrup of Orange Peel, a ſufficient Quantity. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This is good to attenuate the Viſcidity of the Blood, and, after due Evacuations by Bleeding, Catharticks and Bliſters, promotes a freer Circulation through the capillary Veſſels of the Cerebellum. It warms and ſtimulates the Nerves, and often opens the Obſtructions cauſing this dreadful Diſeaſe, if taken in Time, and aſſiſted by proper external Stimulants.

The PALSY.

Bolus Cephalicus.

℞ Pulv. è Chel. Cancr. comp. ℈j. Caſtor. Ruſſ. pulv. Spec. Diambr. Rad. Serp. Virg. pulv. āā gr. vj. Conf. Alcherm. q. ſ. m. f. Bolus ſexta quaque Hora ſumendus.

The Cephalick Bolus.

Take compound Powder of Crabs Claws, one Scruple: *Ruſſia* Caſtor powdered, Species Diambra and *Virginia* Snake-root powdered, of each ſix Grains: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus to be taken every ſix Hours.

Obſer-

Observations.

This is given in moſt nervous Caſes, and is of Service in bringing to their due Tone the relaxed Fibres of the Stomach, and other Parts of the Body. It warms and invigorates the Blood and Spirits, and aſſiſts the tonick Motion of the Veſſels, ſo as to enable them regularly to perform their ſeveral Functions.

Bolus Stomachicus.

℞ Spec. Diambr. ℈j. Pulv. Caſtor. Ruſſ. gr. v. Conf. Alcherm. q. ſ. m. f. Bolus octava quaque Hora ſumendus.

The Stomach Bolus.

Take Species Diambra, one Scruple: Powder of *Ruſſia* Caſtor, five Grains: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus to be taken every eight Hours.

Observations.

This is principally intended to comfort the Stomach, and retrieve its natural Warmth. It likewiſe revives and ſtrengthens the decaying Senſations of the nervous Fibrillæ, in remote Parts of the Body.

Gargariſma Paralyticum.

℞ Sem. Sinap. ʒvj. Rad. Zedoar. ʒj. infunde in Aq. bullient. q. ſ. ad colatur. ℥xv. adde Aq. Mirabil. ℥ij. Sp. Sal. Ammon. ʒj. m. f. Gargariſma frequenter utendum.

The Paralytick Gargle.

Take Muſtard-Seeds, ſix Drachms: Zedoary Root, one Drachm; infuſe them in a ſufficient

cient Quantity of boiling Water, to ſtrain off fifteen Ounces; to which add Aq. Mirabilis, two Ounces: Spirit of Sal Ammoniac, one Drachm. Mix and make a Gargle to be uſed frequently.

Obſervations.

This is excellent in all Paralytick Caſes, when the Mouth and Tongue are affected, to reſtore the Nerves of thoſe Parts to their proper Senſation and Action.

Embrocationes Anodynæ.

℞ Aq. Reg. Hung. ℥iv. Sp. Sal. Ammoniac. Lavend. comp. āā ℥iij. m. f. Embrocatio bis de Die utenda.

Anodyne Embrocations.

Take *Hungary* Water, four Ounces: Spirit of Sal Ammoniac, Lavender compound, of each three Drachms. Mix and make an Embrocation, to be uſed twice a Day.

℞ Aq. Hungar. ℥xij. Camphoræ ℥ſs. Laud. Liquid. Sydenhami ʒiij. m. embrocantur Part. affect. bis in Die.

Take *Hungary* Water, twelve Ounces: Camphor, Half an Ounce: *Sydenham*'s Liquid Laudanum, three Drachms. Mix them together, to embrocate the Parts affected, twice a Day.

Obſervations.

Theſe are uſed to Paralytick Limbs, in Caſes of extreme Pain. They are anodyne, and promote Perſpiration in the Parts to which they are

uſed; and are likewiſe uſeful in other Pains proceeding from external Cold, when the Parts are benumbed from Bruiſes, the Rheumatiſm, &c. but are improper, when they proceed from the Gout.

Tinctura Sinapin.

℞ Sem. Sinap. ʒiij. Rad. Gallang. Gentian. Sem. Cardamom. min. āā ʒj. infunde in Aq. bullientis ℥xij. colaturæ adde Aq. Abſinth. mag. comp. ℥iij. Sp. Lavend. comp. ʒvj. m. f. Tinctura capiat Cochlear. unum bis de Die.

The Muſtard Tincture.

Take Muſtard-ſeed, three Drachms: Galingal, Gentian Root, and Leſſer Cardamoms, of each one Drachm; infuſe them in twelve Ounces of boiling Water, and to the ſtrained Liquor add Wormwood Water of the greater Compoſition, three Ounces: Compound Spirit of Lavender, ſix Drachms. Mix and make a Tincture. One Spoonful to be taken twice a Day.

Obſervations.

This is given as a Fortifier of the Stomach and nervous Fibres, and is of Service in the Dropſy and Aſcites, to ſtrengthen Digeſtion, and warm the Blood.

Unguentum Paralyticum.

℞ Ung. Nervin. ℥ij. Ol. Vitriol. ʒiij. Macis per Expreſſ. ʒj. m. f. Unguentum quocum illinantur Partes affectæ frigidè omni Nocte, cautè tegendo Panno laneo.

The Palsy Ointment.

Take Nerve Ointment, two Ounces: Oil of Vitriol, three Drachms: Mace by Expression, one Drachm. Mix and make an Ointment, to anoint the Parts affected cautiously every Night cold, covering them afterwards with Flannel.

Observations.

This is used to Paralytick and numbed Limbs with Caution, which it helps to their due Sense and Feeling; and will be found serviceable in the *Sciatica*. It is somewhat caustick in its Quality, and should therefore be made Use of in no Cases, but where the Sensations of the Nerves are greatly impaired.

St. Vitus's *Dance.*

Electarium Chalybeatum.

℞ Conf. Absinth. Rom. Cort. Aurant. āā ʒvj. Chel. Cancr. præp. ʒij. Chalyb. cum Sulph. ppt. Pulv. Ari comp. Spec. Diambr. āā ʒj. Syr. è Cort. Aurant. q. f. m. f. Electarium sumat Quantitatem Nucis Moschat. Mane & Hora quinta Pomeridiana cum Cochl. iv. Tincturæ Stomachic. sequentis.

The Chalybeate Electuary.

Take Conserve of *Roman* Wormwood and Orange Peel, of each six Drachms: Crabs Claws prepared, two Drachms: Steel prepared with Sulphur, compound Powder of Arum Root and Species Diambra, of each one Drachm: Syrup of Orange Peel, a sufficient

cient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken in the Morning, and at Five in the Afternoon, with four Spoonfuls of the following Stomach Tincture.

Tinctura Stomachica Amara.

℞ Infuſ. Amar. ſimp. ℥viij. Aq. Abſinth. mag. comp. Pæon. comp. āā ℥j. m. f. Tinctura.

The Bitter Stomach Tincture.

Take the ſimple bitter Infuſion, eight Ounces: Wormwood Water of the greater Compoſition and compound Piony Water, of each one Ounce. Mix and make a Tincture.

Obſervations.

Theſe are ordered to ſtrengthen the Stomach and promote a good Digeſtion, on which the regular Performances of the other Functions of the Body in a great Meaſure depend.

The Epilepsy, Vertigo, *and* Tetanus.

Hauſtus Cephalicus.

℞ Aq. Ceraſ. Nigr. ℥jſs. Pæon. comp. ℥ſs. Sp. C. C. gutt. xv. Tinct. Caſtor. Ruſſ. gutt. xv. Syr. è Cort. Aurant. ʒij. m. f. Hauſtus ter de Die ſumendus.

The Cephalick Draught.

Take Black Cherry Water, one Ounce and an Half;

Half: Compound Piony Water, Half an Ounce: Spirit of Hartſhorn, fifteen Drops: Tincture of *Ruſſia* Caſtor, fifteen Drops: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken thrice a Day.

Obſervations.

This is given in Epileptick Diſorders, to remove the Obſtructions, and give a briſker Circulation to the Blood and Spirits.

Hauſtus Antiepilepticus.

℞ Aq. Ceraſ. Nigr. ℥jſs. Pæon. c. ℥ſs. Pulv. ad Guttetam, ℈j. Tinct. Caſtor. ʒj. Syr. Pæon. comp. q. ſ. m. f. Hauſtus ſexta quaque Hora ſumendus.

The Antiepileptick Draught.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Powder againſt the Epilepſy, one Scruple: Tincture of Caſtor, one Drachm: Compound Syrup of Piony, a ſufficient Quantity. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This is ordered in Spaſmodick Diſorders, and Rigors of the Nerves, to promote a more regular and copious Secretion of the nervous Fluid, whereby the Tetanus and irregular Vibration of the Nerves are to be relieved. It may be repeated every ſix or eight Hours, as the Symptoms require.

Pilulæ

Pilulæ Cephalicæ.

℞ Gum. Ammoniac. Galban. Caſtor. Ruſſ. āā ʒj. Syr. Pæon. comp. q. ſ. m. f. Pilulæ mediocr. ſumat quatuor Mane & Hora Somni cum Cochl. iv. Julep. Cephalici.

The Cephalick Pills.

Take Gum Ammoniac, Galbanum and *Ruſſia* Caſtor, of each one Drachm: Compound Syrup of Pionies, a ſufficient Quantity. Mix and make Pills of a moderate bigneſs. Four to be taken in the Morning, and at going to Reſt, with four Spoonfuls of the Cephalick Julep.

Obſervations.

Theſe Pills are given in Pains of the Head, Hyſterick Caſes, and nervous Diſorders. They conſiſt of warm, penetrating, and inciding Ingredients, capable of removing Obſtructions, and increaſing the natural Heat.

Mixtura Gummoſa.

℞ Lact. Ammoniac. Bat. ℥viij. ſumat Cochl. iij. urgente Spaſmo vel Languore.

The Gum Mixture.

Take the Milk of Gum Ammoniac, eight Ounces. Three Spoonfuls to be taken, when troubled with Convulſions, or Faintneſs.

Obſervations.

This is a good Cephalick Medicine, and is directed, in nervous Caſes, to be taken at ſhort Intervals, to relieve the frequent Return of Faintneſs, convulſive Motions, *&c.*

Bolus

Bolus Nervosus.

℞ Pulv. ad Guttet. ℈j. Castor. Russ. pulv. Spec. Diambr. āā gr. v. Syr. Pæon. c. q. s. m. f. Bolus Mane Nocteque sumend. cum Julep. Cephalic.

The Nervous Bolus.

Take Powder against the Falling Sickness, a Scruple: *Russia* Castor powdered, and Species Diambra, of each five Grains: Compound Syrup of Piony, a sufficient Quantity. Mix and make a Bolus, to be taken Night and Morning, with the Cephalick Julep.

Observations.

This is good in Epileptick Pains of the Head, Convulsions, and all nervous Disorders.

Bolus Cephalicus.

℞ Pulv. è Chel. Cancr. comp. ℈j. Rad. Valer. Sylv. p. Castor. Russ. pulv. āā gr. v. Conf. Alcherm. q. s. m. f. Bolus Nocte ac Mane sumend.

The Cephalick Bolus.

Take compound Powder of Crabs Claws, a Scruple: Wild Valerian Root, and *Russia* Castor powdered, of each five Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus to be taken, Night and Morning.

Observations.

This answers much the same Intentions as the former, and is of Service in slow, remitting, nervous Fevers.

MADNESS.

Bolus Gummoſ.

℞ Troch. de Myrrh. ℈j. Syr. Croci q. ſ. m. f. Bolus ſumat ſexta quaque Hora cum Julep. Cephalic.

The Gum Bolus.

Take Troches of Myrrh, one Scruple: Syrup of Saffron, a ſufficient Quantity. Mix and make a Bolus to be taken every ſix Hours, with the Cephalick Julep.

Obſervations.

This is effectual in a low melancholy State of Madneſs, in which the Tone of the Nerves is greatly relaxed; whether of the Hypochondriack Kind in Men, or the Hyſterical in Women; being proper to open Obſtructions in either Sex; but is more eſpecially ſerviceable in promoting the uterine Diſcharges of Women, when this Diſeaſe is increaſed by Reaſon of their undue Retention.

Pilulæ Aperitivæ.

℞ Pil. Rud. Ruffi āā ℈j. m. f. Pilul. v. tertia quaque Nocte ſumend. modò Alvus ſit adſtricta.

Aperitive Pills.

Take Pills Ruffi and Rudii, of each a Scruple. Mix and make five Pills to be taken every third Night, if coſtive.

Obſervations.

Theſe are good Openers and Stomachicks, and are proper to diſcharge from the Stomach and

and Bowels any pituitous Matter lodged in the Plicæ of the ſame.

Hauſtus Emeticus.

℞ Pulv. Ippecacuan. ʒſs. Aq. Alexit. ſimp. ℥jſs. Oxymel Scillit. ℥ſs. m. f. Hauſtus Mane vel Veſperi ſumendus cum Regimine.

The Emetick Draught.

Take Powder of Ippecacuanha, Half a Drachm: Alexiterial Milk Water, one Ounce and an Half: Oxymel of Squills, Half an Ounce. Mix and make a Draught to be taken either in the Morning or Evening.

Obſervations.

This is one of the beſt and ſafeſt Emeticks, frequent in common Practice, and is often repeated in this Diſeaſe with a View as well to clear the Stomach of a noxious Colluvies, as, by the Shock given by its Operation to the whole vaſcular Syſtem, to open Obſtructions in the Liver, Spleen, *&c.* and ſhake off from the Orifices of the Glands any viſcid Matter diſturbing the natural Secretions. It is adapted to Perſons of a tender Conſtitution; Antimonial or other ſtrong Emetick Medicines being moſt available for maniacal Patients of robuſt Habits of Body.

The QUINSY.

Gargariſmat. Emollient.

℞ Decoct. Pectoral. ℥xij. Syr. de Moris ℥j. Sp. Sal. Ammoniac ʒj. m. f. Gargariſma teneat Cochl. iij. in Gutture ſæpiùs calidè.

Emollient Gargles.

Take Pectoral Decoction, Half a Pint: Syrup of Mulberries, one Ounce: Spirit of Sal Ammoniac, one Drachm. Mix and make a Gargle. Three Spoonfuls to be held in the Throat very often warm.

℞ Decoct. Pectoral. ℔ss. Mell. Rosat. ℥ij. m. f. Gargarisma.

Take Pectoral Decoction, Half a Pint: Honey of Roses, two Ounces. Mix and make a Gargle.

Observations.

These are frequently ordered in Inflammations of the Tonsils, are useful to relax the internal Parts of the Mouth and Throat, and, after plentiful Bleeding, seldom fail to relieve their painful Constriction in this Disease. They mollify, suppurate, and deterge the tough Phlegm collected in the Glands, and, if the Swelling of the Parts be not far advanced, nor the Matter strongly impacted, will with the Assistance of Catharticks frequently discuss the same.

Pulvis Uvularis.

℞ Cort. Granator. Alum. Rup. Terr. Japonic. pulv. āā ʒss. m. f. Pulvis. Aliquantulum Uvulæ applicetur, & subinde obluatur Gargarismate emolliente.

The Powder for the Uvula.

Take Pomegranate Peel, Roch Allum, and *Japan* Earth powdered, of each Half a Drachm. Mix and make a Powder to be applied

applied to the Uvula, washing it off now and then with the emollient Gargle.

Observations.

This is ordered in a Relaxation of the Uvula, to constringe its Fibres, and thereby enable it to resist the Defluxion of Rheum falling thereon. The Method of applying it is with a Uvula Spoon, and to suffer it to lie for a While on the Part affected. Proper Alteratives, such as *Pil. de Styrace*, *Tinct. Sacra*, &c. should be used at the same Time, to stay the Fluxion, and carry off the Redundancy of serous Humours.

The Diseases of the BREAST.

The Asthma.

Linctus Expectorans.

℞ Oxymel. Scillitic. Ol. Amygd. Dulc. Syr. Capill. Veneris āā ℥j. Sacchar. alb. q. s. m. f. Linctus sumat Cochlear. j. sæpè.

The Expectorating Linctus.

Take Oxymel of Squills, Oil of Almonds, and Syrup of Maidenhair, of each one Ounce: Loaf Sugar, a sufficient Quantity. Mix and make a Linctus. One Spoonful to be taken often.

Observations.

This is proper in Asthmas, to promote the Expectoration of thick Phlegm sticking in the Bronchia, and exciting a troublesome fatiguing

Cough, as it ſeconds the Efforts of Nature towards its Diſcharge. To prevent too great Irritation from the Oxymel, as well as lubricate the Paſſage of the Larynx, it will be convenient to take a Spoonful of the Linctus Pectoralis, alternately, with this.

Mixtura Aſthmatica.

℞ Gum. Ammoniac. ʒj. ſolve in Aq. Ceraſ. Nigr. ℥viij. Colaturæ ſumat Cochl. ij. urgente Oppreſſione.

The Aſthmatick Mixture.

Take Gum Ammoniac, one Drachm: Diſſolve it in eight Ounces of Black Charry Water. Two Spoonfuls of the ſtrained Liquor to be taken, when the Patient is troubled with Oppreſſion on the Breaſt.

Obſervations.

This is a known good Remedy for Oppreſſion and Difficulty of Breathing, eſpecially when proceeding from a nervous Cauſe.

Mixtura Expectorans.

℞ Oxymel. Scillit. Aq. Cinnam. Hord. āā ℥ij. m. f. Mixtura. Sumat Cochlear. ij. urgente Dyſpnœa.

The Expectorating Mixture.

Take Oxymel of Squills and Barley Cinnamon Water, of each two Ounces. Make a Mixture. Two Spoonfuls to be taken, when troubled with Difficulty of Breathing.

Obſervations.

This will aſſiſt in Dropſies and Cachexies,

when attended with an Aſthma, and will take Place, when common Pectorals avail nothing. It is a good Expectorant and Diuretick.

Pilulæ Solutivæ.

℞ Pil. Ruffi ʒſs. f. Pilul. v. ſumend. h. ſ.

Solutive Pills.

Take Pill Ruffi, Half a Drachm. Make five Pills to be taken at going to Reſt.

Obſervations.

Theſe ſhould be repeated once every two, three, or four Nights, as Occaſion may require, to keep the Body ſoluble, which is abſolutely neceſſary in this Diſeaſe.

The Diſeaſes of the HEART.

Guttulæ Cardiacæ.

℞ Spir. Lavend. comp. Sal. Vol. Oleoſ. āā ʒſs. m. ſumat Guttas xxx. in Languoribus è quovis Vehiculo.

The Cardiack Drops.

Take compound Spirit of Lavender and the Oily Spirit of Volatile Salt, of each Half an Ounce. Mix them together. Thirty Drops to be taken, when faint, in any Liquor.

Obſervations.

Theſe are given in Faintings and Swoonings, to accelerate the Motion of the Blood and Spirits. They warm and ſtrengthen the Nerves, and by their Volatile Quality quickly revive the Motion of the Blood.

Gut-

Universitäts- und Landesbibliothek Düsseldorf urn:nbn:de:hbz:061:2-9731-p0055-7

Guttulæ Cephalicæ.

℞ Spir. Sal. Volat. Oleoſ. Tinct. Caſt. Ruſſ. āā ℥ſs. m. ſumat Gutt. xx. vel xxx. in Languoribus ex Hauſtu Julepi Cephalici.

The Cephalick Drops.

Take Oily Spirit of Volatile Salt and Tincture of *Ruſſia* Caſtor, of each Half an Ounce. Mix them together. Twenty or thirty Drops to be taken, when faint, in a Draught of the Cephalick Julep.

Obſervations.

Theſe anſwer much the ſame Intentions of the former, by promoting a freer Secretion of the Animal Spirits, and increaſing the Tonick Motion of the Solids. They are likewiſe uſeful in Hyſterick Fits.

The Diſeaſes of the STOMACH *and* INTESTINES.

Bolus Anticolicus.

℞ Phylon. Londinenſ. ʒſs. Pulv. è Chel. Cancr. comp. ℈j. Syr. Caryophil. q. ſ. m. f. Bolus Hora Somni ſumendus, & Mane ſequenti ſuperbibat Hauſtum Catharticum ſequentem.

The Anticolick Bolus.

Take *London* Philonium, Half a Drachm: Compound Powder of Crabs Claws, a Scruple: Syrup of Clove Gilly-flowers, a ſufficient Quantity. Mix and make into a Bolus

lus to be taken at going to Reſt, and to take the following Cathartick Draught the next Morning.

Hauſtus cum Rhæo.

℞ Rad. Rhæi inciſi ʒjſs. Sem. Cardamom. min. ℈j. infunde in Aquæ bullientis q. ſ. ad colaturæ ℥ijſs. adde Aq. Mirabil. ℥ſs. m. f. Hauſtus.

The Draught with Rhubarb.

Take Rhubarb Root ſliced, one Drachm and an Half: Leſſer Cardamoms, a Scruple. Infuſe them in a ſufficient Quantity of boiling Water, to ſtrain off two Ounces and an Half; to which add Aqua Mirabilis, Half an Ounce. Mix and make a Draught.

Obſervations.

Theſe are approved Remedies in Cholicks, to remove the Spaſmodick Contraction of the Membranes, and carry off the Cauſe of the Diſorder.

Emplaſtrum Stomachicum.

℞ Emp. Stomach. magiſtr. ʒij. Diachyl. cum Gum. Ol. Macis per Expreſſ. ā ā ʒj. Pulv. Cinnamom. Zinziber. Nucis Moſchat. Caryoph. ā ā ℈ſs. m. f. Emplaſtrum ſuper Alutam extendendum.

The Stomach Plaiſter.

Take The magiſterial Stomach Plaiſter, two Drachms: Diachylon with the Gums and Oil of Mace by Expreſſion, of each one Drachm: Powder of Cinnamon, Ginger, Nutmegs, and Cloves, of each Half a Scruple.

ple. Mix them together for a Plaiſter to be ſpread upon Leather.

Obſervations.

This warms and comforts the Nerves of the Stomach, and is ſerviceable in relieving Pains both of that Part and of the Breaſt.

Guttulæ Carminativæ.

℞ Tinct. Sem. Cardamom. ℥ij. Capiat Cochlearium minimum, urgente Ægritudine, Singultu, vel Dolore, ex Hauſtulo Vini vel Julepi Perlati.

The Carminative Drops.

Take Tincture of Cardamoms, two Ounces. A Tea Spoonful to be taken at any Time, when troubled with Sickneſs, Hiccough, or Pain, in a Draught of Wine, or Pearl Julep.

Obſervations.

This is given in Diſorders proceeding from Flatulency, and is of Service in the Hiccough and Spaſms of the Stomach; the latter of which it inſtantly removes, eſpecially if taken in warm Water, or other warm Liquor.

Guttulæ Stomachicæ.

℞ Elix. Vitriol. Mynſ. ℥j. Sumat Guttas xxx. Hora ante Prandium ex Hauſtu Aquæ Briſtolienſ. Vino commiſti.

The Stomachick Drops.

Take *Mynſicht*'s Elixir of Vitriol, one Ounce. Thirty Drops to be taken an Hour before Dinner in a Draught of *Briſtol* Water and Wine mixed.

Obſer-

Observations.

This is used as a powerful Strengthener of the Stomach, especially in Relaxations of the same from hard Drinking. It braces its Fibres, and thereby promotes Digestion; and, in Cases where the Stomach is weak and very irritable, is taken to more Advantage in warm Water alone, in such Quantity as not to offend by its too great Acidity.

Guttulæ Helmontii.

℞ Elix. Proprietatis Helmont. ℥j. Sumat Guttas xxx. omni Mane ex Cochlear. iv. Tinct. Stomach. Amar. superbibendo ℔ss. Aq. Bathon. tepidè; vel capiat Cochlear. minimum cum Haustu Vini Albi.

Helmont's *Drops.*

Take *Helmont*'s Elixir of Property, one Ounce. Thirty Drops to be taken every Morning in four Spoonfuls of the Bitter Stomach Tincture, drinking afterwards Half a Pint of warm *Bath* Water: Or a Tea Spoonful may be taken in a Glass of White Wine.

Observations.

This is useful in the Cholick to assist Digestion, being a great Fortifier of the Fibres of the Stomach. It is likewise serviceable in the Chlorosis, and to destroy Worms in Children.

Haustus Stomachicus.

℞ Tinct. Sacræ sine Aloe ℥jss. Cardamom. Bat. ʒss. m. f. Haustus bis de Die sumendus.

The Stomachick Draught.

Take Tincture of Hiera Picra, made without Aloes, one Ounce and an Half: Bates's Tincture of Cardamoms, Half a Drachm. Mix and make a Draught to be taken twice a Day.

Observations.

This is a warm Stomachick, and given in Cholicks, Pains of the Stomach, Flatulencies, &c.

Hauſtus Solutivus.

℞ Confect. Cardiac. ʒſs. Pulv. Rhæi gr. xv. Aq. Alexit. ſimp. ℥jſs. Aq. Mirabil. ʒiij. Syr. Croc. ʒij. m. f. Hauſtus omni Nocte ſumend.

The Solutive Draught.

Take Cardiack Confection, Half a Drachm: Powder of Rhubarb, fifteen Grains: Simple Alexiterial Water, one Ounce and an Half: Aqua Mirabilis, three Drachms: Syrup of Saffron, two Drachms. Mix and make a Draught to be taken every Night.

Observations.

This is ordered to keep the Body open in coſtive Habits, attended with conſtant Cholick Pains.

Electarium Stomachicum.

℞ Conſ. Abſinth. Rom. Flaved. Cort. Aurant. āā ʒvj. Pulv. Ari comp. recent. ʒiij. Chalyb. cum Sulph. ppt. ʒij. Zinziberis pulv. ʒj. Syr. è Cort. Aurant. q. ſ. m. f. Electarium. Capiat Quantitatem Nucis Moſchatæ majoris Mane & Hora quinta Pomeridiana ſuperbibendo Aq. Pyrmont. ℔ſs.

The

The Stomachick Electuary.

Take Conſerve of *Roman* Wormwood and Orange Peel, of each ſix Drachms: Compound Powder of Arum Root, freſh made, three Drachms: Steel prepared with Sulphur, two Drachms: Ginger powdered, one Drachm: Syrup of Orange Peel, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a large Nutmeg to be taken in the Morning, and at Five in the Afternoon, drinking Half a Pint of *Pyrmont* Water after it.

Obſervations.

This is good to warm and invigorate the Blood, and ſtrengthen the Stomach. It defends it againſt the Attack of any ſharp, ſcorbutic, gouty, or other Humour, and, when aſſiſted with gentle Exerciſe on Horſeback, will in Time enable Nature to diſcharge them by the Kidnies and other Emunctories of the Body.

Eleoſaccharum Stomachicum.

℞ Ol. Menth. Chym. ʒij. Sumat Gutt. quinque vel ſex cum Sacchar. pulv. urgente Singultu.

The Stomachick Eleoſaccharum.

Take Chymical Oil of Mint, two Drachms. Five or ſix Drops to be taken in Powder Sugar, when troubled with the Hiccough.

Obſervations.

Theſe are ordered to appeaſe that Spaſmodick Motion of the Stomach, called the Hiccough, in nervous Fevers, Paralytick Caſes, *&c.*

Pilulæ Anodynæ Cathartic.

℞ Extr. Rudii ʒs. Thebaic. gr. j. m. f. Pilul. quinque.

The Anodyne Purging Pills.

Take Extract. Rudii, Half a Drachm: Theban, one Grain. Mix and make five Pills.

Observations.

These are prescribed in the Cholick, to carry off the offending Pituita lodged in the Stomach and Colon, which, obstructing the Passages, causes violent Pain. Catharticks are most advantageously administered for the above Purpose in this Form joined with an Opiate, to allay the Spasms of the Stomach and Intestines, and prevent the Rejection of them by Vomiting, as they abate the Vellication of the Fibres necessarily occasioned by their Operation.

Pulvis ad Tormina.

℞ Pulv. Rhæi optim. gr. v. Sem. Anisi gr. iij. m. f. Pulvis sumendus urgente Dolore è Cochlear. Syr. Violar.

The Powder for the Gripes.

Take Powder of the best Rhubarb, five Grains: Aniseeds, three Grains. Mix and make a Powder to be taken, when the Pain requires it, in a Spoonful of Syrup of Violets.

Observations.

This carries off the slimy Matter causing the Gripes in Children.

Tinctura Aromatica.

℞ Rad. Zedoar. Gallang. Cort. Aurant. Sem.

Cardamom. min. āā ʒj. infunde in Aq. bullientis q. ſ. ad colatur. ℥viij. adde Aq. Pæon. comp. ʒvj. Sp. Lavend. comp. ʒiij. m. f. Tinctura. Capiat Cochlear. iv. Mane & Veſperi.

The Aromatick Tincture.

Take Roots of Zedoary, Galingal, Orange Peel and Leſſer Cardamoms, of each one Drachm. Infuſe them in a ſufficient Quantity of boiling Water, to ſtrain off eight Ounces; to which add compound Piony Water, ſix Drachms: Spirit of Lavender, three Drachms. Mix and make a Tincture. Four Spoonfuls to be taken Morning and Evening.

Obſervations.

This warms, ſtrengthens, and comforts the Fibres of the Stomach, promotes Digeſtion, and is therefore of Service in Cholicks, the Gout, *&c.*

Boli Hæmorrhoidales.

℞ Lact Sulph. Chel. Cancr. præparat. Æthiop. min. āā gr. xv. Conf. Alcherm. q. ſ. m. f. Bolus.

The Hæmorrhoids.

Take Milk of Sulphur, Crabs Claws prepared, and Æthiops Mineral, of each fifteen Grains: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus.

℞ Elect. Diacaſſ. cum Mann. ʒij. Lact. Sulph. ʒſs. Syr. Violar. q. ſ. m. f. Bolus.

Take

Take Diacaſſia with Manna, two Drachms: Milk of Sulphur, Half a Drachm: Syrup of Violets, a ſufficient Quantity. Mix and make a Bolus.

℞ Conſ. Violar. ℈ij. Lact. Sulph. ℈j. Chel. Cancr. præp. ℈ſs. Syr. Violar. q. ſ. m. f. Bolus.

Take Conſerve of Violets, two Scruples: Milk of Sulphur, a Scruple: Crabs Claws prepared, Half a Scruple: Syrup of Violets, a ſufficient Quantity. Mix and make a Bolus.

Obſervations.

Theſe are given in the Hæmorrhoids or Piles, for which Purpoſe they are well adapted. They obtund the Sharpneſs of the Blood and Juices, and are good Alteratives.

Electarium Sulphuratum.

℞ Conſ. Cynoſbat. Flor. Aurant. āā ʒvj. Chel. & Ocul. Cancr. ppt. āā ʒj. Lact. Sulph. ʒij. Syr. è Cort. Aurant. q. ſ. m. f. Electarium ſumat Quantitatem Nucis Moſchat. bis de Die cum Julepo Perlat.

The Sulphur Electuary.

Take Conſerve of Hips and Orange Flowers, of each ſix Drachms: Crabs Eyes and Claws prepared, of each a Drachm: Milk of Sulphur, two Drachms: Syrup of Orange Peel, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day with the Pearl Julep.

Obſer-

Obſervations.

This is a great Sweetener of the Juices, and deſtroys Acidities in the firſt Paſſages.

Hauſtus ad Hæmorrhoid.

℞ Pulp. Caſſiæ ʒij. Flor. Sulph. ʒſs. Aq. Ceraſ. nigr. ℥jſs. m. f. Hauſtus H. S. omni Nocte ſumend.

The Draught for the Hæmorrhoids.

Take Pulp of Caſſia, two Drachms: Flower of Brimſtone, Half a Drachm: Black Cherry Water, one Ounce and an Half. Mix and make a Draught to be taken every Night going to Reſt.

Obſervations.

This anſwers the Intention its Title expreſſes, is laxative and ſpecifick in this Diſeaſe.

Pulv. Sulphurat.

℞ Ocul. Cancr. & Coral. rubr. præp. Lact. Sulph. āā ℈ſs. m. f. Pulv. ſumendus Mane Nocteque.

The Sulphur Powder.

Take Crabs Eyes and Red Coral prepared, Milk of Sulphur, of each Half a Scruple. Mix and make a Powder to be taken Morning and Night.

Obſervations.

This is given as a Sweetener for the Piles.

Unguentum Hæmorrhoidale.

℞ Ung. Populn. Alb. Camph. āā ℥j. Laudan. Liquid. ʒj. m. f. Unguentum Parti affectæ tepidè utendum.

The

Universitäts- und Landesbibliothek Düsseldorf urn:nbn:de:hbz:061:2-9731-p0065-3

The Hæmorrhoidal Ointment.

Take Ointment of Poplar and White Ointment, of each one Ounce: Liquid Laudanum, a Drachm. Mix and make an Ointment to be uſed to the Part affected warm.

Obſervations.

This mitigates the Pain proceeding from the Piles, by mollifying and relaxing the great Tenſion of the Parts affected.

A Diarrhœa.

Boli Purgant. Anodyn.

℞ Rhæi pulv. gr. xv. Diaſcord. S. M. ʒſs. Laud. Liquid. Sydenham. gutt. x. Syr. de Mecon. q. ſ. m. f. Bolus.

Anodyne Purging Boluſes.

Take Rhubarb powdered, fifteen Grains: Diaſcordium without Honey, Half a Drachm: *Sydenham*'s Liquid Laudanum, ten Drops: Diacodium, a ſufficient Quantity. Mix and make a Bolus.

℞ Diaſcord. S. M. ℈ij. Rhæi pulv. ℈j. Ol. Cinnam. gutt. j. Syr. de Mecon. q. ſ. m. f. Bolus.

Take Diaſcordium without Honey, two Scruples: Rhubarb powdered, a Scruple: Oil of Cinnamon, a Drop: Diacodium, a ſufficient Quantity. Mix and make a Bolus.

Obſer-

Observations.

Theſe are given in Fluxes with Griping, to carry off the offending Matter, and afterwards reſtringe the Bowels.

Bolus ad Diarrhœam.

℞ Conſ. Roſ. rub. ʒſs. Terr. Japonic. pulv. Coral. rubr. ppt. āā gr. xij. Croc. Mart. Aſtring. gr. vj. Syr. è cond. Nuc. Moſchat. q. ſ. m. f. Bolus ſexta quaque Hora ſumendus.

The Bolus for a Diarrhœa.

Take Conſerve of Roſes, Half a Drachm: *Japan* Earth powdered, and Red Coral prepared, of each twelve Grains: Aſtringent Saffron of Mars, ſix Grains: Syrup of preſerved Nutmeg, a ſufficient Quantity. Mix and make into a Bolus to be taken every ſix Hours.

Observations.

This anſwers the Intention its Title expreſſes, qualifies the ſharp Humours in the Bowels, and conſtringes their Fibres.

Apozema Cardiac. Reſtring.

℞ Decoct. alb. ℔ij. Aq. Cinnam. fort. ℥ij. Conſ. Roſ. rubr. ℥j. cola & f. Apozema pro Potu ordinario.

The Cardiack Reſtringent Apozem.

Take the white Drink, a Quart: Strong Cinnamon Water, two Ounces: Conſerve of Roſes, an Ounce. Strain it and make an Apozem for common Drink.

Observations.

This is given for common Drink in Diarrhœas and all acute Cases inclining thereto, is soft and alkaline, and therefore proper to obtund Acidities predominant in the Stomach and Bowels.

Haustus Restringens.

℞ Aq. Lact. Alexit. ℥jss. Cinnam. fort. ℥ss. Conf. Fracast. S. M. ʒj. Laud. Liquid. gutt. x. Sacch. alb. q. s. m. f. Haustus sumendus H. S.

The Restringent Draught.

Take Alexiterial Milk Water, one Ounce and an Half: Strong Cinnamon Water, Half an Ounce: *Fracastorius*'s Confection without Honey, one Drachm: Liquid Laudanum, ten Drops: White Sugar, a sufficient Quantity. Mix and make a Draught to be taken at going to Rest.

Observations.

This is useful in all Diarrhœas and Fluxes of the Belly.

Haustus cum Rhæo.

℞ Pulv. Rhæi ℈j. Aq. Cinnam. ten. ℥ss. Syr. Cichor. cum Rhab. ʒij. m. f. Haustus Mane sumendus.

The Rhubarb Draught.

Take Powder of Rhubarb, one Scruple: Small Cinnamon Water, Half an Ounce: Syrup of Succory with Rhubarb, two Drachms. Mix and make a Draught to be taken in the Morning.

Obser-

Observations.

This is commonly given to Children againſt Purging and Gripes. The Doſe to be varied according to the Age, Conſtitution, &c.

Mixtura Reſtringens.

℞ Aq. Lactis, Cinnam. ten. Pæon. comp. āā ℥j. Diaſcord. S. M. ʒij. m. f. Mixtura ſumat Cochl. iij. poſt ſingulas Dejectiones liquidas.

The Reſtringent Mixture.

Take Milk Water, Small Cinnamon and compound Piony Waters, of each one Ounce: Diaſcordium without Honey, two Drachms: Make a Mixture. Three Spoonfuls to be taken after every looſe Stool.

Observations.

This is given to reſtringe and ſtrengthen the Bowels after due Evacuation with Rhubarb, &c.

The Bloody Flux.

Bolus Catharticus.

℞ Rhabarb. pulv. ℈j. Calomel ppt. ℈ſs. Ol. Cinnam. gutt. j. Conf. Alcherm. q. ſ. m. f. Bolus primo Mane ſumend.

The Cathartick Bolus.

Take Rhubarb powdered, a Scruple: Calomel prepared, Half a Scruple: Oil of Cinnamon, one Drop: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus to be taken in the Morning early.

Observations.

This is of singular Service in a Dysentery, Fluor Albus, and Gonorrhœa, and in the first-mentioned Disease dislodges the morbid Matter from the Orifices of the lacteal Vessels, which, till the same is removed, continues the Disorder, and eludes the Power of restringent Medicines.

Bolus Specificus.

℞ Conf. Ros. rubr. ℈j. Terr. Japon. pulv. Coral. rubr. ppt. āā gr. xij. Rad. Ippecacoan. pulv. gr. v. Diacod. q. s. m. f. Bolus sumendus Mane Nocteque cum Decoct. Cardiac.

The Specifick Bolus.

Take Conserve of Red Roses, a Scruple: *Japan* Earth powdered, and Red Coral prepared, of each twelve Grains: Ippecacoanha Root powdered, five Grains: Diacodium, a sufficient Quantity. Mix and make a Bolus to be taken Night and Morning.

Observations.

There is not a better Remedy in obstinate Dysenteries, *&c.* giving an Emetick of Ippecacoanha in a small Quantity at proper Intervals, and not admitting the Patient to drink above Half a Pint of Gruel or white Drink during the Operation.

Electarium Restringens.

℞ Diascord. S. M. Conf. Rosar. rubr. āā ℥ss. Terr. Japonic. pulv. Troch. de Carabe āā

℥ss. Syr. Cydonior. q. s. m. f. Electarium sumat bis de Die Quantitatem Nucis Moschat. cum Hausto Julepi restringentis.

The Restringent Electuary.

Take Diascordium without Honey, and Conserve of Roses, of each Half an Ounce: *Japan* Earth powdered, and Troches of Amber, of each a Drachm and an Half: Syrup of Quinces, a sufficient Quantity. Mix and make into a Electuary. The Quantity of a Nutmeg to be taken twice a Day with a Draught of the restringent Julep.

Observations.

This is a proper Restringent to be used in the Bloody Flux, Diarrhœa, Fluor Albus, and immoderate Flux of the Menses, after proper Catharticks have discharged the morbid Colluvies, and may be repeated oftener than here directed, if the Violence of the Disease should require it. In Cases where the Fibres are greatly relaxed, the Bolus Stypticus will be found a more effectual Restringent, and perform the Cure with more Speed and Certainty.

Enema Balsamicum.

℞ Ol. Lini ℥iv. Bals. Locatell. solut. ℥ss. Theriac. Andr. ʒij. Juscul. Gallinac. ℥iv. m. f. Enema.

The Balsamick Clyster.

Take Linseed Oil, four Ounces: *Lucatellus*'s Balsam, Half an Ounce: *Venice* Treacle, two Drachms: Chicken Broth, four Ounces. Mix and make a Clyster.

Obser-

Obſervations.

This is commonly ordered in Excoriations of the Bowels from the Bloody Flux, is anodyne and healing, and ſupplies the inner Surface of the Inteſtines with Matter ſomewhat ſimilar to their natural Mucus, after the ſame has been abraded by the Acrimony of the Humours falling on them. It likewiſe defends them from painful Irritations occaſioning a troubleſome Teneſmus in this torturing Diſeaſe, and cements the Mouths of the Veſſels from whence the Blood and Slime proceed.

Enema Reſtringens.

℞ Decoct. alb. ℥x. Theriac. Androm. vel Diaſcord. ℥ſs. m. f. Enema.

The Reſtringent Clyſter.

Take White Drink, ten Ounces: *Venice* Treacle or Diaſcordium, Half an Ounce. Mix and make a Clyſter.

Obſervations.

This is a good ſtrengthening, anodyne Reſtringent in Dyſenteries and Diarrhœas. And, in Caſes where the Bowels are reduced to a weak State by the Violence, or long Continuance of the Diſeaſe, this will more effectually corroborate their Fibres, correct the peccant Acrimony, and relieve the Pain, than any internal Medicine whatſoever, by Reaſon the Stomach, after being ſo much debilitated, relaxes and becomes unable, through the Flaccidity of its Fibres, to convey the ſame in proper Time and Quantity, to produce its deſired Effects in the Inteſtines.

The

The Illiack Passion.

Apozema Catharticum.

℞ Aq. Stretham. ℔iv. coque ad ℔ij. adde Nucis Moſchat. Macis, Sem. Cardam. min. āā ʒſs. in colatura ſolve Mannæ ℥jſs. m. f. Apozema tepide bibendum.

The Purging Apozem.

Take *Stretham* Water, two Quarts; boil away to one Quart: Add to it Nutmeg, Mace, and Leſſer Cardamoms, of each Half a Drachm. Diſſolve in the ſtrained Liquor Manna, one Ounce and an Half. Make an Apozem to be drank warm.

Obſervations.

This will often move the Bowels in this Diſeaſe, after the ſtrongeſt Catharticks have been adminiſtered without Effect, and powerfully ſcowers the Ureters, for which Reaſons it is one of the moſt prevalent Purges in all nephritick Caſes and Fits of the Stone. In moſt Cholicks no Medicine takes Place ſooner, ſince, by gently relaxing the conſtipated Fibres of the Bowels, and gradually reſolving the indurated Fæces which obſtruct their Paſſage, it takes off the Preſſure on their internal Coat, and thereby prevents the great Inflammation otherwiſe enſuing, which often terminates in a Mortification of the Part affected. In the Hyſterick Cholick, nothing gives more immediate Relief, with an Opiate after it, for which Purpoſe ſee *The Anodyne Draught*. By its carminative Warmth

Warmth it diſperſeth the Hyſterick Flatus, diſtending the Plicæ of the Inteſtines, and without Irritation expels the acrid indigeſted Matter, which, by corrugating their Fibres, gives ſuch Pain and Diſturbance to the whole nervous Syſtem in Women of a ſlender Frame and irritable Conſtitution.

Hauſtus Anodynus.

℞ Aq. Ceraſ. nigr. Cinnam. ten. āā ℥j. Pæon. comp. ℥ſs. Extract. Thebaic. gr. jſs. Sacchar. alb. q. ſ. m. f. Hauſtus ſumat H. S.

The Anodyne Draught.

Take Black Cherry and Small Cinnamon Water, of each one Ounce: Compound Piony Water, Half an Ounce: *Theban* Extract, one Grain and an Half: Sugar, a ſufficient Quantity. Mix and make a Draught to be taken at going to Reſt.

Obſervations.

This is given as an Opiate in the Cholick after proper Evacuations, particularly in the Hyſterick Kind, to appeaſe the Spaſms, and relieve the painful Irritations.

Worms.

Pulvis Cathartic.

℞ Pulv. Comitiſſ. Warivicenſ. gr. xij. Calomel præp. gr. iv. m. f. Pulvis ſumendus primo Mane.

The

The Purging Powder.

Take the Counteſs of *Warwick*'s Powder, twelve Grains: Calomel prepared, four Grains. Mix and make a Powder to be taken in the Morning early.

Obſervations.

This is given for the Worms in Children, and in Scrophulous Caſes.

The Dropsy.

Hauſtus Cathartici Hydropici.

℞ Gutt. Gambog. ℈j. Sal Tartar. ℈ſs. Pulv. Zinziber. gr. v. Vin. alb. ℥ij. Syr. de Rhamn. ℥ſs. m. f. Hauſtus Mane ſumendus.

Cathartick Draughts for the Dropſy.

Take Gamboge, a Scruple: Salt of Tartar, Half a Scruple: Powdered Ginger, five Grains: White Wine, two Ounces: Syrup of Buckthorn, Half an Ounce. Mix and make a Draught to be taken in the Morning.

℞ Pulv. Jalap. ʒſs. Sal Tartar. ℈ſs. Zinziberis pulv. gr. v. Syr. de Rhamn. ʒvj. Vin. alb. ℥ij. m. f. Hauſtus.

Take Powder of Jalap, Half a Drachm: Salt of Tartar, Half a Scruple: Powder of Ginger, five Grains: Syrup of Buckthorn, ſix Drachms: White Wine, two Ounces. Mix and make a Draught.

Observations.

There are no better Purges in Hydropical Caſes; but the Patient ſhould be well ſupplied with Mutton Broth, their Operation being very quick and rough.

Tinctura Amara Chalybeata.

℞ Summit. Abſinth. Rom. ʒiij. Rad. Gentian. Zedoar. Sem. Cardamom. min. āā ʒj. infunde frigidè in Aq. Lact. Alex. ℥xij. colaturæ adde Aq. Abſinth. mag. comp. ℥iv. Vin. Chalyb. ℔ſs. m. f. Tinctura ſumat Cochlear. vj. Mane & Veſperi ſuperbibendo Hauſtum Aquæ Spadanæ.

The Bitter Chalybeate Tincture.

Take the Tops of *Roman* Wormwood, three Drachms: Roots of Gentian, Zedoary, and Leſſer Cardamoms, of each a Drachm. Infuſe them cold in twelve Ounces of Alexiterial Milk Water. To the ſtrained Liquor add Wormwood Water of the greater Compoſition, four Ounces: Chalybeate Wine, Half a Pint. Mix and make a Tincture. Six Spoonfuls to be taken Morning and Evening, drinking Half a Pint of *Spaw* Water afterwards.

Observations.

This is a good ſtrengthening Bitter, and will, by increaſing the Motion of the Blood, and warming the nervous Fibres, revive the natural Heat in leucophlegmatick dropſical Habits attended with bad Digeſtion and ſwelled Legs.

Tinctura

Tinctura Stomachica.

℞ Sem. Sinap. ʒiij. Rad. Gallang. Gentian. Zedoar. Sem. Cardam. min. āā ʒj. infunde in Aq. bullientis ℥xij. colaturæ adde Aq. Abſinth. mag. comp. ℥iij. Sp. Lavend. comp. ʒvj. m. f. Tinctura. Capiat Cochlear. unum bis in Die.

The Stomachick Tincture.

Take Muſtard-ſeeds, three Drachms: Galingal and Gentian Roots, Zedoary and Leſſer Cardamoms, of each a Drachm. Infuſe them in twelve Ounces of boiling Water. To the ſtrained Liquor add Wormwood Water of the greater Compoſition, three Ounces: Spirit of Lavender compound, ſix Drachms. Mix and make a Tincture. One Spoonful to be taken twice a Day.

Obſervations.

This is given, as a Fortifier of the Stomach and nervous Fibres, in the Aſcites and Dropſy.

The Diſeaſes of the LIVER.

The Jaundice.

Electarium Digeſtivum.

℞ Conſ. flaved. Aurant. Abſinth. Rom. āā ʒvj. Spec. Diambr. Sal. Abſinth. āā ʒj. Chalyb. cum Sulph. præp. ʒij. Syr. è Cort. Citri q. ſ. m. f. Electarium. Sumat Quantitatem Nucis Moſchatæ bis in Die ſuperbibendo Hauſtum Aq. Bathon. tepefact.

The Digeſtive Electuary.

Take Conſerve of Orange Peel, and *Roman* Wormwood, of each ſix Drachms: Species Diambra and Salt of Wormwood, of each a Drachm: Steel prepared with Sulphur, two Drachms: Syrup of Citron Peel, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, drinking a Draught of *Bath* Water warm after it.

Obſervations.

This is beneficial in the Jaundice, to remove the Obſtructions in the Liver, and amend the ſeveral Digeſtions of the Body. It ſhould not be taken till the biliary Duct has been ſufficiently opened and deterged by the Uſe of ſaponaceous Medicines and gentle Catharticks, leſt the premature Adminiſtration of ſo ponderous a Remedy in the Beginning of this Diſeaſe, before the Plethora in the Liver ariſing from the Stagnation of the Bile is removed, ſhould occaſion a Rupture in the ſmall Veſſels of that tender Viſcus, and bring on a Dropſy, or render the Patient tabid and leucophlegmatick.

Vide Hauſt. cum Milleped.

See the Draught with Woodlice.

The

The DIABETES.

Pilulæ Aluminoſæ.

℞ Pulv. Terr. Japonic. Gum. Arabic. Sang. Dracon. Alumin. Rup. āā ʒſs. Tereb. è Chio q. ſ. m. f. Pilul. mediocres. Sumat iv. Mane & Veſperi cum Aq. Briſtolienſ. & Vino rubr. pro Potu.

Aluminous Pills.

Take Powder of *Japan* Earth, Gum Arabic, Dragon's Blood, and Roch Allum, of each Half a Drachm: *Chio* Turpentine, a ſufficient Quantity. Mix and make moderate-ſized Pills. Four to be taken Morning and Evening, with *Briſtol* Water and Red Wine for common Drink.

℞ Alum. Rup. pulv. ʒiij. liquefacto in Cochleario ferreo adde S. A. Sanguin. Dracon. ʒj. Mucilag. Gum. Tragacanth. q. ſ. f. Pilul. mediocres ſumat ut præcedent.

Take Roch Allum powdered, three Drachms; when melted in an Iron Spoon, add to it, according to Art, Dragon's Blood, a Drachm: Mucilage of Gum Tragacanth, a ſufficient Quantity. Mix and make it into moderate-ſized Pills to be taken as the foregoing.

Obſervations.

Theſe are ſtrong Stypticks, and are endowed with the Power of ſtrengthening the fibrous Parts of the Blood, and reſtraining the great lymphatick Drain in this Diſeaſe. They are like-

likewiſe good, if diſcreetly adminiſtered, in old Gleets, the Fluor Albus, immoderate Flux of the Menſes, and in ſhort moſt Diſeaſes that are the Effects of too great Relaxation.

The Diſeaſes of the KIDNIES *and* BLADDER.

Bolus Diureticus.

℞ Conſ. Fl. Malvæ ʒſs. Sal. Prunel. ℈j. Opobalſ. gr. x. Syr. Balſamic. q. ſ. m. f. Bolus ſumendus Mane & Sero cum Julepo Nephrit. Perlato.

The Diuretick Bolus.

Take Conſerve of Mallow Flowers, Half a Drachm: Salt of Prunel, a Scruple: Balm of *Gilead*, ten Grains: Balſamick Syrup, a ſufficient Quantity. Mix and make a Bolus to be taken Night and Morning with the Nephritick Pearl Julep.

Obſervations.

This is balſamick and diuretick, heals Excoriations on the Neck of the Bladder, cleanſes the Paſſages, and promotes Urine.

Enema Terebinthinat.

℞ Decoct. com. pro Clyſt. ℥x. Syr. Violar. Mel. Mercur. āā ℥j. Terebinth. Venet. Vitello Ovi ſolut. ℥ſs. Sal. Gem. ʒij. m. f. Enema tepidè injiciendum.

The Turpentine Clyſter.

Take common Decoction for Clyſters, ten Ounces:

Ounces: Syrup of Violets and Honey of Mercury, of each an Ounce: *Venice* Turpentine, diſſolved in the Yolk of an Egg, Half an Ounce: Pit Salt, two Drachms. Mix and make a Clyſter to be injected warm.

Obſervations.

This is generally made Uſe of in ſuch cholick Pains as proceed from the Stone and Gravel. By its Warmth and diuretick Quality it anſwers the Intention of a Fomentation to the Bladder and urinary Paſſages, relaxes their Coats, and promotes the Deſcent of Gravel and mucous Matter cauſing Obſtruction and Pain, and at the ſame Time empties the Bowels, ſo as to give Room for the proper Dilatation of the Ureters, to diſcharge the Cauſe of the Diſeaſe.

Emulſio Nephritica.

℞ Amygd. dulc. decort. No. xx. contuſis affunde Aq. Hordeat. ℔ij. Gum Arabic. ſolut. ℥ſs. adde Aq. Cinnam. ten. ℥j. Sacchar. alb. q. ſ. m. f. Emulſio de qua bibat Hauſtum tepidè frequenter.

The Nephritick Emulſion.

Take ſweet Almonds blanched, No. xx. bruiſe and pour on them Barley Water, a Quart: Gum Arabic diſſolved, Half an Ounce; add to them ſmall Cinnamon Water, an Ounce: Sugar, a ſufficient Quantity. Mix and make an Emulſion. A Draught of which is to be drank often warm.

Obſer-

Obſervations.

This is cooling and demulcent, and is frequently uſed againſt Heat of Urine, Strangury, *&c.*

Hauſtus cum Balſam. Copaiva.

℞ Balſ. Copaiv. ſolut. ʒſs. Aq. Ceraſ. nigr. ℥ij. Pæon. comp. ℥ſs. Syr. Limon. ʒiij. m. f. Hauſtus ſumendus Mane & Veſperi.

The Draught with Balſam Capivi.

Take Balſam Capivi diſſolved, Half a Drachm: Black Cherry Water, two Ounces: Compound Piony Water, Half an Ounce: Syrup of Lemons, three Drachms. Mix and make a Draught to be taken Morning and Evening.

Obſervations.

This is a good Balſamick, and anſwers as a Diuretick.

Hauſtus Diuretici.

℞ Aq. Ceraſ. nigr. ℥j. Aq. Nephritic. ʒvj. Sp. Nitr. dulc. gutt. xx. Syr. ex Althæa ℥ſs. m. f. Hauſtus.

Diuretick Draughts.

Take Black Cherry Water, one Ounce: Nephritick Water, ſix Drachms: Sweet Spirit of Nitre, twenty Drops: Syrup of Marſhmallows, Half an Ounce. Mix and make a Draught.

℞ Aq. Nephritic. ℥jſs. Ocul. Cancr. præp. ℈j. Sal. Prunel. ℈ſs. Syr. ex Althæa ℥ſs. m. f. Hauſtus omni Nocte ſumend.

Take

Take Nephritick Water, one Ounce and an Half: Crabs Eyes prepared, a Scruple: Salt Prunella, Half a Scruple: Syrup of Marſhmallows, Half an Ounce. Mix and make a Draught to be taken every Night.

Obſervations.

Theſe are given in Nephritick Caſes, and are good to correct the Heat and Acrimony of the Humours, and gently promote their Diſcharge by *Diureſis*.

Mixtura Nephritica.

℞ Gum. Arabic. ℥j. ſolve in Aq. Hord. ℥xij. adde Aq. Cinnam. ten. Syr. ex Althæa ää ℥ij. m. f. Mixtura bibat Hauſtulum frequenter.

The Nephritick Mixture.

Take Gum Arabic, one Ounce; diſſolve it in Barley Water, twelve Ounces: Add ſmall Cinnamon Water and Syrup of Marſhmallows, of each two Ounces. Make a Mixture. A Draught to be taken often.

Obſervations.

This is given in the Gravel to relax the urinary Paſſages, and relieve the Suppreſſion of Urine.

Pilulæ Nephriticæ.

℞ Spec. Diatragacanth. frigid. Teſt. Oſtrear. præp. Ocul. Cancr. præp. ää ʒj. Tereb. è Chio q. ſ. m. f. Pilul. mediocr. ſumat qua-

tuor Mane ac Veſperi cum Hauſtu Aq. Spadan.

The Nephritick Pills.

Take cooling Species of Gum Tragacanth, Oyſter Shells and Crabs Eyes prepared, of each a Drachm: *Chio* Turpentine, a ſufficient Quantity. Mix and make moderate-ſized Pills. Four to be taken Morning and Evening with a Draught of *Spaw* Water.

Obſervations.

Theſe are ſerviceable in the Stone and Gravel, to heal, deterge, and ſtrengthen the urinary Paſſages.

Pilul. Anodynæ Nephritic.

℞ Pilul. Pacific. Starkæi gr. viij. f. Pilul. ij. ſumat H. S. poſt Enema Terebinthinat.

The Anodyne Nephritick Pills.

Take *Starkey*'s Pacifick Pill, eight Grains. Make into two Pills to be taken going to Reſt after the Turpentine Clyſter.

Obſervations.

Theſe are given in Caſes of extreme Pain from Diſorders in the Bladder and Kidnies.

Pulvis Nephriticus.

℞ Teſt. Ovor. Ocul. & Chel. Cancror. præp. āā ℈ſs. m. f. Pulvis ter de Die ſumendus cum Julepo Nephritic. Perlato.

The Nephritick Powder.

Take Egg Shells prepared, Crabs Eyes and Claws prepared, of each Half a Scruple.

Mix and make a Powder to be taken three Times a Day with the Nephritick Pearl Julep.

Observations.

This is a good alkaline Abſorbent and Sweetener.

Vide Hauſtus cum Milleped.

See the Draught with Woodlice.

The Diſeaſes of the EYES.

Lotiones Albæ.

℞ Aq. Plantag. ℥viij. Troch. alb. Rhaſ. ʒij. Vitriol. alb. gr. vj. m. f. Collyrium Mane utendum.

White Lotions.

Take Plantain Water, eight Ounces: White Troches of Rhaſes, two Drachms: White Vitriol, ſix Grains. Mix and make a Collyrium to be uſed in the Morning.

℞ Aq. Plantag. ℥viij. Troch. alb. Rhaſ. ʒij. m. f. Collyrium.

Take Plantain Water, eight Ounces: White Troches of Rhaſes, two Drachms. Mix and make a Collyrium.

Lotio Vitriolata.

℞ Aq. Roſar. Dam. Plantagin. āā ℥iv. Vitriol. alb. ʒſs. m. f. Collyrium.

The Vitriolated Lotion.

Take Damaſk Roſe Water and Plantain Water, of each four Ounces: White Vitriol, Half a Drachm. Mix and make a Collyrium.

Obſervations.

Theſe are reſpectively ſerviceable in Inflammations, and watery ſaline Defluxions on the Eyes.

The Gout.

Bolus Stomachicus.

℞ Pulv. è Chel. Cancror. comp. ℈ſs. Rhæi, Serp. Virg. pulv. āā gr. vj. Croci, Spec. Diambr. āā gr. iij. Syr. Croci q. ſ. m. f. Bolus ter de Die ſumendus cum Julepo Cardiac.

The Stomachick Bolus.

Take compound Powder of Crabs Claws, Half a Scruple: Rhubarb and Snake-root powdered, of each ſix Grains: Saffron and Species Diambra, of each three Grains: Syrup of Saffron, a ſufficient Quantity. Mix and make a Bolus to be taken three Times a Day with the Cardiack Julep.

Obſervations.

This is excellent in the Gout, when the Head or Stomach are attacked. It increaſes the oſcillatory Motion of the Veſſels, warms the Blood, and will enable Nature, where the Fibres have not

not quite loſt their Tone, to diſperſe the morbifick Matter, and circulate the ſame with the Blood, till it is exterminated by Perſpiration, or produces a regular Fit in the extreme Parts. It is likewiſe proper in low depreſſed Fevers, where warm Medicines are required, and likewiſe in Cholicks, and Pains at the Stomach.

Hauſtus Aperitivi.

℞ Elix. Salutis ℥jſs ad ℥ij.

Aperitive Draughts.

Take Elixir Salutis, from an Ounce and an Half to two Ounces.

℞ Tinct Sacr. cum Spirit. Vin. Gallic. ppt. ℥iij. Sp. Lavend. comp. ʒſs. m. f. Hauſtus H. S. ſumendus.

Take Tincture of Hiera Picra prepared, with *French* Brandy, three Ounces: Compound Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken going to Reſt.

Obſervations.

Theſe are often and juſtly preſcribed in the Gout of the Head or Stomach, in cholick Pains of the Stomach, and in Paralytick Caſes.

Hauſtus Purgans.

℞ Tinct. Sen. ℥ij. Syr. de Spina Cerv. ℥ſs. m. f. Potio ſumend. Mane.

The Purging Draught.

Take Tincture of Sena, two Ounces: Syrup of Buckthorn, Half an Ounce. Mix and make a Potion to be taken in the Morning.

Obſer-

Observations.

This is ordered in an inveterate Gout, when it attacks the Stomach, and is attended with obstinate Costiveness, with the following anodyne Draught to be taken at Night after its Operation.

Haustus Anodyn.

℞ Philon. Rom. ℈j. Aq. Cinnam. simpl. Nuc. Moschat. āā ʒvj. Syr. Croci ʒj. m. f. Haustus sumendus H. S.

The Anodyne Draught.

Take *Roman* Philonium, a Scruple: Simple Cinnamon Water and Nutmeg Water, of each six Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken going to Rest.

Haustus Calidi.

℞ Conf. Cardiac. ℈j. Piper. long. Zinziber. pulv. āā gr. xv. Aq. Alexit. simp. ℥ij. Nuc. Mosch. ℥ss. Syr. Croc. ʒj. m. f. Haustus sexta vel octava quaque Hora sumend.

Warm Draughts.

Take Cardiac Confection, a Scruple: Long Pepper and Ginger powdered, of each fifteen Grains: Simple Alexiterial Water, two Ounces: Nutmeg Water, Half an Ounce: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken every six or eight Hours.

℞ Confect. Cardiac. Rad. Serp. Virg. pulv. āā ℈j. Aq. Alex. simp. ℥ij. Aq. Mirab. ʒiij. Syr. è Cort. Aurant. ʒj. m. f. Haustus.

Take

Take Cardiac Confection and Snake-root powdered, of each a Scruple: Simple Alexiterial Water, two Ounces: Aqua Mirabilis, three Drachms: Syrup of Orange Peel, a Drachm. Mix and make a Draught.

Observations.

These are ordered for the Gout in the Stomach, when in a great Degree, with great Success.

Haustus Cordialis.

℞ Conf. Cardiac. ʒſs. Aq. Menth. Pip. ſimp. ℥jſs. Tinct. Serpentar. Syr. è Cort. Aurant. āā ʒj. m. f. Hauſtus ſexta quaque Hora ſumend.

The Cordial Draught.

Take Cardiac Confection, Half a Drachm: Simple Pepper Mint Water, one Ounce and an Half: Tincture of Snake-root and Syrup of Oranges, of each a Drachm. Mix and make a Draught to be taken every ſix Hours.

Observations.

This is ordered for the Gout in the Stomach, upon a Remiſſion of the Pain, after warmer Remedies have been adminiſtered.

Haustus Solutivus.

℞ Aq. Alex. ſimp. ℥jſs. Nuc. Moſch. ʒſs. Conf. Raleigh. ʒſs. Tinct. Rhabarb. Vinoſ. ʒiij. m. f. Hauſt. ſumendus Hora Somni omni Nocte.

The

Universitäts- und Landesbibliothek Düsseldorf urn:nbn:de:hbz:061:2-9731-p0089-0

The Solutive Draught.

Take ſimple Alexiterial Water, an Ounce and an Half: Nutmeg Water, Half an Ounce: *Rawleigh*'s Confection, Half a Drachm: Tincture of Rhubarb made with Wine, three Drachms. Mix and make a Draught to be taken every Night going to Reſt.

Obſervations.

This is uſeful in the Gout, to keep the Body ſoluble.

Hauſt. Rhabarbarin.

℞ Tinct. Rhabarb. Vinoſ. ℥jſs. f. Hauſtus ſumendus tertia quaque Nocte.

The Rhubarb Draught.

Take Tincture of Rhubarb made with Wine, an Ounce and an Half. Make a Draught to be taken every third Night.

Obſervations.

This is ordered in the Decline of the gouty Fit, when the Patient is troubled with pertinacious Coſtiveneſs.

Hauſtus Amarus.

℞ Rad. Gentian. Zedoar. Flaved. Cort. Aurant. Sem. Cardam. min. āā ʒij. infunde frigidè in Aq. Alex. ſimp. ℔jſs. Nuc. Moſch. ℔ſs. Vin. Chalybeat. ℥iv. f. Tinctura.

℞ Tincturæ hujus colat. ℥ij. Elixir Vitriol. Mynſ. gutt. xij. m. f. Hauſtus ſumendus Hora undecima Matutina & quinta Pomeridiana.

The

The Bitter Draught.

Take Roots of Gentian, Zedoary, Orange Peel, and Leſſer Cardamoms, of each two Drachms; infuſe them cold in ſimple Alexiterial Water, a Pint and an Half: Nutmeg Water, Half a Pint: Chalybeate Wine, four Ounces. Make a Tincture.

Take of the above Tincture ſtrained, two Ounces: *Mynſicht*'s Elixir of Vitriol, twelve Drops. Mix and make a Draught to be taken at Eleven in the Morning, and at Five in the Afternoon.

Obſervations.

This is given to ſtrengthen the Stomach, and help Digeſtion, after long Fits of the Gout.

Hauſtus Cardiaci.

℞ Conf. Cardiac. Pulv. Bezoard. āā ℈j. Aq. Alex. ſimp. ℥ij. Aq. Mirabil. ʒiij. Syr. Croc. ʒj. m. f. Hauſtus ſumendus octava quaque Hora.

The Cardiac Draughts.

Take Cardiac Confection and Bezoardic Powder, of each a Scruple: Simple Alexiterial Water, two Ounces: Aqua Mirabilis, three Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught to be taken every eight Hours.

℞ Conf. Raleigh. Pulv. Bezoard. āā gr. xv. Aq. Alex. ſimp. ℥jſs. Aq. Mirabil. ʒiij. Syr. Croc. ʒj. m. f. Hauſtus.

Take *Rawleigh*'s Confection and Bezoardic Powder, of each fifteen Grains: Simple Alexiterial Water, an Ounce and an Half: Aqua Mirabilis, three Drachms: Syrup of Saffron, a Drachm. Mix and make a Draught.

℞ Succ. Limon. ʒvj. Sal. Abſinth. ʒſs. Aq. Cinnam. ſimp. ℥j. Sp. Lavend. comp. ʒj. Sacchar. alb. ℈j. m. f. Hauſt. ſexta quaque Hora ſumendus.

Take Juice of Lemons, ſix Drachms: Salt of Wormwood, Half a Drachm: Simple Cinnamon Water, one Ounce: Compound Spirit of Lavender, a Drachm: Loaf Sugar, a Scruple. Mix and make a Draught to be taken every ſix Hours.

℞ Pulv. Contray. comp. ℈j. Succ. Limon. ʒvj. Sal. Abſinth. ʒſs. Aq. Alexiter. & Cinnam. ſimp. āā ʒvj. Sp. Lavend. comp. Syr. è Cort. Aurant. āā ʒj. m. f. Hauſtus ſexta quaque Hora ſumend.

Take compound Powder of Contrayerva, a Scruple: Juice of Lemons, ſix Drachms: Salt of Wormwood, Half a Drachm: Simple Alexiterial and Cinnamon Water, of each ſix Drachms: Compound Spirit of Lavender and Syrup of Orange Peel, of each a Drachm. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

Theſe are ordered with Succeſs in gouty Fevers, ariſing from an Inability in Nature, to throw

throw off the Relicks of the gouty Matter, after ſevere Fits of that Diſeaſe.

Tinctura Diambræ.

℞ Spec. Diambr. S. O. ʒiij. Vin. alb. ℔ſs. f. Tinctura ſumat Cochlear. iij. in Rigore vel Singultu.

Tincture of Diambra.

Take Species Diambra, made without the Scents, three Drachms: White Wine, Half a Pint. Make a Tincture. Three Spoonfuls to be taken, when troubled with Hiccough or Chillineſs.

Obſervations.

This is excellent to diſpel Wind and warm the Stomach, when the Gout affects that Part.

Tinctura Stomachica Calida.

℞ Rad. Serpent. Virg. Zedoar. Gallang. Sem. Cardamom. min. āā ʒj. infunde in Aq. bullientis q. ſ. ad colatur. ℥viij. adde Aq. Abſinth. mag. comp. Pæon. comp. āā ℥jſs. m. f. Tinctura ſumat Cochl. iv. ſexta quaque Hora.

The Warm Stomach Tincture.

Take Snake-root, Zedoary, Galingal-roots and Leſſer Cardamoms, of each a Drachm. Infuſe them in a ſufficient Quantity of Water, to ſtrain off eight Ounces; to which add Wormwood Water of the greater Compoſition and compound Piony Water, of each an Ounce and an Half. Mix and make a

Tincture. Four Spoonfuls to be taken every ſix Hours.

Obſervations.

This is ordered for the Gout in the Stomach, with the Tincture of Hiera Picra, prepared with Wine, at proper Intervals, with Succeſs.

Tinctura Aromatica.

℞ Tinct. Aromatic. Cardamom. āā ℥j. m. ſumat Guttas L. urgente Ægritudine ex Hauſtulo Aq. Bathon. tepefact.

Bibat eandem tepefact. cum Vino pro Potu.

The Aromatick Tincture.

Take Tincture Aromatic and Tincture of Cardamoms, of each an Ounce. Mix them together. Fifty Drops to be taken, when ſick, in a Draught of *Bath* Water warmed.

Bath Water warmed, with Wine, to be drank for common Drink.

Obſervations.

Theſe are ordered in the Gout, attended with great Oppreſſion, Sickneſs, and Wind, at the Stomach.

Tinctura Amara Chalybeata.

℞ Rad. Zedoar. Gentian. Flaved. Cort. Aurant. Sem. Cardamom. min. āā ʒij. infunde frigidè in Aq. Alexit. ſimp. ℔jſs. Flor. Chamæm. ℥vj. Vin. Chalybeat. ℥iv. m. f. Tinctura. Colaturæ bibat Cochl. iv. Hora undecima Matutina & quinta Pomeridiana.

The

The Bitter Chalybeate Tincture.

Take Roots of Zedoary, Gentian, Orange Peel, and Leſſer Cardamoms, of each two Drachms. Make a cold Infuſion in ſimple Alexiterial Water, a Pint and an Half: Chamomile Flower Water, ſix Ounces: Chalybeate Wine, four Ounces. Mix and make a Tincture. Four Spoonfuls to be drank at Eleven in the Morning, and at Five in the Afternoon.

Obſervations.

This is ordered after the Pain from the Gout in the Stomach and Fever are gone off, to reſtore the Tone of the Stomach, and procure a good Appetite and Digeſtion.

Mixtura Stomachica.

℞ Conf. Cardiac. ʒij. Aq. Menth. Pip. ſimp. Aq. Mirabil. āā ℥iv. f. Mixtura. Sumat Cochl. iij. urgente Flatulentia aut Ægritudine.

The Stomach Mixture.

Take Cardiac Confection, two Drachms: Simple Pepper Mint Water and Aqua Mirabilis, of each four Ounces. Make a Mixture. Three Spoonfuls to be taken at any Time, when troubled with Flatulency or Sickneſs.

Obſervations.

This is ordered to be taken at Pleaſure in the Gout, attended with Crudities at the Stomach.

Pains

Pains in the JOINTS.

Guttulæ Balſamicæ.

℞ Balſ. Sulph. Terebinthinat. ℥j. ſumat gutt. xx. Mane & Veſperi ex Cochl. j. Sacch. alb. pulv. vel Syrup. Balſamic.

The Balſamick Drops.

Take Balſam of Sulphur prepared with Oil of Turpentine, an Ounce. Twenty Drops to be taken Morning and Evening in a Spoonful of white Powder Sugar, or Syrup of Balſam.

Obſervations.

Theſe are good in chronical Rheumatiſms, Sciatica, Pains of the Breaſt, and Aſthma. They penetrate into the minute Receſſes of the Body, prove a friendly Balſam to the Nerves, and diſcharge the peccant Humours by Urine.

Guttulæ Specificæ.

℞ Balſ. Polychreſt. ℥iij. capiat Cochlear. minimum omni Mane ex Hauſtulo Vini alb. vel Sacchar. pulv.

The Specifick Drops.

Take Balſam of many Virtues, three Ounces. A Tea Spoonful to be taken every Morning in a Draught of White Wine, or in Powder Sugar.

Obſervations.

This is given with great Succeſs in Rheumatiſms, is an approved Remedy to dry up all ſuperfluous Humidities, and cures old Gleets.

Hauſtus

Hauſtus Catharticus.

℞ Elect. Caryocoſt. ʒſs. Vin. alb. vel. Aq. Nephrit. ʒiij. m. f. Hauſtus primo Mane ſumend. cum Regimine.

The Cathartick Draught.

Take Clove and Coſtus Electuary, Half an Ounce: White Wine or Nephritick Water, three Ounces. Mix and make a Draught to be taken in the Morning early with Regimen.

Obſervations.

This has a good Effect in old Rheumatiſms, but is moſt commonly given in ſtrong Conſtitutions.

Vide Embrocationes anodyn.

See anodyne Embrocations.

The Diſeaſes of the SKIN.

The Leproſy and Itch,

Apozema Benedict.

℞ Rad. Oxylapath. Sarſæ ää ʒij. Cort. Saſſafr. ʒij. Sacch. alb. vel Paſſul. exacinat. ʒij. infunde frigidè in Aq. Calcis ℔ij. coletur & filtretur ad Uſum. Bibat ʒiv. bis de Die.

The Bleſſed Apozem.

Take Roots of ſharp-pointed Dock and Sarſa, of each two Ounces: Bark of Saſſafras, two Drachms: White Sugar or Raiſins ſtoned, two Ounces. Make a cold Infuſion in Lime

Water, a Quart; ſtrain and filtre it off for Uſe. A Quarter of a Pint to be drank twice a Day.

Obſervations.

This is given in all cutaneous Deformities, as the Leproſy, Scurvy, *&c.* is of Service to dry up all ſuperfluous Moiſture, and ſhould be continued ſome Months, according as the Nature or Degree of the Diſeaſe may require.

Apozema Specificum.

℞ Rad. Sarſæ, Oxylapath. āā ℥iij. Lign. Saſſafr. Guaiac. raſ. āā ℥j. Rad. Liquirit. ʒvj. infunde frigidè in Aq. Calcis ℔iv. coletur. Bibat ℥iv. bis de Die.

The Specifick Apozem.

Take Roots of Sarſaparil and ſharp-pointed Dock, of each three Ounces: Saſſafras and Guaiacum Raſpings, of each an Ounce: Liquorice Root, ſix Drachms. Infuſe them cold in Lime Water, two Quarts; ſtrain it. A Quarter of a Pint to be drank twice a Day.

Obſervations.

This is intended for a Purifier of the Blood from ſaline ſharp Humours, and for all cutaneous Eruptions, being of a drying and diaphoretick Quality.

Electarium Antimoniale.

℞ Conſ. Cynoſbat. è Flor. Aurantior. āā ʒij. Antimon. lævigat. ʒiij. Pulv. è Chel. Cancr. ſimp. ʒj. Syr. ex Althæa q. ſ. m. f. Electarium.

tarium. Sumat Quantitatem Nucis Moſchat. bis de Die cum Apozem. Benedict. Ibſs.

The Antimonial Electuary.

Take Conſerve of Hips and Orange Flowers, of each two Drachms: Antimony levigated, three Drachms: Simple Powder of Crabs Claws, a Drachm: Syrup of Marſhmallows, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, with Half a Pint of the Bleſſed Apozem.

Obſervations.

This is good in an inveterate Itch, where by its long Continuance, or from a Laceration of the ſmall Veſſels, the ſame has found Admittance into the Blood, and contaminated the Maſs. It is a good Alterative, prevents the further Aſſimulation of the morbifick Particles with the Lympha, and, if taken for two Months, or more, as Occaſion may require, ſeldom fails, together with proper topical Applications, to exterminate that loathſome Diſeaſe.

Electarium Guaiacinum.

℞ Conſ. Cynoſbat. ℥jſs. Antimon. lævigat. Gum. Guaiac. Pulv. è Chel. Cancr. āā ʒij. Syr. è quinque Radicib. q. ſ. m. f. Electuarium ſumend. ut præcedens.

The Guaiacum Electuary.

Take Conſerve of Hips, an Ounce and an Half: Antimony prepared, Gum Guaiacum, and Powder of Crabs Claws, of each two

Drachms: Syrup of the five opening Roots, a ſufficient Quantity. Mix and make an Electuary to be taken as the former.

Obſervations.

This is ordered in ſcorbutick Rheumatiſms with Succeſs. It digeſts, attenuates, and diſcharges the ſharp ſcorbutick Matter, clears away cutaneous Deformities, and is prevalent in the venereal Taint.

Scrophulous Diseases.

Electarium Cinnabarin.

℞ Conſ. Cynoſbat. ℥j. Flav. Aurant. ℥ſs. Cinnab. Antimon. ppt. Chel. Cancr. ppt. Gum. Guaiac. āā ʒj. Syr. Cort. Aurant. q. ſ. m. f. Electarium. Sumat Quantitatem Nucis Moſchat. bis de Die cum Apozemate Specific.

The Cinnabar Electuary.

Take Conſerve of Hips, an Ounce: Orange Peel, Half an Ounce: Cinnabar of Antimony prepared, two Drachms: Crabs Claws prepared and Gum Guaiacum, of each a Drachm: Syrup of Orange Peel, a ſufficient Quantity. Mix and make an Electuary to be taken twice a Day with the Specifick Apozem.

Electarium Antimoniale cum Guaiaco.

℞ Conſ. Cynoſbat. ℥j. Gum. Guaiac. Cinnab. Antimon. præp. āā ʒij. Syr. Cort. Citr. q. ſ.

m. f. Electarium. Sumat bis de Die ut præcedens.

The Antimonial Electuary with Guaiacum.

Take Conſerve of Hips, an Ounce: Gum Guaiacum and Cinnabar of Antimony prepared, of each two Drachms: Syrup of Citron Peel, a ſufficient Quantity. Mix and make an Electuary to be taken twice a Day as the preceding.

Obſervations.

Theſe are good Alteratives, and of Service in ſcrophulous and leprous Habits, to take off the Virulency of the morbifick Humour corroding the nervous Papillæ of the Skin and glandular Ducts. By its Weight and other ſpecifick Virtues, it diſſipates the acrid ſcrophulous Matter, and thereby prevents grumous Coagulations of the Blood and Lympha.

Pulvis Cinnabarin.

℞ Cinnab. Antimon. Chel. Cancr. præp. āā gr. xv. m. f. Pulvis Hora Somni ſumend. cum Julepo Perlato.

The Cinnabar Powder.

Take Cinnabar of Antimony and Crabs Claws prepared, of each fifteen Grains. Mix and make a Powder to be taken going to Reſt with the Pearl Julep.

Obſervations.

This is good in ſcrophulous Caſes, and Foulneſs of the Blood, eſpecially in Children.

The SCURVY.

Boli Stomachici.

℞ Pulv. Ari comp. ℈j. Spec. Diambr. ℈ſs, Conf. Alcherm. q. ſ. m. f. Bolus. Sumat H. S. cum Julepo Perlato.

Stomachick Boluſes.

Take compound Powder of Arum Root, a Scruple: Species Diambra, Half a Scruple: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus to be taken going to Reſt with the Pearl Julep.

℞ Spec. Diambr. S. O. ℈j. Sal Tartar. Caſtor. Ruſſ. Croc. pulv. āā gr. v. m. f. Bolus. Sumat H. S. cum Julepo Cephalic.

Take Species Diambra without the Scents, a Scruple: Salt of Tartar, *Ruſſia* Caſtor, and Saffron powdered, of each five Grains: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus to be taken going to Reſt with the Cephalick Julep.

Obſervations.

Theſe are given in Pains, or Sickneſs at the Stomach, proceeding from the Scurvy, hard Drinking, or the Gout. They are proper in cold phlegmatick Conſtitutions, to warm and comfort the Nerves, and diſcharge viſcid Matter by Urine.

Electarium Æthiopicum.

℞ Conſerv. è Cort. Aurant. ʒvj. Æthiop. Mineral. ʒſs. Pulv. Ari comp. Spec. Diambr. āā ʒj. Syr. è Cort. Aurant. q. ſ. m. f. Electarium.

tarium. Sumat Quantitatem Nucis Moſchat. bis de Die.

The Æthiops Electuary.

Take Conſerve of Orange Peel, ſix Drachms: Æthiops Mineral, Half an Ounce: Compound Powder of Arum Root and Species Diambra, of each a Drachm: Syrup of Orange Peel, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day.

Obſervations.

This, when continued ſome Time, corrects the Acrimony of the Blood, and anſwers the Intentions required from a good antiſcorbutick Remedy.

Electarium Antiſcorbuticum.

℞ Conſ. Abſinth. Rom. Flor. Aurant. āā ʒvj. Chel. Cancr. præp. ʒij. Pulv. Ari comp. Spec. Diambr. āā ʒj. Syr. è cond. N. M. q. ſ. m. f. Electarium. Sumat Quantitatem Nucis Moſchat. bis de Die cum Apozemat. Specific. ℔ſs.

The Scorbutick Electuary.

Take Conſerve of *Roman* Wormwood and Orange Peel, of each ſix Drachms: Crabs Claws prepared, two Drachms: Compound Powder of Arum Root and Species Diambra, of each a Drachm: Syrup of preſerved Nutmeg, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, with Half a Pint of the Specifick Apozem.

Obſer-

Observations.

This is given in moſt ſcorbutick Caſes, attended with Diſorders in the Stomach, being calculated to warm and ſtrengthen Digeſtion, as well as correct and carry off the ſcorbutick Acrimony.

Gargariſma Reſtringens.

℞ Myrrh. elect. Terr. Japonic. āā ʒij. Vin. rubr. ℔ ſs. m. f. Gargariſma quocum colluantur Gingivæ.

The Reſtringent Gargle.

Take choice Myrrh and Japan Earth, of each two Drachms: Red Wine, Half a Pint. Mix and make a Gargle to waſh the Gums.

Obſervations.

This is ſerviceable in the Scurvy to brace up the Fibres of the Gums, and faſten looſe Teeth. By its antiſeptick Virtue it reſiſts the Putrifaction of the ſharp Humours that erode and deſtroy the ſame.

Mixtura Antiſcorbutica.

℞ Succor. Scorbutic. Batean. ſine Sacchar. præparat. ℥x. Aq. Pæon. comp. ʒiv. m. f. Mixtura. Sum. Cochl. iv. omni Mane.

The Antiſcorbutick Mixture.

Take the Antiſcorbutick Juices of *Bates*, made without Sugar, ten Ounces: Compound Piony Water, four Ounces. Mix and make a Mixture. Four Spoonfuls to be taken every Morning.

Obſer-

Observations.

This is good in Spring-time againſt all ſcorbutick Complaints, and cutaneous Foulneſs.

The Hypochondriacal Disease.

Vide Bol. Cephal. Stomach. Gummos.

See the Boluſes Cephalick, Stomachick, Gum.

Vide Elect. Chalybeat. Stomach. Digeſtiv.

Guttul. Helmont. *&c.*

See Electuaries Chalybeate, Stomachick, Digeſtive.

Helmont's Drops, *&c.*

The Affections of the Mind.

See Madness.

The Diſeaſes of Women.

The Suppreſſion of the menſtrual Diſcharges.

Bolus Hyſtericus.

℞ Rad. Valer. Sylv. pulv. gr. xv. Troch. de Myrrh. ℈j. Syr. Croc. q. ſ. m. f. Bolus. Sumat ter de Die cum Julepo Cardiaco.

The Hyſterick Bolus.

Take Wild Valerian Root powdered, fifteen Grains:

Grains: Troches of Myrrh, a Scruple: Syrup of Saffron, a ſufficient Quantity. Mix and make a Bolus to be taken three Times a Day, with the Cardiac Julep.

Obſervations.

This is effectual in uterine Diſorders, promotes the Menſes, helps to expel the Secundines, and is ſerviceable in hypochondriacal and hyſterick Fits.

Electarium Stomachicum Chalybeatum.

℞ Conſ. Abſinth. Roman. Flaved. Aurantior. āā ʒvj. Pulv. Ari comp. ʒiij. Chalyb. cum Sulph. præp. ʒij. Syr. è Cort. Citr. q. ſ. m. f. Electarium. Sumat Quantitatem Nucis Moſchat. bis de Die cum Julepo Stomachic.

The Stomachick Chalybeate Electuary.

Take Conſerve of *Roman* Wormwood and Orange Peel, of each ſix Drachms: Compound Powder of Arum Root, three Drachms: Steel prepared with Sulphur, two Drachms: Syrup of Citron Peel, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, with the Stomachick Julep.

Obſervations.

This is adapted to remove Obſtructions of the Menſes, and is of Service to ſuch as are of a pale Habit of Body. By its ſpecifick Gravity,

Gravity, it increaſes the Momentum of the Blood, and cauſes it to impinge more ſtrongly againſt the Sides of the uterine Veſſels, which, occaſioning a Plethora therein, by its Impetus, generally removes the Obſtruction, and brings on the deſired Diſcharge. It is likewiſe a good Stomachick, warms the Stomach, and digeſts crude Humours.

Guttulæ Emenagogic.

℞ Tinct. Hellebor. nigr. ℥j. Sumat Gut. XL. omni Mane & Hora quinta Pomeridiana cum Hauſtu Julep. Stomachic.

The Emenagogick Drops.

Take Tincture of Black Hellebore, an Ounce. Forty Drops to be taken every Morning, and at Five in the Afternoon, in a Draught of Stomachick Julep.

Obſervations.

This opens uterine Obſtructions, and in ſanguine Conſtitutions, where Steel is ſometimes hurtful, never fails to force the menſtrual Diſcharge. It is expedient to give a proper Doſe of Tincture of Hiera Picra, the Night before beginning with this Method.

Hauſt. Emenagogicus.

℞ Tinct. Sacr. ℥jſs. Tinct. Helleb. nigr. ʒſs. m. f. Hauſtus Mane ſumendus.

The Emenagogick Draught.

Take Tincture of Hiera Picra, an Ounce and an Half: Tincture of Black Hellebore,

Half a Drachm. Mix and make a Draught to be taken in the Morning.

Observations.

This is of Service to clear the Passages, when obstructed with viscid Matter, and should be repeated three or four Times, to prepare the Body for other Emenagogick Remedies, which often, for Want of due preceding Evacuations, have not sufficient Power to remove the Obstructions of the Vessels, and promote the menstrual Discharge.

Tinctura Stomachica Chalybeata.

℞ Summit. Centaur. min. ʒjſs. Rad. Gallang. Zedoar. Sem. Cardam. min. āā ʒſs. infunde in Aq. Lactis Alex. ℥vj. adde Aq. Absinth. mag. comp. ℥ij. Vin. Chalybeat. ℥iv. m. f. Tinctura. Sumat Cochl. vj. Hora undecima Matutina, & quinta Pomeridiana, superbibendo Haustum Aquæ Spadan.

The Stomachick Chalybeate Tincture.

Take the Tops of the Lesser Centaury, a Drachm and an Half: Roots of Galingal, Zedoary and Lesser Cardamoms, of each Half a Drachm. Infuse them in Alexiterial Milk Water, six Ounces: Add Wormwood Water of the greater Composition, two Ounces: Chalybeate Wine, four Ounces. Make a Tincture. Six Spoonfuls to be taken at Eleven in the Morning, and at Five in the Afternoon, drinking a Draught of *Spaw* Water afterwards.

Obser-

Observations.

This greatly conduceth to regulate the menſtrual Diſcharges in Women, by giving a briſk Motion to the Blood.

The EXCESS *of the* MENSTRUAL DISCHARGES.

Bolus Stypticus.

℞ Conſ. Roſ. rubr. ℈ij. Terr. Japonic. pulv. gr. xv. Alum. rup. gr. iij. Syr. de Mecon. q. ſ. m. f. Bolus Nocte & Mane ſumend. cum Cochl. vj. Tincturæ Roſar.

The Styptick Bolus.

Take Conſerve of Red Roſes, two Scruples: *Japan* Earth powdered, fifteen Grains: Roch Alum, three Grains: Diacodium, a ſufficient Quantity. Mix and make a Bolus to be taken Night and Morning, with ſix Spoonfuls of Tincture of Roſes.

Obſervations.

This is a good Reſtringent in the immoderate Flux of the Menſes, contracts the Solids, incraſſates the Fluids, and thereby prevents Hæmorrhages. It is for the above Reaſons proper in the Fluor Albus, Gleets, and Hæmoptyſis.

The Fluor Albus.

Pilul. Balſamicæ.

℞ Terr. Japonic. pulv. Spec. Diatrag. frig. Gum Arabic. āā ʒj. Syr. è Roſ. ſicc. q. ſ. m. f. Pilul. mediocres. Sumat iv. Mane & Veſperi cum Vehiculo Balſamic.

The Balſamick Pills.

Take *Japan* Earth powdered, cooling Species of Gum Tragacanth, and Gum Arabick, of each a Drachm: Syrup of dried Roſes, a ſufficient Quantity. Mix and make Pills of a moderate Bigneſs. Four to be taken Night and Morning, with any Balſamick Liquor.

Obſervations.

Theſe are good Balſamicks, to agglutinate and thicken the Fluids, heal the Eroſions of the glandular Ducts, and fill the Blood with balſamick Particles. They are good in Bruiſes, and Spitting of Blood.

Pilulæ Aperitiv. Balſamic.

℞ Pulv. Rhæi, Gum. Arabic. Terr. *Japon.* āā ℈ij. Tereb. è Chio q. ſ. m. f. Pilul. mediocres. Sumat iv. omni Mane cum Ibſs. Aq. Briſtol.

The Aperitive Balſamick Pills.

Take Powder of Rhubarb, Gum Arabick, and *Japan* Earth, of each two Scruples: *Chio* Turpen-

Turpentine, a ſufficient Quantity. Mix and make moderate-ſized Pills. Four to be taken every Morning, with Half a Pint of *Briſtol* Water.

Obſervations.

Theſe are given in this Diſeaſe, and are of Service in Gonorrhœas, old Gleets, and ſeminal Weakneſſes.

Pilulæ Rhabarbarin.

℞ Pulv. Rhæi ℈j. Syr. Caryoph. q. ſ. f. Pil. v. ſumend. primo Mane.

Rhubarb Pills.

Take Powder of Rhubarb, a Scruple: Syrup of Clove Gilly-flowers, a ſufficient Quantity. Make it into five Pills, to be taken in the Morning early.

Obſervations.

Theſe are given by Intervals, as Openers, in the Courſe of Balſamicks and Aſtringents.

Pilulæ Reſtringentes.

℞ Oliban. pulv. Pulv. è Tragacanth. comp. Sang. Dracon. pulv. āā ʒj. cum Syr. Balſamic. q. ſ. f. Pilul. Granor. v. Capiat quinque Mane & Hora quinta Pomeridiana ſuperbibendo Aq. Briſtol. ℔ſs.

Reſtringent Pills.

Take Olibanum powdered, Powder of Gum Tragacanth compound, and Dragon's Blood, of

of each a Drachm, with a ſufficient Quantity of Balſamick Syrup. Make Pills weighing five Grains each. Five to be taken in the Morning, and at Five in the Afternoon, drinking Half a Pint of *Briſtol* Water after them.

℞ Oliban. pulv. ʒij. Rhabarb. pulv. Coral. rubr. ppt. āā ʒj. cum Terebinth. è Chio q. ſ. f. Pilul. Gran. v. Capiat iv. Mane, Hora quinta Pomeridiana, & Hora Somni, ſuperbibendo Cochlear. iij. Vini rubri cum æqua parte Aq. Font. mixt.

Take Olibanum powdered, two Drachms: Rhubarb powdered and Red Coral prepared, of each a Drachm; with a ſufficient Quantity of *Chio* Turpentine. Make Pills weighing five Grains each. Four to be taken in the Morning, at Five in the Afternoon, and going to Reſt; drinking three Spoonfuls of Red Wine, mixt with an equal Quantity of Water.

Obſervations.

Theſe are proper Reſtringents in this Diſeaſe, and are balſamick and ſtrengthening.

Hauſtus Peruvianus.

℞ Extract. Cort. Peruv. Cort. Peruv. pulv. āā ʒſs. Aq. Alex. ſimp. ℥ij. Aq. Nuc. Moſch. ℥iij. Syr. Cort. Aurant. ʒij. m. f. Hauſt. ſexta quaque Hora ſumendus.

The

The Peruvian Draught.

Take Extract of the *Peruvian* Bark, and *Peruvian* Bark powdered, of each Half a Drachm: Simple Alexiterial Water, two Ounces: Nutmeg Water, three Drachms: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken every ſix Hours.

Obſervations.

This is ordered, when the Flux of Matter in this Diſeaſe is occaſioned by a remitting hectick Fever.

The Hysterical Disease.

Vide Bol. Cephalic. Nervoſ. Gummoſ. Hyſtericus.

See Boluſes Cephalick, Nervous, Gum Hyſterick.

Vide Empl. ad Dolorem Capitis. Elect. Chalybeat. Guttulæ Cephal. Emenagogic. &c.

See Plaiſter for a Pain of the Head. Chalybeate Electuary. Drops Cephalick, Emenagogick, *&c.*

Diffi-

Difficult Birth.

Vide Bolus Gummoſ. Enema Terebinth. Guttul. Emenagogic. Hauſtus Aloetic. Julep. Stom. Mixtura Gummoſ. &c.

See Gum Bolus. Turpentine Clyſter. Emenagogic Drops. Aloetic Draught. Stomachick Julep. Gum Mixture.

Veneral Diseases.

Ptiſan. Pectoralis.

℞ Hord. mundat. ℥j. Rad. Eryng. cond. Uvar. paſſar. exacinat. āā ℥ſs. coque in Aq. Fontan. q. ſ. ad ℔ij. cola & fiat Apozema pro Potu.

The Pectoral Ptiſan.

Take Barley cleanſed, an Ounce: Candied Eryngo Root and Raiſins of the Sun ſtoned, of each Half an Ounce. Boil them in a ſufficient Quantity of Water to a Quart. Strain it and make an Apozem for common Drink.

Obſervations.

This is ordered for common Drink, to relax and deterge the ſalival Glands, where a Spitting is occaſioned by taking Cold, during the Uſe of Mercurial Remedies, in Caſes where the

the ſame are given with no Intention to raiſe a Salivation.

Bolus Mercurialis.

℞ Calomel præp. gr. xv. Conſ. Roſ. rubr. q. ſ. m. f. Bolus H. S. ſumendus.

The Mercurial Bolus.

Take Calomel prepared, fifteen Grains: Conſerve of Red Roſes, a ſufficient Quantity. Mix and make a Bolus to be taken going to Reſt.

Obſervations.

This is given as a Preparative to other Purges, and may be repeated two, three, or four Nights, before they are adminiſtered, the better to diſſolve the Lentor, extricate the veneral Virus from the Blood and Juices, and diſlodge it from the Glands. This is likewiſe ordered in all chronical Caſes, requiring Mercurials, and may be purged off with either of the Cathartick Draughts.

Electarium Emolliens.

℞ Conſ. Flor. Malvæ, Elect. Diacaſſ. cum Mann. āā ℥j. Ocul. Cancr. præpar. Gum. Arabic. āā ʒij. cum Syr. de Althæa q. ſ. f. Electarium. Sumat Quantitatem Nucis Jugland. Mane & Veſperi ſuperbibendo Hauſtum Aq. Briſtol.

The Emollient Electuary.

Take Conſerve of Mallow Flowers and Diacaſſia with Manna, of each an Ounce: Crabs Eyes prepared and Gum Arabick, of each two Drachms; with a ſufficient Quantity of Syrup of Marſhmallows. Make an Electuary. The Quantity of a Walnut to be taken Night and Morning, with a Draught of *Briſtol* Water.

Obſervations.

This is of Service to heal the urinary Paſſages, eſpecially the Urethra, after the mucous Covering of the ſame has been in Part abraded by the Continuance of a ſharp Gleet. It is beneficial in a Suppreſſion of Urine, and in the Gravel.

Electarium è Symphyto.

℞ Elect. Diacaſſ. cum Manna, Conſ. Rad. Symphyt. āā ℥j. Gum Tragacanth. Terr. Japon. pulv. Coral. rubr. pp. āā ʒij. Syr. Balſamic. q. ſ. m. f. Electarium. Sumat Quantitatem Nucis Moſch. Mane ac Veſperi ſuperbibendo Aq. Briſtol. tepefact. ℔ſs.

The Comfrey Electuary.

Take Diacaſſia with Manna and Conſerve of Comfrey, of each an Ounce: Gum Tragacanth, *Japan* Earth powdered, and Red Coral prepared, of each two Drachms: Balſamick Syrup, a ſufficient Quantity. Mix and

make an Electuary. The Quantity of a Nutmeg to be taken Morning and Evening, drinking Half a Pint of warm *Briſtol* Water after it.

Obſervations.

This is of Service in Gleets, ſeminal Weakneſſes, and in the Fluor Albus.

Guttulæ Diureticæ.

℞ Tinct. Cantharid. ℥j. Sp. Nitr. Dulc. ʒj. m. ſumat Gutt. xxv. omni Mane ex Cyatho Aq. Briſtol.

The Diuretick Drops.

Take Tincture of Cantharides, an Ounce: Sweet Spirit of Nitre, a Drachm. Mix them. Twenty-five Drops to be taken every Morning in a Glaſs of *Briſtol* Water.

Obſervations.

Theſe are of excellent Uſe, where the Paſſages are loaded with viſcid ſlimy Humours. And, in old Gleets and ſeminal Weakneſſes, there is not a better Medicine, according to Dr. *Mead*'s Opinion.

Hauſtus Laxativus.

℞ Elect. Diacaſſ. cum Mann. ℥j. Aq. Petroſelin. ℥ij. Aq. Nephritic. ʒſs. m. f. Hauſtus ſumendus pro re nata vel alternis Diebus.

The Laxative Draught.

Take Diacaſſia with Manna, an Ounce: Parſley Water, two Ounces: Nephritick Water, Half an Ounce. Mix and make a Draught to be taken, when Occaſion requires, or every other Day.

Obſervations.

This is given in Suppreſſion of Urine, and old Gleets, to keep the Body open.

F I N I S.

INDEX.