



Pharmacopœia Meadiana.

F E V E R S.

CONTINUAL FEVERS.

Hauftus Bezoardici.

R. Aq. Ceraf. Nigr. $\bar{z}$ jss. Aq. Pæon. comp. $\bar{z}$ ss.
Pulv. è Chel. C. comp. $\bar{\theta}$ j. Syr. Croci, q. s.
m. f. Hauftus.

R. Aq. Ceraf. Nigr. $\bar{z}$ j. Aq. Pæon. comp.
Cinnam. ten. $\bar{a}\bar{a}$ $\bar{z}$ ss. Pulv. è Chel. Cancr.
C. $\bar{\theta}$ ss. Confect. Raleigh. $\bar{\theta}$ j. Syr. è Succ.
Cherm. $\bar{z}$ ij. m. f. Hauftus.

Bezoartick Draughts.

Take Black Cherry Water, one Ounce and an
Half : Compound Piony Water, Half an
Ounce : Compound Powder of Crabs Claws,
one Scruple : Syrup of Saffron, a sufficient
Quantity. Mix and make a Draught.

B

Take

Take Black Cherry Water, one Ounce: Compound Piony and small Cinnamon Waters, of each Half an Ounce: Compound Powder of Crabs Claws, Half a Scruple: *Rawleigh's* Confection, one Scruple: Syrup of the Juice of Kermes, two Drachms. Mix and make a Draught.

Observations.

These are proper Alexipharmicks in most continual, malignant, and epidemical Fevers, and in the Small-pox and Measles. They are ordered to be given once in six or eight Hours, according to the Degree of the Disease.

Bolus Cephalicus.

℞ Pulv. ē Chel. Cancr. C. ʒj. Castor. Russ. Rad. Serpent. Virg. Spec. Diambra. āā gr. vj. Conf. Alchem. q. f. m. f. Bolus octava quaque Hora sumendus.

The Cephalick Bolus.

Take Compound Powder of Crabs Claws, one Scruple: *Russia* Castor, Snake Root powdered, and Species Diambra, of each six Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus, to be taken every eight Hours.

Observations.

This is given in most nervous Cases attended with a Fever, and is of Service in bringing to their due Tone the decayed Fibres of the Stomach.

Bolus

Bolus Stomachicus.

℞ Spec. Diamb. ʒss. Croc. Castor. Russ.
pulv. āā gr. v. Confect. Alchem. q. s.
m. f. Bolus, octava quaque Hora sumend.

The Stomach Bolus.

Take Species Diambra, Half a Scruple: Saffron
and *Russia* Castor powdered, of each five
Grains: Confection of Kermes, a sufficient
Quantity. Mix and make a Bolus, to be
taken every eight Hours.

Observations.

This is intended to comfort the Stomach,
and retrieve its natural Warmth in hard Drink-
ers when afflicted with slow nervous Fevers, at-
tended with great Faintness, and Loss of Ap-
petite. It stimulates and warms the nervous
Fibres relaxed and impaired by preceding De-
bauches, and promotes a free Circulation of
the Blood; re-invigorating its languid Motion,
and causing a greater Flow of Spirits into the
Tubuli of the Nerves.

Emplastrum Cephalicum.

℞ Empl. Cephalic. cum duplici Quantitate
Euphorbii parati, ʒss. Galbani colati, ʒj.
m. f. Emplastra totos Pedes obvolvenda.

The Cephalick Plaster.

Take Cephalick Plaster, prepared with a dou-
ble Quantity of Euphorbium, Half an Ounce:
Strained Galbanum, an Ounce. Mix and
make Plaisters to roll the Feet in.

Observations.

These are applied in Fevers that violently affect the Head.

Emplastr. ad Dolorem Capitis.

R Empl. Epispastic. Picis Burgund. aa Partes æquales. m. f. Emplastrum Occipiti raso applicandum, ad magnitudinem Palmæ Manus.

The Plaister for a Pain in the Head.

Take Blister Plaister and *Burgundy Pitch*, of each equal Parts. Mix and make a Plaister the Bigness of the Palm of the Hand, to be applied to the hinder Part of the Head, after it is shaved.

Observations.

This answers the Intention its Title expresses, and is good in Fevers attended with Coma, Delirium, or Lethargy.

Julepum Restrings.

R Aq. Lactis Alex. ℥vj. Cinnam. ten. ℥iv. Pæon. comp. ℥ij. Syr. Cydonior q. f. m. f. Julepum.

The Restrington Julep.

Take Alexiterial Milk Water, six Ounces : Small Cinnamon Water, four Ounces : Compound Piony Water, two Ounces : Syrup of Quinces, a sufficient Quantity. Mix and make a Julep.

Julepum

Julepum Album.

℞ Julep. Cretac. Batean. ℥v. Aq. Cinnam.
ten. ℥ij. m. f. Julepum.

The White Julep.

Take Bates's Chalk Julep, five Ounces : Small
Cinnamon Water, two Ounces. Mix and
make a Julep.

Julepum Cardiacum.

℞ Aq. Lactis Alexit. ℥vj. Ceras. Nigr. Pæon.
comp. āā ℥ij. Conf. Alcherm. q. f. m. f.
Julepum.

The Cardiack Julep.

Take Alexiterial Milk Water, six Ounces :
Black Cherry and Piony Waters, of each
two Ounces : Confection of Kermes, a suf-
ficient Quantity. Mix and make a Julep.

Julepum Cephalicum.

℞ Aq. Lactis Alexit. Ceras. Nigr. āā ℥iij. Pæ-
on. comp. ℥ij. Spir. Lavend. comp. Tinct.
Castor. Russ. āā ℥iij. m. f. Julepum.

The Cephalick Julep.

Take Alexiterial Milk Water and Black Cher-
ry Water, of each three Ounces : Compound
Piony Water, two Ounces : Compound Spi-
rit of Lavender and Tincture of *Russia* Cas-
tor, of each three Drachms. Mix and make
a Julep.

Julepum Stomachicum.

℞ Aq. Lactis Alex. Cerasor. Nigr. āā ℥iij.
Absinth. mag. comp. ℥ij. Syr. è Cort. Au-
rant. ℥ss. m. f. Julepum.

The

The Stomach Julep.

Take Alexiterial Milk and Black Cherry Waters, of each three Ounces : Wormwood Water, of the greater Composition, two Ounces : Syrup of Orange-peel, Half an Ounce. Mix and make a Julep.

Julepum de Croco.

℞ Aq. Ceraf. Nigr. ℥vj. Tinct. Croci, Aq. Pæon. comp. āā ℥ij. Conf. Alchem. ʒij. Sacch. alb. q. s. m. f. Julepum.

The Saffron Julep.

Take Black Cherry Water, six Ounces : Tincture of Saffron and Piony Water, of each two Ounces : Confection of Kermes, two Drachms : Loaf-Sugar, a sufficient Quantity. Mix and make a Julep.

Julepum Perlatum.

℞ Aq. Lactis Alexit. Ceraf. Nigr. āā ℥iij. Epidem. Pæon. comp. āā ℥j. Margarit. ppt. ʒj. Sacch. alb. q. s. m. f. Julepum.

The Pearl Julep.

Take Alexiterial Milk Water and Black Cherry Water, of each three Ounces : Epidemic and Piony Waters, of each an Ounce : Pearl prepared, one Drachm : Loaf-Sugar, a sufficient Quantity. Mix and make a Julep.

Julepum Perlatum Nephriticum.

℞ Aq. Lactis Alexit. Nephritic. āā ℥iv. Margarit. ppt. ʒj. Spir. Nitr. Dulc. ʒss. Sacch. alb. q. s. m. f. Julepum.

The Nephritick Pearl Julep.

Take Alexiterial Milk and Nephritick Waters, of each four Ounces: Pearl prepared, one Drachm: Sweet Spirit of Nitre, Half a Drachm: White Sugar, a sufficient Quantity. Mix and make a Julep.

Observations.

The Efficacy of Juleps is not to be relied on in Cases of Consequence; their Intention in general being only as pleasant Vehicles to convey Medicines of greater Energy to the Stomach.

FEVERS *attended with* ERUPTIONS.

The Miliary and Petechial Fever and Erysipelas.

Bolus Cardiacus.

R Pulv. è Chel. Cancr. comp. ʒj. Margarit. ppt. ʒss. Conf. Alchem. q. f. m. f. Bolus.

The Cardiack Bolus.

Take compound Powder of Crabs Claws, one Scruple: Pearl prepared, Half a Scruple: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus.

Observations.

This is given in the Miliary and Petechial Fever every six or eight Hours, as the Symptoms require, with the Pearl Julep.

Pulvis