The Nephritick Pearl Julep.

Take Alexiterial Milk and Nephritick Waters, of each four Ounces: Pearl prepared, one Drachm: Sweet Spirit of Nitre, Half a Drachm: White Sugar, a ſufficient Quantity. Mix and make a Julep.

Obſervations.

The Efficacy of Juleps is not to be relied on in Caſes of Conſequence; their Intention in general being only as pleaſant Vehicles to convey Medicines of greater Energy to the Stomach.

Fevers *attended with* Eruptions.

The Miliary and Petechial Fever and Eryſipelas.

Bolus Cardiacus.

℞ Pulv. è Chel. Cancr. comp. ℈j. Margarit. ppt. ℈ſs. Conf. Alcherm. q. ſ. m. f. Bolus.

The Cardiack Bolus.

Take compound Powder of Crabs Claws, one Scruple: Pearl prepared, Half a Scruple: Confection of Kermes, a ſufficient Quantity. Mix and make a Bolus.

Obſervations.

This is given in the Miliary and Petechial Fever every ſix or eight Hours, as the Symptoms require, with the Pearl Julep.

Pulvis

Pulvis Cardiacus.

℞ Pulv. è Chel. Cancr. comp. ℈j. Margarit. ppt. ℈ſs. m. f. Pulvis h. ſ. & mane ſumend. cum Cochl. iv. Julepi Perlat.

The Cordial Powder.

Take compound Powder of Crabs Claws, one Scruple: Pearl prepared, Half a Scruple. Mix and make a Powder to be taken Night and Morning, with four Spoonfuls of the Pearl Julep.

Obſervations.

This is good in Fevers, attended with Eruptions, to promote Perſpiration, and in the Small-Pox.

Electarium Cardiacum Reſtring.

℞ Conf. Fracaſt. ſ. m. ℥j. Lapid. Contrayerv. Chel. Cancr. ppt. āā ʒjſs. Syr. Caryoph. q. ſ. m. f. Electarium ſumat Quantitatem Nucis Moſchatæ, omni Nocte Hora Somni, cum Coch. iv. Julepi Cardiaci.

The Cordial Reſtringent Electuary.

Take *Fracaſtorius*'s Confection, made without Honey, one Ounce: Contrayerva Stone and Crabs Claws prepared, of each one Drachm and an Half: Syrup of Clove Gilly-flowers, a ſufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken every Night, at going to Reſt, with four Spoonfuls of the Cardiack Julep.

Obſervations.

This is given in Fevers and Eryſipelas, attended with a Diarrhœa.

Apo-

Apozema Cardiacum.

℞ Decoct. alb. ℔ ij. Aq. Cinnam. fort. ℥ij. Sacchar. albiſſim. q. ſ. m. f. Apozema.

The Cardiack Apozem.

Take white Drink, a Quart: Strong Cinnamon Water, two Ounces: Refined Sugar, a ſufficient Quantity. Mix and make an Apozem.

Obſervations.

This is given for common Drink in all acute Caſes, inclining to a Looſeneſs.

Apozema Pectorale.

℞ Decoct. Pectoral. ℔ ij.

The Pectoral Apozem.

Take Pectoral Decoction, a Quart.

Obſervations.

This is ordered for common Drink in Petechial and other Fevers, attended with a Cough.

Enema Emolliens.

℞ Decoct. commun. ℔ ſs. Syr. Violar. Ol. Lini, ā ā ℥ij. m. f. Enema.

The Emollient Clyſter.

Take the common Decoction, Half a Pint: Syrup of Violets and Linſeed Oil, of each two Ounces. Mix and make a Clyſter.

Obſervations.

This is given in the Small-Pox and Petechial Fevers, when ſtrong irritating Clyſters are not required.

Hauſtus Paregorici.

℞ Aq. Ceraſ. Nigr. Lactis Alexit. āā ʒvj. Syr. de Mecon. ℥j. m. f. Hauſtus ſumat Nocte.

Paregorick Draughts.

Take Black Cherry and Alexiterial Milk Water, of each ſix Drachms: Diacodium, one Ounce. Mix and make a Draught to be taken at Night.

℞ Aq. Ceraſ. Nigr. ℥jſs. Aq. Pæon. comp. ℥ſs. Laud. Liquid. gutt. xv. Syr. de Mecon. ʒiij. Sp. Lavend. comp. Sp. Sal. Volat. Oleoſ. āā gutt. x. m. f. Hauſtus.

Take Black Cherry Water, one Ounce and an Half: Compound Piony Water, Half an Ounce: Liquid Laudanum, fifteen Drops: Diacodium, three Drachms: Compound Spirit of Lavender and Oily Spirit of Volatile Salt, of each ten Drops. Mix and make a Draught.

Obſervations.

Theſe are given in the Small-Pox, to procure Reſt, and in other Caſes, where Opiates are required.

Hauſtus Cathartici.

℞ Infuſ. Senæ, ℥ij. Mannæ opt. ʒvj. Syr. Roſ. Solut. ℥ſs. m. f. Potio mane ſumenda debito Regimine.

Purging Draughts.

Take Infuſion of Sena, two Ounces: Beſt Manna, ſix Drachms: Solutive Syrup of Roſes, Half an Ounce. Mix and make a

Potion to be taken in the Morning, with proper Regimen.

℞. Infuſ. Senæ, ℥ijſs. Syr. è Spin. Cerv. Roſ. Solutiv. āā ℥ſs. Sp. Lavend. comp. ʒſs. m. f. Hauſtus primo mane ſumendus.

Take Infuſion of Sena, two Ounces and an Half: Syrup of Buckthorn and Roſes Solutive, of each Half an Ounce: Compound Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken in the Morning early.

Obſervations.

Theſe are the general Rule for Catharticks after Mercurials, or alone, as the Caſe may require.

Particular Fevers.

A Pleuriſy.

Bolus Balſamicus.

℞ Sperm. Ceti, Spec. Diatragacanth. frigid. āā gr. xij. Mithrid. ℈ſs. Syr. Balſamic. q. ſ. m. f. Bolus ſexta vel octava quaque Hora ſumendus.

The Balſamick Bolus.

Take Sperma Ceti and cooling Species of Gum Tragacanth, of each twelve Grains: Mithridate, Half a Scruple: Balſamick Syrup, a ſufficient Quantity. Mix and make a Bolus, to be taken every ſix or eight Hours.