

Potion to be taken in the Morning, with proper Regimen.

R. Infus. Senæ, ʒijss. Syr. è Spin. Cerv. Ros. Solutiv. aa ʒss. Sp. Lavend. comp. ʒss. m. f. Haustus primo mane sumendus.

Take Infusion of Sena, two Ounces and an Half: Syrup of Buckthorn and Roses Solutive, of each Half an Ounce: Compound Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken in the Morning early.

Observations.

These are the general Rule for Catharticks after Mercurials, or alone, as the Case may require.

Particular FEVERS.

A Pleurisy.

Bolus Balsamicus.

R. Sperm. Ceti, Spec. Diatragacanth. frigid. aa gr. xij. Mithrid. ʒss. Syr. Balsamic. q. s. m. f. Bolus sexta vel octava quaque Hora sumendus.

The Balsamick Bolus.

Take Sperma Ceti and cooling Species of Gum Tragacanth, of each twelve Grains: Mithridate, Half a Scruple: Balsamick Syrup, a sufficient Quantity. Mix and make a Bolus, to be taken every six or eight Hours.

Observations.

This is ordered in Coughs, Pleurifies, inward Bruises, and many Distempers of the Breast; is balsamick, anodyne, and alexipharmick.

Boli Cordiales Balsamici.

℞ Pulv. è Chel. Cancr. comp. Sperm. Ceti, $\overline{aa}$ $\mathfrak{ss}$. Croc. & Castor. Russ. pulv. $\overline{aa}$ gr. iij. Syr. Caryoph. q. f. m. f. Haustus sexta vel octava quoque Hora sumendus.

Cordial Balsamick Boluses.

Take compound Powder of Crabs Claws and Sperma Ceti, of each Half a Scruple: Saffron and *Russia* Castor powdered, of each three Grains: Syrup of Clove Gilly-flowers, a sufficient Quantity. Mix and make a Bolus to be taken every six or eight Hours.

℞ Lapid. Contrayerv. Sperm. Ceti, $\overline{aa}$ gr. xv. Croci pulv. gr. v. Syr. Caryoph. q. f. m. f. Bolus.

Take Contrayerva Stone and Sperma Ceti, of each fifteen Grains: Saffron powdered, five Grains: Syrup of Clove Gilly-flowers, a sufficient Quantity. Mix and make a Bolus.

℞ Sperm. Ceti, Pulv. è Chel. Cancr. comp. $\overline{aa}$ $\mathfrak{ss}$. Balf. Gileadens. $\mathfrak{ss}$. Syr. Balsamic. q. f. m. f. Bolus.

Take Sperma Ceti and compound Powder of Crabs Claws, of each one Scruple: Balm of *Gilead*, Half a Scruple: Balsamick Syrup, a sufficient Quantity. Mix and make a Bolus.

Obfer-

Observations.

These are used in Disorders of the Lungs, Pleurifies, Consumptions, and Coughs with Fevers: And are likewise of great Service, when given soon after Delivery, to heal and allay the Pain and Soreness of the Uterus, by inducing an agreeable Relaxation and Diaphoresis. They may be rendered more anodyne and proper in the latter Case, by the Addition of Half a Scruple of Mithridate to each, which is generally required to appease the Spasms and painful Contractions of the Membranes, called the After-Pains.

Confectio Pectoralis.

R. Conf. Rosar. Rubr. ℥j. Spec. Diatragacanth. frigid. Terr. Japon. pulv. āā ℥j. Syr. Balsamic. q. s. m. f. Confectio, sumat Cochl. ij. Theæ sæpè ut urgeat Tussis.

The Pectoral Confection.

Take Conserv. of Red Roses, one Ounce: The cooling Species of Gum Tragacanth and *Japan* Earth powdered, of each one Drachm: Balsamic Syrup, a sufficient Quantity, to make a Confection. Two Tea Spoonfuls to be taken often, when the Cough is troublesome.

Observations.

This is ordered in a Pleurisy, attended with a Cough and Spitting of Blood; is cooling, balsamick, and restringent.

Emplas-

Emplastrum Discutiens.

℞ Empl. Diachyl. cum Gummis Stict. Paracels. āā Partes æquales, m. f. Emplastrum Thoraci applicandum.

The Discutient Plaister.

Take Diachylon Plaister made with the Gums, and *Paracelsus's* Stictick Plaister, of each equal Parts. Mix and make a Plaister to be applied to the Breast.

Observations.

This is applied to the Thorax for any Inflammation, or Soreness of that Part, proceeding from Cold.

Enema Carminativum.

℞ Decoct. commun. ℥x. Syr. Violar. Mell. Mercur. āā ℥jss. Elect. è Bacc. Lauri ℥ss. Sal. commun. ℥ij. m. f. Enema.

The Carminative Clyster.

Take the common Decoction, ten Ounces : Syrup of Violets and Honey of Mercury, of each one Ounce and an Half : Electuary of Laurel Berries, Half an Ounce : Common Salt, three Drachms. Mix and make a Clyster.

Observations.

This is ordered to relax the Belly in Pleurifies, and set at Liberty Wind pent up in the Hypochondria.

Guttulæ Volatiles.

℞ Sp. Corn. Cerv. per se, ℥j. capiat gutt. xx. frequenter ex haustu Seri Lactis Vinosi.

The

The Volatile Drops.

Take Spirit of Hartshorn, one Ounce. Twenty Drops to be taken frequently in a Draught of Wine Whey.

Observations.

These are ordered in Inflammations of the Pleura, attended with an acute Fever, to attenuate the Sickness of the Blood.

Haustus Oleosi.

R Ol. Lini S. I. extract. $\mathfrak{z}\text{j}$. Tinct. Croci $\mathfrak{z}\text{ij}$.
Aq. Puleg. $\mathfrak{z}\text{vj}$. m. f. Haustus quinta vel sexta quaque Hora sumendus.

Oily Draughts.

Take cold drawn Linseed Oil, one Ounce :
Tincture of Saffron, two Drachms : Pennyroyal Water, six Drachms. Mix and make a Draught to be taken every five or six Hours.

R Ol. Amygd. dulc. Ol. Lini recent. āā $\mathfrak{z}\text{ss}$.
Syr. de Mecon. $\mathfrak{z}\text{ss}$. Sp. C. Cerv. gutt. xx.
m. f. Haustus.

Take Oil of sweet Almonds and Linseed Oil, fresh drawn, of each Half an Ounce : Diacodium, Half an Ounce : Spirit of Hartshorn, twenty Drops. Mix and make a Draught.

R Ol. Amygd. dulc. $\mathfrak{z}\text{j}$. Aq. Cinnam. ten. $\mathfrak{z}\text{vj}$.
Syr. Cap. Vener. $\mathfrak{z}\text{ss}$. Sp. Sulph. gutt. x. m. f. Haustus.

Take Oil of sweet Almonds, one Ounce :
Small Cinnamon Water, six Drachms :
Syrup

Syrup of Maidenhair, Half an Ounce : Spirit of Sulphur, ten Drops. Mix and make a Draught.

Observations.

These are given in dry Coughs, Hoarseness, Wheezing, and Pleurifies; are lubricating, pectoral, and anodyne.

Haustus Volatilis.

R. Sperm. Ceti solut. ʒss. Sal. Vol. C. C. ʒss. Aq. Alex. simp. ʒij. Aq. Pæon. comp. ʒiij. Syr. Balsamic. ʒj. m. f. Haustus sexta quaque Hora fumendus.

The Volatile Draught.

Take Sperma Ceti dissolved, Half a Drachm : Volatile Salt of Hartshorn, Half a Scruple : Simple Alexiterial Water, two Ounces : Compound Piony Water, three Drachms : Balsamick Syrup, one Drachm. Mix and make a Draught to be taken every six Hours.

Observations.

This the Doctor ordered with good Success in the Gouty Pleurisy, after Bleeding, with a Spoonful of *the Pectoral Linetus*, to be taken in the Intervals. The Case was an inveterate Gout, which shifted from the Foot to the Acromion of the Shoulder, and after a Day or two seized on the Pleura, and caused acute Pain, with almost total Stoppage of Respiration. It is of a penetrating balsamick Quality, dissolves the Lensor of the Blood, and makes it circulate freely through the small Vessels of the Pleura, and other Capillaries of the Body.

Lina-

Linamentum Pleuriticum.

R Ung. de Althæa, Ol. Palmæ, āā ʒj. Ol. Macis per Express. ʒij. Sp. Sal. Ammon. ʒj. m. f. Linamentum Partes affectas illinandum.

The Linament for a Pleurisy.

Take Ointment of Marshmallows and Palm Oil, of each one Ounce: Oil of Mace, by Expression, two Drachms: Spirit of Salt Ammoniack, one Drachm. Mix and make a Linament to anoint the Parts affected.

Observations.

This is excellent in Pleurisies and Pains of the Side, attended with a Cough, being of an emollient and discutient Quality.

Linct. Incrassantes.

R Conf. Rosar. Rubr. ʒjss. Spec. Diatragacanth. frigid. ʒij. Syr. Capill. Ven. q. s. m. f. Linctus sumat Cochlearium mediocre sæpe urgente Tussi.

Incrassating Linctuses.

Take Conserve of Red Roses, one Ounce and an Half: Cooling Species of Gum Tragacanth, three Drachms: Syrup of Maiden-hair, a sufficient Quantity. Mix and make a Linctus. A moderate Spoonful to be taken often, when the Cough is troublesome.

R Ol. Amyg. Dulc. Syr. Capill. Ven. āā ʒij. Sacchar. cand. alb. ʒjss. m. f. Linctus sumat Cochl. i. ampl. quarta quaque Hora.

D

Take

Take Oil of Sweet Almonds and Syrup of Maidenhair, of each two Ounces : White Sugar Candy, Half an Ounce. Mix and make a Linctus. One large Spoonful to be taken every four Hours.

Observations.

These are given to thicken sharp Rheums that prick and stimulate the Fibres of the Larynx, and by their Irritation excite a frequent and troublesome Cough. They are balsamick, pectoral, and agglutinant.

Linctus Pectoralis.

R Syr. Capill. Ven. Ol. Amygd. Dulc. aa ʒij.
Sacchar. Alb. ʒj. Spir. Sulph. gutt. x. m. f.
Linctus.

The Pectoral Linctus.

Take Syrup of Maidenhair and Oil of Sweet Almonds, of each two Ounces : Loaf Sugar, One Drachm : Spirit of Sulphur, ten Drops. Mix and make a Linctus.

Observations.

This is given in Coughs, Pleurifies, Inflammations of the Lungs, and Consumptions ; is lubricating, pectoral, and balsamick ; takes off the Acrimony of the Rheum, and, by loosening the viscid Matter that falls on the Larynx, promotes its Discharge, and relieves the Cough.

Inter-

Intermitting and Epidemick FEVERS.

Haustus Antifebrificus.

R Cort. Perua opt. pulv. ℥ij. Aq. Ceras. Nigr.
℥j. Aq. Pæon. comp. ℥ss. Syr. Caryoph.
q. f. m. f. Haustus tertia vel quarta quaque
Hora sumendus.

The Antifebrifick Draught.

Take the best Bark powdered, two Scruples :
Black Cherry Water, one Ounce : Com-
pound Piony Water, Half an Ounce : Sy-
rup of Clove Gilly-flowers, a sufficient Quan-
tity. Mix and make a Draught to be taken
every three or four Hours, when the Fit
is off.

Observations.

This is given between the Fits of the Ague ;
where there is a regular Intermission, should be
continued till the Patient hath missed the Fit
once, and be repeated afterwards three Times
a Day, for a few Days, to prevent a Relapse.
Observe, this should generally be preceded by
a proper Emetick, to discharge the Phlegm
and bilious Matter, lodged in the Stomach,
which otherwise will often prevent the Bark
from taking Effect, and cause it to purge.

Haustus Stomachicus Amarus.

R Infus. Amar. Simpl. ℥jss. Aq. Absinth.
mag. comp. ℥ss. Spirit Lavend. comp. ʒss.
m. f. Haustus Mane ac Vesperi sumend.

The Bitter Stomach Draught.

Take the Simple Bitter Infusion, one Ounce and an Half : The greater Composition of Wormwood Water, Half an Ounce : Spirit of Lavender, Half a Drachm. Mix and make a Draught to be taken Morning and Evening.

Observations.

This is beneficial to the Stomach, and is often ordered after a Course of the Bark, to strengthen Digestion, and prevent a Return of the Fever, for both which Purposes it is well adapted.

Haustus Salinus.

R Sal. Absinth. ʒss. Succ. Limon. Aq. Cinnam. ten. āā ʒj. Syr. è Cort. Aurant. ʒij. m. f. Haustus quarta quaque Hora sumendus.

The Saline Draught.

Take Salt of Wormwood, Half a Drachm : Juice of Lemons and Small Cinnamon Water, of each one Ounce : Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken every four Hours.

Observations.

This often carries off a recent Intermittent, without the Bark, or brings the Fits to a regular Intermission ; is of Service in the Jaundice, helps Vomiting, and is accounted a good Stomachick. It is best fresh made.

Pulvis

Pulvis Febrifugus.

℞ Pulv. Cortic. Peruv. opt. ʒj. Serpentar. Virg. ʒj. m. f. Pulvis dividend. in Dos. xii. sumat unam quarta quaque Hora, absente Paroxysmo, cum Vin. Rubr.

The Febrifuge Powder.

Take Powder of the best *Peruvian Bark*, one Ounce: *Snake-root*, one Drachm. Mix and make a Powder to be divided into twelve Doses; one of which are to be taken every four Hours, when the Paroxysm is off, with Red Wine.

Observations.

This is good in Intermittents, and, in Cases where the Fibres are oppressed with a Load of cold phlegmatick Humours, takes better Effect than the Bark given alone: Although it must be allowed, that in general the Bark is most advantageously administered by itself.

Tinctura Antifebrifica.

℞ Cort. Peruv. opt. pulv. ʒj. Cort. Aurantior. Sal. Tartar. aa ʒj. coque in Aquæ Fontan. q. s. ad colatur. lbj. adde. Aq. Absinth. mag. comp. Aq. Pæon. comp. aa ʒij. m. f. Tinctura sumat Cochl. iv. vel vj. quarta quaque Hora, absente Febre.

The Antifebrifick Tincture.

Take Powder of the best Bark, one Ounce: Orange Peel and Salt of Tartar, of each one Drachm; boil them in a sufficient Quantity of Spring Water to a Pint. Strain it, and add the greater Composition of Wormwood Water

Water and compound Piony Water, of each two Ounces. Mix and make a Tincture. Four or six large Spoonfuls to be taken every four Hours, in the Absence of the Fever.

Observations.

This is given in Intermittents, when the Bark cannot be taken in Substance. The Ingredients must be boiled in three Pints of Water at least, to a Pint, to extract sufficient Virtue from the Bark, to answer the Intention of an Antifebrifick.

Tinctura Amara Febrifuga.

℞ Cort. Peruv. ʒss. Cort. Aurantior. Sem. Cardamom. min. Rad. Zedoar. aa ʒj. Sal. Absinth. ʒss. infunde in Aquæ bullientis ʒxij. colaturæ adde Aq. Absinth. mag. comp. ʒiv. m. f. Tinctura sumat Cochl. iv. Hora ante Prandium & Hora quinta Pomeridiana.

The Bitter Febrifuge Tincture.

Take *Peruvian Bark*, Half an Ounce : *Orange Peel*, *Lesser Cardamoms* and *Zedoary*, of each one Drachm : *Salt of Wormwood*, Half a Drachm. Infuse them in twelve Ounces of boiling Water. To the strained Liquor add *Wormwood Water* of the greater Composition, four Ounces. Mix and make a Tincture. Four Spoonfuls to be taken an Hour before Dinner, and at Five in the Afternoon.

Observations.

This is a warm Stomachick, promotes Digestion, and prevents the Return of intermitting Fevers,

Fevers, after the Patient hath left off taking the Bark.

Elixir Acidum.

R Tinct. Spec. Diamb. Elix. Vitriol. Mynsicht. aa ʒss . m. sumat Cochlearium minimum Hora undecima Matutina & quinta Pomeridiana ex Cyatho Aquæ Bristolienf. tepesact.

The Acid Elixir.

Take Tincture of Species Diambra and Mynsicht's Elixir of Vitriol, of each Half an Ounce: Mix them together. A Tea Spoonful to be taken at Eleven in the Forenoon, and at Five in the Afternoon, in a Glas of warm Bristol Water.

Observations.

This is excellent to strengthen the Stomach and Organs of Chylification, after they have been relaxed and weakened by the long Continuance of Intermitting Fevers. It braces up the Fibres of the whole Body, and stops profuse Sweats.

Slow or Heetick FEVERS.

Electarium Alterans.

R Conf. Rosar. Rubr. ʒj . Spec. Diatrag. frigid. Chel. Cancr. ppt. aa ʒj . Syr. Capill. Veneris q. s. m. f. Electarium sumat quantitatem Nucis Moschatæ omni Mane cum Lactis Asinini lbss .

The Alterative Electuary.

Take Conserve of Red Roses, one Ounce :
Cooling Species of Gum Tragacanth and
Crabs Claws prepared, of each one Drachm :
Syrup of Maidenhair, a sufficient Quantity.
Mix and make an Electuary. The Quantity
of a Nutmeg to be taken every Morning,
with Half a Pint of Asses Milk.

Observations.

This is a good Pectoral in Defluxions of
Rheum that cause tickling Coughs, is like-
wise a good Restorative, and of Service in con-
sumptive Cases.

Electarium Lujulatum.

℞ Conf. Lujulæ, ℥jss. Chel. & Ocul. Cancror.
ppt. āā ʒij. Syr. de Althæa q. s. m. f. Elec-
tarium sumat Quantitatem Nucis Moschatæ
bis in Die superbibendo Haustum Vini Albi
Aqua Bristolienfi commisti.

The Sorrel Electuary.

Take Conserve of Wood Sorrel, one Ounce
and an Half : Crabs Claws and Eyes pre-
pared, of each two Drachms : Syrup of
Marshmallows, a sufficient Quantity. Mix
and make an Electuary. The Quantity of
a Nutmeg to be taken twice a Day, drink-
ing after it a Draught of White Wine and
Bristol Water mixed.

Electaria Corroborantia.

℞ Conf. Fruct. Cynosbat. Rosar. Rubr. āā ʒvj.
Spec. Diatragacanth. frig. ʒiij. Gum. Guai-
ac.

ac. & Terr. Japonic. pulv. āā ʒj. Syr. è Ros-
fis sicc. q. f. m. f. Electarium sum. Quan-
titem Nucis Moschatæ bis in Die.

Strengthening Electuaries.

Take Conserve of Hips and Red Roses, of
each six Drachms: Cooling Species of Gum
Tragacanth, three Drachms: Gum Guaia-
cum and Japan Earth powdered, of each one
Drachm: Syrup of dried Roses, a sufficient
Quantity. Mix and make an Electuary.
The Quantity of a Nutmeg to be taken
twice a Day.

℞ Conf. Rad. Symphyt. Rosar. Rubr. āā ʒj.
Gum. Tragacanth. Terr. Japonic. pulv.
Coral. Rubr. ppt. āā ʒj. Syr. de Symphyto
q. f. m. f. Electarium. Sumat Quantita-
tem Nucis Moschatæ Mane ac Vesperī cum
Aquæ Bristolens. lib̄s.

Take Conserve of Comfrey Roots and Red
Roses, of each one Ounce: Gum Traga-
canth and Japan Earth powdered, Red Co-
ral prepared, of each two Drachms: Syrup
of Comfrey, a sufficient Quantity. Mix and
make an Electuary. The Quantity of a
Nutmeg to be taken Morning and Evening,
with Half a Pint of Bristol Water.

Observations.

These are of Service in Consumptions, Spit-
ting of Blood, Fluor Albus, Seminal Weak-
nesses, old Gleet, &c. They strengthen and
restore the decayed Tone of the respective Parts,
and by their incrassating Quality alter the Tex-
ture

ture of the Blood, and render it more nutritive and balsamick.

Electarium Pectorale.

℞ Sacch. Rosar. ℥jss. Spec. Diatragacanth. frig. ℥ij. Chel. & Ocul. Cancr. ppt. āā ℥ij. Syr. Balsamic. q. f. m. f. Electarium. Sumat Quantitatem Nucis Jugland. omni Mane cum Haustu Lactis Vaccin. recent. Sacchar. alb. edulcorat.

The Pectoral Elecluary.

Take Sugar of Roses, one Ounce and an Half: Cooling Species of Gum Tragacanth, three Drachms: Crabs Claws and Eyes prepared, of each two Drachms: Balsamick Syrup, a sufficient Quantity. Mix and make an Elecluary. The Quantity of a Walnut to be taken every Morning, with a Draught of new Cow's Milk, sweetened with Loaf Sugar.

Observations.

This is good in consumptive Cases and Ulcerations of the Lungs, and destroys Acidities in the *Primæ Viæ*.

Emulsio Balsamica.

℞ Sperm. Ceti solut. ℥ij. affunde Aq. Ceras. Nigr. ℥vij. Cinnam. ten. ℥ij. Sacc. alb. q. f. m. f. Emulsio de qua bibat Haustum tepide frequenter.

The Balsamick Emulsion.

Take Sperma Ceti dissolved, three Drachms: Add to it Black Cherry Water, eight Ounces: Small

Small Cinnamom Water, two Ounces :
White Sugar, a sufficient Quantity. Mix
and make an Emulsion. A Draught of it
to be taken often a little warm.

Observations.

This is an excellent balsamick Remedy in
all Coughs, Hoarseness and Soreness of the
Breast.

Haustus cum Milleped.

R Milleped. viv. No. LX. contusis affunde
Aq. Nephritic. ʒiij. fiat Expressio, adde Sp.
Lavend. comp. ʒj. Syr. Balsamic. ʒij. m. f.
Haustus Mane & Sero sumend.

The Draught with Millepedes.

Take sixty Millepedes alive, bruise them, and
pour on Nephritick Water, three Drachms :
Compound Spirit of Lavender, one Drachm :
Balsamick Syrup, two Drachms. Mix and
make a Draught to be taken Morning and
Evening.

Observations.

This is given in Hectical Complaints, where
the Lungs are supposed to have Schrophulous
Tubercles. It is likewise good in Dropsies and
Nephritick Cases, to open Obstructions in the
urinary Passages, and evacuate viscid Humours
congested in the Glands of any Part of the Bo-
dy; which renders it useful in the Jaundice,
and in short all Glandular Diseases.

Haustus Traumaticus.

R Balf. Gileadens. solut. ʒj. Aq. Ceras. Nigr.
E 2 ʒjss.

℥jss. Pæon. comp. Syr. Balsamic. āā ʒij.
m. f. Haust. sumend. Mane & Sero.

The Vulnerary Draught.

Take Balm of *Gilead* dissolved, a Scruple :
Black Cherry Water, one Ounce and an
Half : Compound Piony Water and Balsa-
mick Syrup, of each two Drachms. Mix
and make a Draught to be taken Night and
Morning.

Observations.

This is ordered in Ulcers of the Lungs, and
inward Bruises of the Thorax ; is a warm de-
tergent Balsam, comforts and strengthens the
nervous Fibres, and dissolves Coagulations of
Blood proceeding from Wounds, Bruises, or
other external Injuries.

Haustus Antihæctus.

R Sal. Absinth. ʒss. Succ. Limon. ʒvj. Aq.
Cinnam. ten. ʒj. Sacch. alb. q. f. m. f.
Haust. sumend. sexta quaque Hora.

The Antihæctick Draught.

Take Salt of Wormwood, Half a Drachm :
Juice of Lemons, six Drachms : Small Cin-
namon Water, one Ounce : Sugar, a suffi-
cient Quantity. Mix and make a Draught
to be taken every six Hours.

Observations.

This is ordered to attemper the hæctick Heat
attendant in consumptive Cases ; which it ef-
fects, in an admirable Manner, by allaying the
Acrimony of the Blood and Juices, and open-
ing

ing the Obstructions that are the Cause of their irregular Circulation and increased feverish Motion.

Pulvis Alterativus.

℞ Ocul. Cancr. ppt. Chel. Cancr. ppt. Margarit. ppt. āā ʒj. m. f. Pulvis sumendus omni Mane & Nocte cum Lactis Asinin. ℥ss.

The Alterative Powder.

Take Crabs Eyes, Crabs Claws, and Pearl prepared, of each one Scruple. Mix and make a Powder to be taken every Night and Morning, with Half a Pint of Asses Milk.

Observations.

This is given in Coughs, Hecticks, and Consumptions, to prevent the Asses Milk from turning sour on the Stomach.

Of the Diseases of the HEAD.

The Apoplexy.

Hauftus Catharticus.

℞ Spec. pro Elect. Caryocost. ʒij. vel ʒj. Vini Alb. ʒji. m. f. Hauftus primo Mane sumendus cum Regimine.

The Cathartick Draught.

Take Species for the Clove and Costus Electuary, two Scruples, or one Drachm: White Wine, two Ounces. Mix and make a Draught to be taken in the Morning early, with proper Regimen.

Obfer-