

Pharmacopœia Meadiana.

Guttulæ Cephalicæ.

℞ Spir. Sal. Volat. Oleof. Tinct. Cast. Russ.
āā ʒss. m. sumat Gutt. xx. vel xxx. in Lan-
guoribus ex Haustu Julepi Cephalici.

The Cephalick Drops.

Take Oily Spirit of Volatile Salt and Tincture
of *Russia* Castor, of each Half an Ounce.
Mix them together. Twenty or thirty Drops
to be taken, when faint, in a Draught of the
Cephalick Julep.

Observations.

These answer much the same Intentions of
the former, by promoting a freer Secretion of
the Animal Spirits, and increasing the Tonick
Motion of the Solids. They are likewise use-
ful in Hysterick Fits.

*The Diseases of the STOMACH and
INTESTINES.*

Bolus Anticolicus.

℞ Phylon. Londinenf. ʒss. Pulv. è Chel.
Cancr. comp. ʒj. Syr. Caryophil. q. s. m. f.
Bolus Hora Somni sumendus, & Mane se-
quenti superbibat Haustum Catharticum se-
quentem.

The Anticolick Bolus.

Take *London* Philonium, Half a Drachm :
Compound Powder of Crabs Claws, a Scruple :
Syrup of Clove Gilly-flowers, a suffi-
cient Quantity. Mix and make into a Bo-
lus

lus to be taken at going to Rest, and to take the following Cathartick Draught the next Morning.

Haustus cum Rhæo.

℞ Rad. Rhæi incisi ʒjss. Sem. Cardamom. min. ʒj. infunde in Aquæ bullientis q. f. ad colaturæ ʒijss. adde Aq. Mirabil. ʒss. m. f. Haustus.

The Draught with Rhubarb.

Take Rhubarb Root sliced, one Drachm and an Half: Lesser Cardamoms, a Scruple. Infuse them in a sufficient Quantity of boiling Water, to strain off two Ounces and an Half; to which add Aqua Mirabilis, Half an Ounce. Mix and make a Draught.

Observations.

These are approved Remedies in Cholicks, to remove the Spasmodick Contraction of the Membranes, and carry off the Cause of the Disorder.

Emplastrum Stomachicum.

℞ Emp. Stomach. magistr. ʒij. Diachyl. cum Gum. Ol. Macis per Express. aa ʒj. Pulv. Cinnamom. Zinziber. Nucis Moschat. Caryoph. aa ʒss. m. f. Emplastrum super Alutam extendendum.

The Stomach Plaister.

Take The magisterial Stomach Plaister, two Drachms: Diachylon with the Gums and Oil of Mace by Expression, of each one Drachm: Powder of Cinnamon, Ginger, Nutmegs, and Cloves, of each Half a Scruple.

ple. Mix them together for a Plaister to be spread upon Leather.

Observations.

This warms and comforts the Nerves of the Stomach, and is serviceable in relieving Pains both of that Part and of the Breast.

Guttulæ Carminativæ.

℞ Tinct. Sem. Cardamom. ℥ij. Capiat Cochlearium minimum, urgente Ægitudine, Singultu, vel Dolore, ex Haustulo Vini vel Julepi Perlati.

The Carminative Drops.

Take Tincture of Cardamoms, two Ounces. A Tea Spoonful to be taken at any Time, when troubled with Sicknes, Hiccough, or Pain, in a Draught of Wine, or Pearl Julep.

Observations.

This is given in Disorders proceeding from Flatulency, and is of Service in the Hiccough and Spasms of the Stomach; the latter of which it instantly removes, especially if taken in warm Water, or other warm Liquor.

Guttulæ Stomachicæ.

℞ Elix. Vitriol. Myns. ℥j. Sumat Guttas xxx. Hora ante Prandium ex Haustu Aquæ Bristolienf. Vino commisti.

The Stomachick Drops.

Take *Mynsicht's* Elixir of Vitriol, one Ounce. Thirty Drops to be taken an Hour before Dinner in a Draught of *Bristol* Water and Wine mixed.

Obser-

Observations.

This is used as a powerful Strengtheners of the Stomach, especially in Relaxations of the same from hard Drinking. It braces its Fibres, and thereby promotes Digestion; and, in Cases where the Stomach is weak and very irritable, is taken to more Advantage in warm Water alone, in such Quantity as not to offend by its too great Acidity.

Guttulæ Helmontii.

R Elix. Proprietatis Helmont. ℥j. Sumat Guttas xxx. omni Mane ex Cochlear. iv. Tinct. Stomach. Amar. superbibendo ℔ss. Aq. Bathon. tepidè; vel capiat Cochlear. minimum cum Haustu Vini Albi.

Helmont's Drops.

Take *Helmont's* Elixir of Property, one Ounce. Thirty Drops to be taken every Morning in four Spoonfuls of the Bitter Stomach Tincture, drinking afterwards Half a Pint of warm *Bath* Water: Or a Tea Spoonful may be taken in a Glass of White Wine.

Observations.

This is useful in the Cholick to assist Digestion, being a great Fortifier of the Fibres of the Stomach. It is likewise serviceable in the Chlorosis, and to destroy Worms in Children.

Haustus Stomachicus.

R Tinct. Sacræ sine Aloe ℥jss. Cardamom. Bat. ʒss. m. f. Haustus bis de Die sumendus.

The Stomachick Draught.

Take Tincture of Hiera Picra, made without Aloes, one Ounce and an Half: Bates's Tincture of Cardamoms, Half a Drachm. Mix and make a Draught to be taken twice a Day.

Observations.

This is a warm Stomachick, and given in Cholicks, Pains of the Stomach, Flatulencies, &c.

Haustus Solutivus.

℞ Confect. Cardiac. ʒss. Pulv. Rhæi gr. xv. Aq. Alexit. simp. ʒjss. Aq. Mirabil. ʒiij. Syr. Croc. ʒij. m. f. Haustus omni Nocte sumend.

The Solutive Draught.

Take Cardiack Confection, Half a Drachm: Powder of Rhubarb, fifteen Grains: Simple Alexiterial Water, one Ounce and an Half: Aqua Mirabilis, three Drachms: Syrup of Saffron, two Drachms. Mix and make a Draught to be taken every Night.

Observations.

This is ordered to keep the Body open in costive Habits, attended with constant Cholick Pains.

Electarium Stomachicum.

℞ Conf. Absinth. Rom. Flaved. Cort. Aurant. āā ʒvj. Pulv. Ari comp. recent. ʒiij. Chalyb. cum Sulph. ppt. ʒij. Zinziberis pulv. ʒj. Syr. è Cort. Aurant. q. s. m. f. Electarium. Capiat Quantitatem Nucis Moschatæ majoris Mane & Hora quinta Pomeridiana superbibendo Aq. Pyrmont. lʒss.

The

The Stomachick Eleſtuary.

Take Conſerve of *Roman Wormwood* and *Orange Peel*, of each ſix Drachms: Compound Powder of *Arum Root*, freſh made, three Drachms: Steel prepared with Sulphur, two Drachms: Ginger powdered, one Drachm: Syrup of *Orange Peel*, a ſufficient Quantity. Mix and make an Eleſtuary. The Quantity of a large Nutmeg to be taken in the Morning, and at Five in the Afternoon, drinking Half a Pint of *Pyrmont Water* after it.

Observations.

This is good to warm and invigorate the Blood, and ſtrengthen the Stomach. It defends it againſt the Attack of any ſharp, ſcorbutic, gouty, or other Humour, and, when aſſiſted with gentle Exercise on Horſeback, will in Time enable Nature to diſcharge them by the Kidnies and other Emunctories of the Body.

Eleofaccharum Stomachicum.

R Ol. Menth. Chym. ʒij. Sumat Gutt. quinque vel ſex cum Sacchar. pulv. urgente Singultu.

The Stomachick Eleofaccharum.

Take Chymical Oil of Mint, two Drachms. Five or ſix Drops to be taken in Powder Sugar, when troubled with the Hiccough.

Observations.

Theſe are ordered to appeaſe that Spasmodick Motion of the Stomach, called the Hiccough, in nervous Fevers, Paralytick Caſes, &c.

Pilulæ Anodynæ Cathartic.

R Extr. Rudii ʒss. Thebaic. gr. j. m. f. Pilul. quinque.

The Anodyne Purging Pills.

Take Extract. Rudii, Half a Drachm: Theban, one Grain. Mix and make five Pills.

Observations.

These are prescribed in the Cholick, to carry off the offending Pituita lodged in the Stomach and Colon, which, obstructing the Passages, causes violent Pain. Catharticks are most advantageously administered for the above Purpose in this Form joined with an Opiate, to allay the Spasms of the Stomach and Intestines, and prevent the Rejection of them by Vomiting, as they abate the Vellication of the Fibres necessarily occasioned by their Operation.

Pulvis ad Tormina.

R Pulv. Rhæi optim. gr. v. Sem. Anisi gr. iij. m. f. Pulvis fumendus urgente Dolore è Cochlear. Syr. Violar.

The Powder for the Gripes.

Take Powder of the best Rhubarb, five Grains: Aniseeds, three Grains. Mix and make a Powder to be taken, when the Pain requires it, in a Spoonful of Syrup of Violets.

Observations.

This carries off the slimy Matter causing the Gripes in Children.

Tinctura Aromatica.

R Rad. Zedoar. Gallang. Cort. Aurant. Sem. Carda-

Cardamom. min. āā ʒj. infunde in Aq. bullientis q. f. ad colatur. ʒviij. adde Aq. Pæon. comp. ʒvj. Sp. Lavend. comp. ʒiij. m. f. Tinctura. Capiat Cochlear. iv. Mane & Vesperi.

The Aromatick Tincture.

Take Roots of Zedoary, Galingal, Orange Peel and Lesser Cardamoms, of each one Drachm. Infuse them in a sufficient Quantity of boiling Water, to strain off eight Ounces; to which add compound Piony Water, six Drachms: Spirit of Lavender, three Drachms. Mix and make a Tincture. Four Spoonfuls to be taken Morning and Evening.

Observations.

This warms, strengthens, and comforts the Fibres of the Stomach, promotes Digestion, and is therefore of Service in Cholicks, the Gout, &c.

Boli Hæmorrhoidales.

℞ Lact Sulph. Chel. Cancr. præparat. Æthiop. min. āā gr. xv. Conf. Alchem. q. f. m. f. Bolus.

The Hæmorrhoids.

Take Milk of Sulphur, Crabs Claws prepared, and Æthiops Mineral, of each fifteen Grains: Confection of Kermes, a sufficient Quantity. Mix and make a Bolus.

℞ Elect. Diacass. cum Mann. ʒij. Lact. Sulph. ʒss. Syr. Violar. q. f. m. f. Bolus.

Take

Take Diacassia with Manna, two Drachms :
Milk of Sulphur, Half a Drachm : Syrup
of Violets, a sufficient Quantity. Mix and
make a Bolus.

℞ Conf. Violar. ʒij. Lact. Sulph. ʒj. Chel.
Cancr. præp. ʒss. Syr. Violar. q. s. m. f.
Bolus.

Take Conserve of Violets, two Scruples : Milk
of Sulphur, a Scruple : Crabs Claws pre-
pared, Half a Scruple : Syrup of Violets, a
sufficient Quantity. Mix and make a Bolus.

Observations.

These are given in the Hæmorrhoids or
Piles, for which Purpose they are well adapted.
They obtund the Sharpness of the Blood and
Juices, and are good Alteratives.

Electarium Sulphuratum.

℞ Conf. Cynosbat. Flor. Aurant. āā ʒvj. Chel.
& Ocul. Cancr. ppt. āā ʒj. Lact. Sulph. ʒij.
Syr. è Cort. Aurant. q. s. m. f. Electarium
sumat Quantitatem Nucis Moschat. bis de
Die cum Julepo Perlat.

The Sulphur Electuary.

Take Conserve of Hips and Orange Flowers,
of each six Drachms : Crabs Eyes and Claws
prepared, of each a Drachm : Milk of Sul-
phur, two Drachms : Syrup of Orange Peel,
a sufficient Quantity. Mix and make an
Electuary. The Quantity of a Nutmeg to
be taken twice a Day with the Pearl Julep.

Obfer-

Observations.

This is a great Sweetener of the Juices, and destroys Acidities in the first Passages.

Haustus ad Hemorrhoid.

R Pulp. Cassiæ ʒij. Flor. Sulph. ʒss. Aq. Ceras. nigr. ʒjss. m. f. Haustus H. S. omni Nocte sumend.

The Draught for the Hemorrhoids.

Take Pulp of Cassia, two Drachms : Flower of Brimstone, Half a Drachm : Black Cherry Water, one Ounce and an Half. Mix and make a Draught to be taken every Night going to Rest.

Observations.

This answers the Intention its Title expresses, is laxative and specifick in this Disease.

Pulv. Sulphurat.

R Ocul. Cancr. & Coral. rubr. præp. Lact. Sulph. aa ʒss. m. f. Pulv. sumendus Mane Nocteq.

The Sulphur Powder.

Take Crabs Eyes and Red Coral prepared, Milk of Sulphur, of each Half a Scruple. Mix and make a Powder to be taken Morning and Night.

Observations.

This is given as a Sweetener for the Piles.

Unguentum Hemorrhoidale.

R Ung. Populn. Alb. Camph. aa ʒj. Laudan. Liquid. ʒj. m. f. Unguentum Parti affectæ tepidè utendum.

The

The Hemorrhoidal Ointment.

Take Ointment of Poplar and White Ointment, of each one Ounce : Liquid Laudanum, a Drachm. Mix and make an Ointment to be used to the Part affected warm.

Observations.

This mitigates the Pain proceeding from the Piles, by mollifying and relaxing the great Tension of the Parts affected.

*A D I A R R H Œ A.**Boli Purgant. Anodyn.*

℞ Rhæi pulv. gr. xv. Diascord. S. M. ʒss. Laud. Liquid. Sydenham. gutt. x. Syr. de Mecon. q. f. m. f. Bolus.

Anodyne Purging Boluses.

Take Rhubarb powdered, fifteen Grains : Diascordium without Honey, Half a Drachm : Sydenham's Liquid Laudanum, ten Drops : Diacodium, a sufficient Quantity. Mix and make a Bolus.

℞ Diascord. S. M. ʒij. Rhæi pulv. ʒj. Ol. Cinnam. gutt. j. Syr. de Mecon. q. f. m. f. Bolus.

Take Diascordium without Honey, two Scruples : Rhubarb powdered, a Scruple : Oil of Cinnamon, a Drop : Diacodium, a sufficient Quantity. Mix and make a Bolus.

Obfer-

Observations.

These are given in Fluxes with Gripping, to carry off the offending Matter, and afterwards reſtringe the Bowels.

Bolus ad Diarrhœam.

℞ Conf. Roſ. rub. ʒſs. Terr. Japonic. pulv. Coral. rubr. ppt. aa gr. xij. Croc. Mart. Aſtring. gr. vj. Syr. è cond. Nuc. Moſchat. q. ſ. m. f. Bolus ſexta quaque Hora ſumendus.

The Bolus for a Diarrhœa.

Take Conſerve of Roſes, Half a Drachm: Japan Earth powdered, and Red Coral prepared, of each twelve Grains: Aſtringent Saffron of Mars, fix Grains: Syrup of preſerved Nutmeg, a ſufficient Quantity. Mix and make into a Bolus to be taken every fix Hours.

Observations.

This answers the Intention its Title expreſſes, qualifies the ſharp Humours in the Bowels, and conſtringes their Fibres.

Apozema Cardiac. Reſtring.

℞ Decoct. alb. lbij. Aq. Cinnam. fort. ʒij. Conf. Roſ. rubr. ʒj. cola & f. Apozema pro Potu ordinario.

The Cardiac Reſtringent Apozem.

Take the white Drink, a Quart: Strong Cinnamon Water, two Ounces: Conſerve of Roſes, an Ounce. Strain it and make an Apozem for common Drink.

Observations.

This is given for common Drink in Diarrhoeas and all acute Cases inclining thereto, is soft and alkaline, and therefore proper to obtund Acidities predominant in the Stomach and Bowels.

Haustus Restrings.

℞ Aq. Lact. Alexit. ℥jss. Cinnam. fort. ℥ss. Conf. Fracast. S. M. ʒj. Laud. Liquid. gutt. x. Sacch. alb. q. f. m. f. Haustus fumendus H. S.

The Restraining Draught.

Take Alexiterial Milk Water, one Ounce and an Half: Strong Cinnamon Water, Half an Ounce: *Fracastorius's* Confection without Honey, one Drachm: Liquid Laudanum, ten Drops: White Sugar, a sufficient Quantity. Mix and make a Draught to be taken at going to Rest.

Observations.

This is useful in all Diarrhoeas and Fluxes of the Belly.

Haustus cum Rhæo.

℞ Pulv. Rhæi ʒj. Aq. Cinnam. ten. ℥ss. Syr. Cichor. cum Rhab. ʒij. m. f. Haustus Mane fumendus.

The Rhubarb Draught.

Take Powder of Rhubarb, one Scruple: Small Cinnamon Water, Half an Ounce: Syrup of Succory with Rhubarb, two Drachms. Mix and make a Draught to be taken in the Morning.

Obfer-

Observations.

This is commonly given to Children against Purging and Gripes. The Dose to be varied according to the Age, Constitution, &c.

Mixtura Reftringens.

℞ Aq. Lactis, Cinnam. ten. Pæon. comp. āā ʒj. Diascord. S. M. ʒij. m. f. Mixtura sumat Cochl. iij. post singulas Dejectiones liquidas.

The Reftringent Mixture.

Take Milk Water, Small Cinnamon and compound Piony Waters, of each one Ounce : Diascordium without Honey, two Drachms : Make a Mixture. Three Spoonfuls to be taken after every loose Stool.

Observations.

This is given to restringe and strengthen the Bowels after due Evacuation with Rhubarb, &c.

*The BLOODY FLUX.**Bolus Catharticus.*

℞ Rhubarb. pulv. ʒj. Calomel ppt. ʒss. Ol. Cinnam. gutt. j. Conf. Alchem. q. s. m. f. Bolus primo Mane sumend.

The Cathartick Bolus.

Take Rhubarb powdered, a Scruple : Calomel prepared, Half a Scruple : Oil of Cinnamon, one Drop : Confection of Kermes, a sufficient Quantity. Mix and make a Bolus to be taken in the Morning early.

Observations.

This is of singular Service in a Dysentery, Fluor Albus, and Gonorrhœa, and in the first-mentioned Disease dislodges the morbid Matter from the Orifices of the lacteal Vessels, which, till the same is removed, continues the Disorder, and eludes the Power of restraining Medicines.

Bolus Specificus.

℞ Conf. Ros. rubr. ʒj. Terr. Japon. pulv. Coral. rubr. ppt. āā gr. xij. Rad. Ippeccacoan. pulv. gr. v. Diacod. q. s. m. f. Bolus sumendus Mane Nocteque cum Decoct. Cardiac.

The Specifick Bolus.

Take Conserve of Red Roses, a Scruple: *Japan* Earth powdered, and Red Coral prepared, of each twelve Grains: Ippeccacoanha Root powdered, five Grains: Diacodium, a sufficient Quantity. Mix and make a Bolus to be taken Night and Morning.

Observations.

There is not a better Remedy in obstinate Dysenteries, &c. giving an Emetick of Ippeccacoanha in a small Quantity at proper Intervals, and not admitting the Patient to drink above Half a Pint of Gruel or white Drink during the Operation.

Electarium Restrings.

℞ Diascord. S. M. Conf. Rosar. rubr. āā ʒss. Terr. Japonic. pulv. Troch. de Carabe āā ʒjss.

ʒjss. Syr. Cydonior. q. f. m. f. Electarium
sumat bis de Die Quantitatem Nucis Mos-
chat. cum Haustu Julepi restringentis.

The Restraining Electuary.

Take Diascordium without Honey, and Con-
serve of Roses, of each Half an Ounce: *Ja-*
pan Earth powdered, and Troches of Am-
ber, of each a Drachm and an Half: Syrup
of Quinces, a sufficient Quantity. Mix and
make into a Electuary. The Quantity of
a Nutmeg to be taken twice a Day with a
Draught of the restraining Julep.

Observations.

This is a proper Restraining to be used in
the Bloody Flux, Diarrhœa, Fluor Albus, and
immoderate Flux of the Menses, after proper
Catharticks have discharged the morbid Col-
luvies, and may be repeated oftener than here
directed, if the Violence of the Disease should
require it. In Cases where the Fibres are
greatly relaxed, the Bolus Stypticus will be
found a more effectual Restraining, and per-
form the Cure with more Speed and Certainty.

Enema Balsamicum.

℞ Ol. Lini ʒiv. Balf. Locatell. solut. ʒss.
Theriac. Andr. ʒij. Juscul. Gallinac. ʒiv.
m. f. Enema.

The Balsamick Clyster.

Take Linseed Oil, four Ounces: *Lucatellus's*
Balsam, Half an Ounce: *Venice* Treacle, two
Drachms: Chicken Broth, four Ounces.
Mix and make a Clyster.

Obser-

Observations.

This is commonly ordered in Excoriations of the Bowels from the Bloody Flux, is anodyne and healing, and supplies the inner Surface of the Intestines with Matter somewhat similar to their natural Mucus, after the same has been abraded by the Acrimony of the Humours falling on them. It likewise defends them from painful Irritations occasioning a troublesome Tenesmus in this torturing Disease, and cements the Mouths of the Vessels from whence the Blood and Slime proceed.

Enema Restrings.

℞ Decoct. alb. ℥x. Theriac. Androm. vel Diascord. ℥ss. m. f. Enema.

The Restrington Clyster.

Take White Drink, ten Ounces : *Venice Treacle* or *Diascordium*, Half an Ounce. Mix and make a Clyster.

Observations.

This is a good strengthening, anodyne Restrington in Dysenteries and Diarrhœas. And, in Cases where the Bowels are reduced to a weak State by the Violence, or long Continuance of the Disease, this will more effectually corroborate their Fibres, correct the peccant Acrimony, and relieve the Pain, than any internal Medicine whatsoever, by Reason the Stomach, after being so much debilitated, relaxes and becomes unable, through the Flaccidity of its Fibres, to convey the same in proper Time and Quantity, to produce its desired Effects in the Intestines.

The

The ILLIACK PASSION.

Apozema Catharticum.

℞ Aq. Stretham. ℔iv. coque ad ℔ij. adde Nucis Moschat. Macis, Sem. Cardam. min. āā ʒss. in colatura solve Mannæ ʒjss. m. f. Apozema tepide bibendum.

The Purging Apozem.

Take *Stretham* Water, two Quarts; boil away to one Quart: Add to it Nutmeg, Mace, and Lesser Cardamoms, of each Half a Drachm. Dissolve in the strained Liquor Manna, one Ounce and an Half. Make an Apozem to be drank warm.

Observations.

This will often move the Bowels in this Disease, after the strongest Catharticks have been administered without Effect, and powerfully scowers the Ureters, for which Reasons it is one of the most prevalent Purges in all nephritick Cases and Fits of the Stone. In most Cholicks no Medicine takes Place sooner, since, by gently relaxing the constipated Fibres of the Bowels, and gradually resolving the indurated Fæces which obstruct their Passage, it takes off the Pressure on their internal Coat, and thereby prevents the great Inflammation otherwise ensuing, which often terminates in a Mortification of the Part affected. In the Hysterick Cholick, nothing gives more immediate Relief, with an Opiate after it, for which Purpose see *The Anodyne Draught*. By its carminative Warmth

Warmth it disperſeth the Hyſterick Flatus, diſtending the Plicæ of the Inteſtines, and without Irritation expels the acrid indigeſted Matter, which, by corrugating their Fibres, gives ſuch Pain and Diſturbance to the whole nervous System in Women of a ſlender Frame and irritable Conſtitution.

Haustus Anodynus.

R Aq. Ceraſ. nigr. Cinnam. ten. aa ʒj. Pæon. comp. ʒſs. Extract. Thebaic. gr. jſs. Sacchar. alb. q. ſ. m. f. Haustus ſumat H. S.

The Anodyne Draught.

Take Black Cherry and Small Cinnamon Water, of each one Ounce : Compound Piony Water, Half an Ounce : *Theban* Extract, one Grain and an Half : Sugar, a ſufficient Quantity. Mix and make a Draught to be taken at going to Reſt.

Observations.

This is given as an Opiate in the Cholick after proper Evacuations, particularly in the Hyſterick Kind, to appeaſe the Spasms, and relieve the painful Irritations.

W O R M S.

Pulvis Cathartic.

R Pulv. Comitiff. Warivicenſ. gr. xij. Calomel præp. gr. iv. m. f. Pulvis ſumendus primo Mane.

The

The Purging Powder.

Take the Countess of *Warwick's* Powder, twelve Grains: Calomel prepared, four Grains. Mix and make a Powder to be taken in the Morning early.

Observations.

This is given for the Worms in Children, and in Scrophulous Cafes.

The D R O P S Y.

Haustus Cathartici Hydropici.

℞ Gutt. Gambog. ʒj. Sal Tartar. ʒss. Pulv. Zinziber. gr. v. Vin. alb. ʒij. Syr. de Rhamn. ʒss. m. f. Haustus Mane sumendus.

Cathartick Draughts for the Dropsy.

Take Gamboge, a Scruple: Salt of Tartar, Half a Scruple: Powdered Ginger, five Grains: White Wine, two Ounces: Syrup of Buckthorn, Half an Ounce. Mix and make a Draught to be taken in the Morning.

℞ Pulv. Jalap. ʒss. Sal Tartar. ʒss. Zinziberis pulv. gr. v. Syr. de Rhamn. ʒvj. Vin. alb. ʒij. m. f. Haustus.

Take Powder of Jalap, Half a Drachm: Salt of Tartar, Half a Scruple: Powder of Ginger, five Grains: Syrup of Buckthorn, six Drachms: White Wine, two Ounces. Mix and make a Draught.

K

Obser-

Observations.

There are no better Purges in Hydropical Cafes; but the Patient should be well supplied with Mutton Broth, their Operation being very quick and rough.

Tinctura Amara Chalybeata.

℞ Summit. Absinth. Rom. ʒiij. Rad. Gentian. Zedoar. Sem. Cardamom. min. āā ʒj. infunde frigide in Aq. Lact. Alex. ʒxij. colaturæ adde Aq. Absinth. mag. comp. ʒiv. Vin. Chalyb. ℥ss. m. f. Tinctura sumat Cochlear. vj. Mane & Vesperi superbibendo Haustum Aquæ Spadanæ.

The Bitter Chalybeate Tincture.

Take the Tops of *Roman Wormwood*, three Drachms: Roots of *Gentian*, *Zedoary*, and Lesser *Cardamoms*, of each a Drachm. Infuse them cold in twelve Ounces of *Alexiterial Milk Water*. To the strained Liquor add *Wormwood Water* of the greater Composition, four Ounces: *Chalybeate Wine*, Half a Pint. Mix and make a Tincture. Six Spoonfuls to be taken Morning and Evening, drinking Half a Pint of *Spaw Water* afterwards.

Observations.

This is a good strengthening Bitter, and will, by increasing the Motion of the Blood, and warming the nervous Fibres, revive the natural Heat in leucophlegmatick dropfical Habits attended with bad Digestion and swelled Legs.

Tinctura

Tinctura Stomachica.

℞ Sem. Sinap. ʒiij. Rad. Gallang. Gentian.
Zedoar. Sem. Cardam. min. āā ʒj. infunde
in Aq. bullientis ʒxij. colaturæ adde Aq.
Absinth. mag. comp. ʒiij. Sp. Lavend.
comp. ʒvj. m. f. Tinctura. Capiat Cochlear.
unum bis in Die.

The Stomachick Tincture.

Take Mustard-seeds, three Drachms: Galin-
gal and Gentian Roots, Zedoary and Lesser
Cardamoms, of each a Drachm. Infuse them
in twelve Ounces of boiling Water. To the
strained Liquor add Wormwood Water of
the greater Composition, three Ounces: Spi-
rit of Lavender compound, six Drachms.
Mix and make a Tincture. One Spoonful
to be taken twice a Day.

Observations.

This is given, as a Fortifier of the Stomach
and nervous Fibres, in the Ascites and Dropsy.

The Diseases of the L I V E R.

The Jaundice.

Electarium Digestivum.

℞ Conf. flaved. Aurant. Absinth. Rom. āā ʒvj.
Spec. Diamb. Sal. Absinth. āā ʒj. Chalyb.
cum Sulph. præp. ʒij. Syr. è Cort. Citri q. f.
m. f. Electarium. Sumat Quantitatem Nu-
cis Moschatæ bis in Die superbibendo Hauf-
tum Aq. Bathon. tepefact.