

Observations.

This is good in Spring-time against all scorbutick Complaints, and cutaneous Foulness.

The HYPOCHONDRIACAL DISEASE.

Vide Bol. Cephal. Stomach. Gummos.

See the Boluses Cephalick, Stomachick, Gum.

Vide Elect. Chalybeat. Stomach. Digestiv.

Guttul. Helmont. &c.

See Electuaries Chalybeate, Stomachick, Digestive.

Helmont's Drops, &c.

The Affections of the MIND.

See MADNESS.

The Diseases of WOMEN.

The Suppression of the menstrual Discharges.

Bolus Hystericus.

R Rad. Valer. Sylv. pulv. gr. xv. Troch. de Myrrh. ʒj. Syr. Croc. q. s. m. f. Bolus. Sumat ter de Die cum Julepo Cardiaco.

The Hysterick Bolus.

Take Wild Valerian Root powdered, fifteen Grains:

Grains : Troches of Myrrh, a Scruple : Syrup of Saffron, a sufficient Quantity. Mix and make a Bolus to be taken three Times a Day, with the Cardiac Julep.

Observations.

This is effectual in uterine Disorders, promotes the Menfes, helps to expel the Secundines, and is serviceable in hypochondriacal and hysteric Fits.

Electarium Stomachicum Chalybeatum.

℞ Conf. Absinth. Roman. Flaved. Aurantior. āā ʒvj. Pulv. Ari comp. ʒij. Chalyb. cum Sulph. præp. ʒij. Syr. è Cort. Citr. q. s. m. f. Electarium. Sumat Quantitatem Nucis Moschat. bis de Die cum Julepo Stomachic.

The Stomachick Chalybeate Electuary.

Take Conserve of Roman Wormwood and Orange Peel, of each six Drachms : Compound Powder of Arum Root, three Drachms : Steel prepared with Sulphur, two Drachms : Syrup of Citron Peel, a sufficient Quantity. Mix and make an Electuary. The Quantity of a Nutmeg to be taken twice a Day, with the Stomachick Julep.

Observations.

This is adapted to remove Obstructions of the Menfes, and is of Service to such as are of a pale Habit of Body. By its specifick Gravity,

Gravity, it increases the Momentum of the Blood, and causes it to impinge more strongly against the Sides of the uterine Vessels, which, occasioning a Plethora therein, by its Impetus, generally removes the Obstruction, and brings on the desired Discharge. It is likewise a good Stomachick, warms the Stomach, and digests crude Humours.

Guttulæ Emenagogicæ.

℞ Tinct. Hellebor. nigr. ℥j. Sumat Gut. XL.
omni Mane & Hora quinta Pomeridiana
cum Haustu Julep. Stomachic.

The Emenagogick Drops.

Take Tincture of Black Hellebore, an Ounce.
Forty Drops to be taken every Morning,
and at Five in the Afternoon, in a Draught
of Stomachick Julep.

Observations.

This opens uterine Obstructions, and in sanguine Constitutions, where Steel is sometimes hurtful, never fails to force the menstrual Discharge. It is expedient to give a proper Dose of Tincture of Hiera Picra, the Night before beginning with this Method.

Haust. Emenagogicus.

℞ Tinct. Sac. ℥jss. Tinct. Helleb. nigr. ʒss.
m. f. Haustus Mane sumendus.

The Emenagogick Draught.

Take Tincture of Hiera Picra, an Ounce and
an Half: Tincture of Black Hellebore,
O Half

Half a Drachm. Mix and make a Draught to be taken in the Morning.

Observations.

This is of Service to clear the Passages, when obstructed with viscid Matter, and should be repeated three or four Times, to prepare the Body for other Emenagogick Remedies, which often, for Want of due preceding Evacuations, have not sufficient Power to remove the Obstructions of the Vessels, and promote the menstrual Discharge.

Tinctura Stomachica Chalybeata.

R Summit. Centaur. min. ʒjss. Rad. Gallang. Zedoar. Sem. Cardam. min. āā ʒfs. infunde in Aq. Lactis Alex. ʒvj. adde Aq. Absinth. mag. comp. ʒij. Vin. Chalybeat. ʒiv. m. f. Tinctura. Sumat Cochl. vj. Hora undecima Matutina, & quinta Pomeridiana, superbibendo Haustum Aquæ Spadan.

The Stomachick Chalybeate Tincture.

Take the Tops of the Lesser Centaury, a Drachm and an Half: Roots of Galingal, Zedoary and Lesser Cardamoms, of each Half a Drachm. Infuse them in Alexiterial Milk Water, six Ounces: Add Wormwood Water of the greater Composition, two Ounces: Chalybeate Wine, four Ounces. Make a Tincture. Six Spoonfuls to be taken at Eleven in the Morning, and at Five in the Afternoon, drinking a Draught of Spaw Water afterwards.

Obser-

Observations.

This greatly conduceth to regulate the menstrual Discharges in Women, by giving a brisk Motion to the Blood.

The EXCESS of the MENSTRUAL DISCHARGES.

Bolus Stypticus.

R Conf. Ros. rubr. ℥ij. Terr. Japonic. pulv. gr. xv. Alum. rup. gr. iij. Syr. de Mecon. q. s. m. f. Bolus Nocte & Mane sumend. cum Cochl. vj. Tincturæ Rosar.

The Styptick Bolus.

Take Conserve of Red Roses, two Scruples :
Japan Earth powdered, fifteen Grains :
Roch Alum, three Grains : Diacodium, a
sufficient Quantity. Mix and make a Bolus to be taken Night and Morning, with six Spoonfuls of Tincture of Roses.

Observations.

This is a good Restringent in the immoderate Flux of the Menfes, contracts the Solids, incrassates the Fluids, and thereby prevents Hæmorrhages. It is for the above Reasons proper in the Fluor Albus, Gleet, and Hæmoptysis.

*The FLUOR ALBUS.**Pilul. Balsamicæ.*

℞ Terr. Japonic. pulv. Spec. Diatrag. frig.
Gum Arabic. āā ʒj. Syr. è Ros. ficc. q. f.
m. f. Pilul. mediocres. Sumat iv. Mane &
Vesperī cum Vehiculo Balsamic.

The Balsamick Pills.

Take *Japan* Earth powdered, cooling Species
of Gum Tragacanth, and Gum Arabick, of
each a Drachm: Syrup of dried Roses, a
sufficient Quantity. Mix and make Pills
of a moderate Bigness. Four to be taken
Night and Morning, with any Balsamick
Liquor.

Observations.

These are good Balsamicks, to agglutinate
and thicken the Fluids, heal the Erosions of
the glandular Ducts, and fill the Blood with
balsamick Particles. They are good in Bruises,
and Spitting of Blood.

Pilule Aperitiv. Balsamic.

℞ Pulv. Rhæi, Gum. Arabic. Terr. Japon.
āā ʒij. Tereb. è Chio q. f. m. f. Pilul. me-
diocres. Sumat iv. omni Mane cum Ibsis,
Aq. Bristol.

The Aperitive Balsamick Pills.

Take Powder of Rhubarb, Gum Arabick, and
Japan Earth, of each two Scruples: *Chio*
Turpen-

Turpentine, a sufficient Quantity. Mix and make moderate-sized Pills. Four to be taken every Morning, with Half a Pint of *Bristol Water*.

Observations.

These are given in this Disease, and are of Service in Gonorrhœas, old Gleets, and seminal Weaknesses.

Pilulæ Rhabarbarin.

℞ Pulv. Rhæi ʒj. Syr. Caryoph. q. f. f. Pil. v. fumend. primo Mane.

Rhubarb Pills.

Take Powder of Rhubarb, a Scruple : Syrup of Clove Gilly-flowers, a sufficient Quantity. Make it into five Pills, to be taken in the Morning early.

Observations.

These are given by Intervals, as Openers, in the Course of Balsamicks and Astringents.

Pilulæ Restridentes.

℞ Oliban. pulv. Pulv. è Tragacanth. comp. Sang. Dracon. pulv. āā ʒj. cum Syr. Balsamic. q. f. f. Pilul. Granor. v. Capiat quinque Mane & Hora quinta Pomeridiana superbibendo Aq. Bristol. ℥ss.

Restrident Pills.

Take Olibanum powdered, Powder of Gum Tragacanth compound, and Dragon's Blood,
of

of each a Drachm, with a sufficient Quantity of Balsamick Syrup. Make Pills weighing five Grains each. Five to be taken in the Morning, and at Five in the Afternoon, drinking Half a Pint of *Bristol* Water after them.

℞ Oliban. pulv. ʒij. Rhabarb. pulv. Coral. rubr. ppt. āā ʒj. cum Terebinth. è Chio q. f. f. Pilul. Gran. v. Capiat iv. Mane, Hora quinta Pomeridiana, & Hora Somni, superbibendo Cochlear. iij. Vini rubri cum æqua parte Aq. Font. mixt.

Take Olibanum powdered, two Drachms : Rhubarb powdered and Red Coral prepared, of each a Drachm ; with a sufficient Quantity of *Chio* Turpentine. Make Pills weighing five Grains each. Four to be taken in the Morning, at Five in the Afternoon, and going to Rest ; drinking three Spoonfuls of Red Wine, mixt with an equal Quantity of Water,

Observations.

These are proper Restringtons in this Disease, and are balsamick and strengthening.

Hauslus Peruvianus.

℞ Extract. Cort. Peruv. Cort. Peruv. pulv. āā ʒss. Aq. Alex. simp. ʒij. Aq. Nuc. Mosch. ʒiij. Syr. Cort. Aurant. ʒij. m. f. Haust. sexta quaque Hora sumendus.

The

The Peruvian Draught.

Take Extract of the *Peruvian* Bark, and *Peruvian* Bark powdered, of each Half a Drachm: Simple Alexiterial Water, two Ounces: Nutmeg Water, three Drachms: Syrup of Orange Peel, two Drachms. Mix and make a Draught to be taken every six Hours.

Observations.

This is ordered, when the Flux of Matter in this Disease is occasioned by a remitting hectick Fever.

The HYSTERICAL DISEASE.

Vide Bol. Cephalic. Nervos. Gummof. Hyftericus.

See Boluses Cephalick, Nervous, Gum Hyfterick.

Vide Empl. ad Dolorem Capitis. Elect. Chalybeat. Guttulæ Cephal. Emenagogic. &c.

See Plaister for a Pain of the Head. Chalybeate Electuary. Drops Cephalick, Emenagogick, &c.

DIFFI-

DIFFICULT BIRTH.

Vide Bolus Gummof. Enema Terebinth. Gut-
tul. Emenagogic. Haustus Aloetic. Julep.
Stom. Mixtura Gummof. &c.

See Gum Bolus. Turpentine Clyster. Emena-
gogic Drops. Aloetic Draught. Stomachick
Julep. Gum Mixture.

VENERAL DISEASES.

Ptisan. Pectoralis.

℞ Hord. mundat. ʒj. Rad. Eryng. cond.
Uvar. passar. exacinat. aa ʒss. coque in Aq.
Fontan. q. s. ad lbij. cola & fiat Apozema
pro Potu.

The Pectoral Ptisan.

Take Barley cleansed, an Ounce : Candied
Eryngo Root and Raisins of the Sun stoned,
of each Half an Ounce. Boil them in a
sufficient Quantity of Water to a Quart.
Strain it and make an Apozem for common
Drink.

Observations.

This is ordered for common Drink, to re-
lax and deterge the salival Glands, where a
Spitting is occasioned by taking Cold, during
the Use of Mercurial Remedies, in Cases where
the