TROCHES.

TROCHISCI ACACIAE.

Take of Gum-arabic, four ounces;
Starch, one ounce;
Pure sugar, one pound;
Mix and pulverize them, and make them into a proper mass with rose-water for forming lozenges.

TROCHISCI ACIDI TARTARICI.

Take of Tartaric acid, two drachms;
Pure Sugar, eight ounces;
Volatile oil of Lemons, ten minims.
Pulverize the sugar and acid, add the oil, mix them thoroughly, and with Mucilage beat them into a proper mass for making lozenges.

TROCHISCI CRETAE.

Take of Prepared Chalk, four ounces;
Gum-arabic, one ounce;
Nutmeg, one drachm;
Pure sugar, six ounces;
Reduce them to powder, and beat them with a little water into a proper mass for making lozenges.

TROCHISCI GLYCIRRHIZAE.

Take of Extract of Liquorice, and

Gum-arabic, of each six ounces;
Pure Sugar, one pound;
Dissolve them in a sufficiency of boiling water; and then concentrate the solution over the vapour-bath to a proper consistence for making lozenges.

TROCHISCI LACTUCARII.

To be prepared with Lactucarium in the same proportion and in the same manner as the Opium Lozenge.

TROCHISCI MAGNESIAE.

Take of Carbonate of Magnesia, six ounces;
Pure Sugar, three ounces;
Nutmeg, one scruple;
Pulverize them, and with mucilage of Tragacanth beat them into a proper mass for making lozenges.

TROCHISCI MORPHIAE.

Take of Muriate of Morphia, one scruple;
Tincture of Tolu, half an ounce;
Pure Sugar, twenty-five ounces;
Dissolve the muriate of morphia in a little hot water; mix it and the Tincture of Tolu with the sugar; and with a sufficiency of Mucilage form a proper mass for making lozenges; each of which should weigh about fifteen grains.

TROCHISCI MORPHIAE ET IPECACUANHAE.

Take of Muriate of Morphia, one scruple;
Ipecacuan, in fine powder, one drachm;
Tincture of Tolu, half a fluidounce;
Pure Sugar, twenty five ounces;
Dissolve the muriate in a little hot-water; mix it with the tincture and the ipecacuan and sugar; and with a sufficiency of Mucilage beat the whole into a proper mass, which is to be divided into fifteen-grain lozenges.

TROCHISCI OPII.

Take of Opium, two drachms;
Tincture of Tolu, half an ounce;
Pure Sugar, in fine powder, six ounces;
Powder of Gum-Arabic, and
Extract of Liquorice, of each five ounces;
Reduce the opium to a fluid extract by formula, p. 84; mix it intimately with the liquorice previously reduced to the consistence of treacle; add the tincture; sprinkle the gum and sugar into the mixture, and beat it into a proper mass, which is to be divided into lozenges of ten grains.

TROCHISCI SODAE BICARBONATIS.

Take of Bicarbonate of Soda, one ounce;
Pure sugar, three ounces;
Gum-Arabic, half an ounce;
Pulverize them,and with mucilage beat them into a proper mass for making lozenges.