

EXOTIC TREES AND SHRUBS.

171

727	Diospyrus virginiana	Virginian Plum Tree	c. m.
728	Nyssa integrifolia	Mountain Tupello	l. b.
729	— denticulata	Water ditto	l. b.

POLYGAMIA TRIOECIA.

730	Ficus Carica	Common Fig Tree	c. m.
-----	--------------	-----------------	-------

FOREIGN HARDY HERBACEOUS PLANTS.

In enumerating the foregoing, as well as the plants of the present section, I have had more than one object in view; being desirous to put in only such plants as were ornamental or curious, at the same time to insert none but what are perfectly hardy; yet, independently of this, to make it sufficiently general, to give to such persons who might wish to study plants scientifically, a sufficient number for examples in every genus. For this purpose I have retained a portion of the Umbelliferous and other plants. Although not to be distinguished for their general beauty or appearance, yet they are calculated to afford the student the best plants for comparison, and for that reason I have arranged them according to the Linnæan System.

DIANDRIA MONOGYNIA.

1	Veronica sibirica	Siberian Speedwell	c. m.
2	— virginica	Virginian ditto	c. m.
3	— spuria	Bastard ditto	c. m.
4	— maritima	Blue-flowered Sea ditto	c. m.
5	— longifolia	Long-leaved ditto	c. m.
6	— incana	Hoary ditto	c. m.
7	— incisa	Cut-leaved ditto	c. m.
8	— Allioni	Creeping ditto	c. m.
9	— Teucrium	Hungarian ditto	c. m.
10	— urticifolia	Nettle-leaved ditto	c. m.
11	— orientalis	Oriental ditto	c. m.
12	— candida	White-leaved ditto	c. m.
13	— multifida	Multifid ditto	c. m.
14	— latifolia	Broad-leaved ditto	c. m.

15 <i>Veronica prostrata</i>	Trailing Sea Speedwell	c. m.
16 — <i>austriaca</i>	Austrian ditto	c. m.
17 — <i>pinnata</i>	Wing'd-leaved ditto	c. m.
18 — <i>paniculata</i>	Panicled ditto	c. m.
19 <i>Gentianoides</i>	Gentian-leaved ditto	c. m.
20 <i>Gratiola officinalis</i>	Hedge-Hyssop	c. m.
21 <i>Verbena urticifolia</i>	Nettled-leaved Vervain	c. m.
22 <i>Lycopus virginicus</i>	Virginian Lycopus	c. m.
23 <i>Monarda fistulosa</i>	Hollow-stalked Monarda	l.
24 — <i>didyma</i>	Scarlet ditto	l.
25 — <i>purpurea</i>	Purple ditto	l.
26 <i>Salvia lyrata</i>	Lyre-leaved Sage	l. b.
27 — <i>virgata</i>	Twiggy-branched ditto	c. m.
28 — <i>sylvestris</i>	Spotted-stalked ditto	c. m.
29 — <i>nemorosa</i>	Spear-leaved ditto	c. m.
30 — <i>austriaca</i>	Austrian ditto	c. m.
31 — <i>Disermas</i>	Long-spiked ditto	c. m.
32 — <i>verticillata</i>	Whorl-flowered ditto	c. m.
33 — <i>glutinosa</i>	Yellow-flowered ditto	c. m.
34 — <i>lineata</i>	Flax-leaved ditto	l. b.
35 <i>Collinsonia canadensis</i>	Nettle-leaved Collinsonia	c. m.

TRIANDRIA MONOGYNIA.

36 <i>Valeriana Phu</i>	Garden Valerian	c. m.
37 <i>Ixia chinensis</i>	Chinese Ixia	l. b.
38 <i>Gladiolus communis</i>	Common red Corn-flag	c. m.
39 — <i>byzantinus</i>	Larger ditto	c. m.
40 <i>Iris salsiana</i>	Chalcedonian Iris	l. b.
41 — <i>florentina</i>	Florentine ditto	c. m.
42 — <i>germanica</i>	German ditto	c. m.
43 — <i>lurida</i>	Dingy ditto	c. m.
44 — <i>sambucina</i>	Elder-scented ditto	c. m.
45 — <i>dalmatica</i>	Dalmatian ditto	c. m.
46 — <i>variegata</i>	Variegated-flowered ditto	c. m.
47 — <i>biflora</i>	Two-flowered ditto	l. b.
48 — <i>pumila</i>	Dwarf ditto	c. m.
49 — <i>sibirica</i>	Siberian ditto	c. m.
50 — <i>squalens</i>	Brown flowered ditto	c. m.
51 — <i>versicolor</i>	Various coloured ditto	c. m.
52 — <i>spuria</i>	Spurious ditto	c. m.
53 — <i>ochroleuca</i>	Pale Yellow ditto	c. m.
54 — <i>graminea</i>	Grass-leaved ditto	c. m.
55 — <i>ephium</i>	Spanish Bulbous ditto	c. m.
56 — <i>ephioides</i>	English Bulbous ditto	c. m.
57 — <i>persica</i>	Persian ditto	l. b.
58 — <i>halophila</i>	Long-leaved ditto	c. m.
59 — <i>subbiflora</i>	One- and Two-flowered ditto	c. m.
60 — <i>virginica</i>	Virginian ditto	c. m.

61 <i>Iris aphylla</i>	Naked-stalked Iris	c. m.
62 — <i>flexuosa</i>	Pending-stalked ditto	c. m.
63 <i>Commelina erecta</i>	Upright Commelina	c. m.

TETRANDRIA MONOGYNIA.

64 <i>Scabiosa alpina</i>	Alpine Scabious	c. m.
65 — <i>leucantha</i>	Snowy ditto	c. m.
66 — <i>sylvatica</i>	Broad-leaved ditto	c. m.
67 — <i>ochroleuca</i>	Pale white ditto	c. m.
68 <i>Crucianella anomala</i>	Anomalous Crucianella	c. m.
69 <i>Asperula Taurina</i>	Broad-leaved Woodroof	c. m.
70 <i>Plantago maxima</i>	Broad-leaved Plantain	c. m.
71 — <i>v. rosea</i>	Rose ditto	c. m.
72 — <i>altissima</i>	Tall ditto	c. m.
73 — <i>asiatica</i>	Asiatic ditto	c. m.
74 <i>Sanguisorba media</i>	Short-spiked Burnet-saxifrage	c. m.
75 — <i>canadensis</i>	Canadian ditto	c. m.

PENTANDRIA MONOGYNIA.

76 <i>Anchusa angustifolia</i>	Narrow-leaved Bugloss	c. m.
77 <i>Pulmonaria angustifolia</i>	Narrow-leaved Lungwort	l. b.
78 — <i>virginica</i>	Virginian ditto	l. b.
79 <i>Borago orientalis</i>	Eastern Borage	l. b.
80 <i>Symphytum orientale</i>	Eastern Comfrey	l. b.
81 — <i>aspermum</i>	Siberian ditto	c. m.
82 <i>Hydrophyllum virginicum</i>	Virginian Water-leaf	l. b.
83 — <i>canadense</i>	Canadian ditto	l. b.
84 <i>Lysimachia Ephemerum</i>	Willow-leaved Loose-strife	l.
85 — <i>stricta</i>	Bulb-bearing ditto	b. s.
86 — <i>ciliata</i>	Ciliated ditto	c. m.
87 <i>Plumbago europæa</i>	European Lead-wort	c. m.
88 <i>Phlox paniculata</i>	Panicked Lychnidea	c. m.
89 — <i>undulata</i>	Wave-leaved ditto	c. m.
90 — <i>suaveolens</i>	White-flowered ditto	c. m.
91 — <i>carolina</i>	Carolina ditto	c. m.
92 — <i>maculata</i>	Spotted-stalked ditto	c. m.
93 — <i>glaberrima</i>	Smooth-stalked ditto	c. m.
94 <i>Convolvulus americanus</i>	American Bind-weed	c. m.
95 <i>Polemonium reptans</i>	Creeping Greek Valerian	c. m.
96 <i>Campanula persicifolia</i>	Peach-leaved Campanula	l.
97 — <i>pyramidalis</i>	Pyramidal ditto	l.
98 — <i>lilifolia</i>	Lily ditto	c. m.
99 — <i>rapunculoides</i>	Nettle-leaved ditto	c. m.
100 — <i>americana</i>	American ditto	l.
101 — <i>versicolor</i>	Various-coloured ditto	l. b.
102 — <i>sibirica</i>	Siberian ditto	l. b.
103 <i>Phyteuma spicata</i>	Spike-flowered Horn-Rampion	c. m.
104 <i>Triosteum perfoliatum</i>	Fever-Wort	l. b.

105 <i>Verbascum ferrugineum</i>	Rusty-leaved Mullein	l.
106 — <i>phoeniceum</i>	Purple-flowered ditto	l.
107 <i>Hyoscyamus Scopolia</i>	Nightshade-leaved Henbane	b.
108 <i>Physalis Alkakengi</i>	Winter Cherry	c. m.
109 <i>Atropa Mandragora</i>	Mandrake	l. s.
110 <i>Viola montana</i>	Mountain Violet	c. m.
111 <i>Tabernamonta Amsonia</i>	Alternate-leaved Tabernamontana	
112 — <i>angustifolia</i>	Narrow-leaved ditto	l. s.

PENTANDRIA DIGYNIA.

113 <i>Apocynum venetum</i>	Spear-leaved Dog's-bane	c. m.
114 — <i>androsæmifolium</i>	Fly-catching ditto	l. b.
115 — <i>cannabinum</i>	Hemp-leaved ditto	c. m.
116 <i>Asclepias syriaca</i>	Syrian Swallow-wort	c. m.
117 — <i>amœna</i>	Oval-leaved ditto	c. m.
118 — <i>incarnata</i>	Flesh-coloured ditto	c. m.
119 — <i>sibirica</i>	Siberian ditto	l. b.
120 — <i>Vincetoxicum</i>	Official ditto	c. m.
121 — <i>exaltata</i>	Tall ditto	l. b.
122 — <i>tuberosa</i>	Orange Apocynum or ditto	l. b.
123 — <i>nigra</i>	Black ditto	c. m.
124 <i>Heuchera americana</i>	American Sanicle	c. m.
125 <i>Gentiana lutea</i>	Yellow Gentian	l. b.
126 — <i>saponaria</i>	Snopwort-leaved ditto	l. b.
127 — <i>cruciata</i>	Cross-wort ditto	l. b.
128 <i>Eryngium planum</i>	Flat-leaved Eryngo	l.
129 — <i>amethystinum</i>	Amethystian ditto	l.
130 — <i>Bourgati</i>	Cut-leaved ditto	l.
131 — <i>alpinum</i>	Alpine ditto	l.
132 <i>Astrantia major</i>	Great Black Masterwort	c. m.
133 <i>Ferrula communis</i>	Gigantic Fennel	l.
134 — <i>nodiflora</i>	Knotted ditto	l.
135 <i>Laserpitium latifolium</i>	Broad-leaved Laser-wort	l.
136 <i>Heracleum elegans</i>	Elegant Cow Parsnep	c. m.
137 <i>Ligusticum levisticum</i>	Common Lovage	c. m.
138 — <i>peloponnense</i>	Hemlock-leaved ditto	e. m.
139 <i>Angelica archangelica</i>	Garden Angelica	c. m.
140 <i>Sium Falcaria</i>	Creeping-rooted Skirret	l. b.
141 <i>Phellandrium Mutellina</i>	Mountain Phellandrium	l. b.
142 <i>Chærophyllum bulbosum</i>	Bulbous-rooted Chærophyllum	c. m.
143 — <i>hirsutum</i>	Hairy ditto	c. m.
144 — <i>aromaticum</i>	Sweet-scented ditto	c. m.
145 <i>Sesseli montanum</i>	Long-leaved Meadow-saxifrage	c. m.
146 <i>Thapsia villosa</i>	Deadly Carrot	c. m.
147 <i>Smyrnium aureum</i>	Golden Alexanders	l. b.

PENTANDRIA PENTAGYNIA.

148 <i>Aralia racemosa</i>	Berry-bearing Aralia	c. m.
----------------------------	----------------------	-------

149	<i>Aralia nudicaulis</i>	Naked-stalk'd Aralia	l. b.
150	<i>Statice Cephalotes</i>	Large single-stalk'd Statice	l.
151	— <i>speciosa</i>	Plantain-leaved ditto	l.
152	— <i>tatarica</i>	Tartarian ditto	l.

HEXANDRIA MONOGYNIA.

153	<i>Tradescantia virginica</i>	Virginian Spider-wort	c. m.
154	<i>Narcissus angustifolius</i>	Narrow-leaved Narcissus	c. m.
155	— <i>biflorus</i>	Two-flowered ditto	c. m.
156	— <i>majalis</i>	Late-flowering white ditto	c. m.
157	<i>Narcissus incomparabilis</i>	Peerless Daffodil	c. m.
158	— <i>major</i>	Large ditto	c. m.
159	— <i>orientalis</i>	Oriental ditto	c. m.
160	— <i>Tazetta</i>	Polyanthus Narcissus	c. m.
161	— <i>odorus</i>	Sweet-scented ditto	c. m.
162	— <i>Jonquilla</i>	Jonquil	c. m.
163	— <i>hispanicus</i>	Spanish white ditto	c. m.
164	— <i>Bulbocodium</i>	Hoop Petticoat ditto	l. b.
165	— <i>minor</i>	Lesser Daffodil	c. m.
166	<i>Amaryllis lutea</i>	Yellow Amaryllis	l.
167	<i>Allium victorialis</i>	Long-rooted Garlic	c. m.
168	— <i>sphaerocephalon</i>	Small round headed ditto	c. m.
169	— <i>descendens</i>	Purple-headed ditto	c. m.
170	— <i>nutans</i>	Nodding ditto	c. m.
171	— <i>senescens</i>	Narcissus-leaved Garlic	c. m.
172	— <i>multibulbosum</i>	Broad-leaved ditto	c. m.
173	— <i>flavum</i>	Yellow Garlic	c. m.
174	— <i>Moly</i>	Yellow Moly	c. m.
175	— <i>tataricum</i>	Tartarian Garlic	c. m.
176	— <i>subhirsutum</i>	Hairy ditto	c. m.
177	— <i>pallens</i>	Pale-flowered ditto	c. m.
178	<i>Lilium candidum</i>	White Lilly	c. m.
179	— <i>buliferum</i>	Orange ditto	c. m.
180	— <i>pomponium</i>	Pomponian ditto	b. m.
181	— <i>chalcedonicum</i>	Scarlet Martagon ditto	c. m.
182	— <i>superbum</i>	Superb ditto	b. m.
183	— <i>Martagon</i>	Common-Martagon ditto	c. m.
184	— <i>canadense</i>	Canada-Martagon ditto	b. m.
185	— <i>tigrinum</i>	Tiger Lily	l. b.
186	— <i>philadelphicum</i>	Philadelphia Lily	b. m. s.
187	— <i>Catesbæi</i>	Catesby's Lily	b. m. s.
188	<i>Fritillaria imperialis</i>	Crown Imperial	c. m.
189	— <i>persica</i>	Persian Fritillary	l.
190	— <i>pyrenaica</i>	Pyrenean ditto	c. m.
191	<i>Uvularia perfoliata</i>	Perfoliate Uvularia	l. b.
192	— <i>amplexifolia</i>	Heart-leaved ditto	l. b.
193	— <i>grandiflora</i>	Large-flowered ditto	c. m.
194	<i>Erythronium Dens Canis</i>	Dog's-tooth Violet	c. m.

195 <i>Tulipa sylvestris</i>	Italian Yellow Tulip	c. m.
196 — <i>Gesneriana</i>	Common Garden ditto	c. m.
196 <i>Hypoxis erecta</i>	Upright <i>Hypoxis</i>	c. m.
197 <i>Oraithogalum nutans</i>	Nodding Star of Bethlem	c. m.
198 — <i>pyrenaicum</i>	Pyrenean ditto	c. m.
199 — <i>latifolium</i>	Broad-leaved ditto	c. m.
200 <i>Scilla peruviana</i>	Peruvian-Hyacinth	c. m.
201 — <i>campanulata</i>	Spanish Squill	c. m.
202 — <i>bifolia</i>	Two-leaved ditto	l. b.
203 — <i>præcox</i>	Siberian ditto	l. b.
204 — <i>italica</i>	Italian ditto	c. m.
205 — <i>amœna</i>	Early-flowering ditto	c. m.
206 <i>Asphodelus luteus</i>	Yellow Asphodel	c. m.
207 — <i>ramosus</i>	Branching ditto	c. m.
208 <i>Anthericum ramosum</i>	Branching <i>Anthericum</i>	c. m.
209 — <i>Liliago</i>	Grass-leaved ditto	c. m.
210 — <i>Liliastrum</i>	St. Bruno's Lily	c. m.
211 <i>Convallaria verticillata</i>	Verticillate Solomon's Seal	l.
212 — <i>racemosa</i>	Branching ditto	l.
213 — <i>stellata</i>	Starry ditto	l.
214 <i>Hyacinthus orientalis</i>	Garden Hyacinth	c. m.
215 — <i>romanus</i>	Roman ditto	l.
216 — <i>cernuus</i>	Nodding ditto	c. m.
217 — <i>Muscaria</i>	Musk ditto	c. m.
218 — <i>monstrosus</i>	Feathered ditto	c. m.
219 — <i>comosus</i>	Purple-Grape or Tassel ditto	c. m.
220 — <i>botryoides</i>	Blue-Grape ditto	c. m.
221 — <i>racemosus</i>	Starch ditto	c. m.
222 <i>Aletris Uvaria</i>	Orange-flowered <i>Aletris</i>	l. s.
223 <i>Yucca gloriosa</i>	Superb Adam's Needle	l. s.
224 — <i>filamentosa</i>	Thready ditto	c. m.
225 <i>Hemerocallis flava</i>	Yellow Day Lily	c. m.
226 — <i>cœrulea</i>	Blue ditto	l. s.
227 — <i>alba</i>	White ditto	l. s.
228 — <i>fulva</i>	Tawny ditto	c. m.
229 — <i>graminea</i>	Grass-leaved ditto	c. m.

HEXANDRIA TRYGYNIA.

230 <i>Rumex Patientia</i>	Patience Dock	c. m.
231 — <i>italicus</i>	Italian ditto	c. m.
232 — <i>alpinus</i>	Alpine ditto	c. m.

HEPTANDRIA TETRAGYNIA.

233 <i>Saururus cernuus</i>	Lizard's Tail	c. m.
234 — <i>lucidus</i>	Shining-leaved ditto	c. m.

OCTANDRIA MONOGYNIA.

235 <i>Oenothera fruticosa</i>	Shrubby <i>Oenothera</i>	c. m.
--------------------------------	--------------------------	-------

236	<i>Oenothera Missouriensis</i>	Misour Oenothera	l. b.
237	— <i>Fraseri</i>	Fraser's ditto	l. b.
238	— <i>angustifolia</i>	Narrow-leaved Shrubby ditto	c. m.
239	<i>Epilobium angustissimum</i>	Narrowest-leaved Willow-herb	c. m.
240	— <i>Dodonæi</i>	Dodonæus's ditto	l. b.

OCTANDRIA TRIGYNIA.

241	<i>Polygonum divaricatum</i>	Divaricated Polygonum	c. m.
242	— <i>scandens</i>	Climbing ditto	c. m.
243	— <i>undulatum</i>	Waved-leaved ditto	c. m.
244	— <i>ochreatum</i>	Spear-leaved ditto	c. m.
245	— <i>virginicum</i>	Virginian ditto	c. m.

ENNEANDRIA TETRAGYNIA.

246	<i>Rheum Rhaponticum</i>	Rhapontic Rhubarb	c. m.
247	— <i>undulatum</i>	Waved-leaved ditto	c. m.
248	— <i>palmatum</i>	Palmated-leaved ditto	c. m.
249	— <i>tataricum</i>	Tartarian ditto	c. m.
250	— <i>hybridum</i>	Bastard ditto	c. m.
251	— <i>compactum</i>	Compact ditto	c. m.

DECANDRIA MONOGYNIA.

252	<i>Sophora flavescens</i>	Siberian Sophora	l. b.
253	— <i>alopecuroides</i>	Fox-tail ditto	l. b.
254	— <i>australis</i>	Blue Austrian ditto	l. b.
255	— <i>alba</i>	White ditto	l. b.
256	<i>Cassia marilandica</i>	Maryland Cassia	l.
257	<i>Dicamnus rubra</i>	Fraxinella	c. m.

DECANDRIA DIGYNIA.

258	<i>Saxifraga crassifolia</i>	Oval-leaved Saxifrage	c. m.
259	— <i>cordifolia</i>	Heart-leaved ditto	c. m.
260	— <i>Gemm</i>	Kidney-leaved ditto	c. m.
261	— <i>geranoides</i>	Crane's-bill-leaved ditto	c. m.
262	— <i>pensylvanica</i>	Pennsylvanian ditto	l. b.
263	— <i>hieracifolia</i>	Hawkweed-leaved ditto	c. m.
264	<i>Gypsophila paniculata</i>	Panicled Gypsophila	c. m.
265	— <i>altissima</i>	Tall ditto	c. m.
266	<i>Dianthus barbatus</i>	Common Sweet William	c. m.
267	— <i>hybridus</i>	Mule Pink	c. m.
268	— <i>superbus</i>	Superb ditto	l. b.

DECANDRIA TRIGYNIA.

269	<i>Cucubalus viscosus</i>	Slimy Bladder Campion	c. m.
270	— <i>tataricus</i>	Tartarian ditto	c. m.
271	— <i>stellatus</i>	Starry ditto	l. b.
272	<i>Silene longiflora</i>	Long-flowered Catchfly	c. m.

DECANDRIA PENTAGYNIA.

273	<i>Sedum majus</i>	Great Stonecrop	c. m.
274	— <i>Aizoon</i>	Yellow ditto	c. m.
275	<i>Agrostemma coronaria</i>	Common Rose Campion	c. m.
276	— <i>Flos Jovis</i>	Umbell'd ditto	c. m.
277	<i>Lychnis chalcidonica</i>	Scarlet Lychnis	c. m.
278	<i>Cerastium repens</i>	Creeping Moose-ear Chickweed	c. m.
279	— <i>dioicum</i>	Spanish ditto	c. m.
280	— <i>tomentosum</i>	Woolly-leaved ditto	c. m.
281	— <i>suffruticosum</i>	Shrubby ditto	c. m.
282	— <i>strictum</i>	Upright ditto	c. m.

DECANDRIA DECAGYNIA.

283	<i>Phytolacca decandra</i>	Branching Phytolacca	l. b.
-----	----------------------------	----------------------	-------

DODECANDRIA MONOGYNIA.

284	<i>Lythrum virgatum</i>	Fine-branched Willow-herb	c. m.
-----	-------------------------	---------------------------	-------

DODECANDRIA DIGYNIA.

285	<i>Agrimonia odorata</i>	Sweet-scented Agrimony	c. m.
286	— <i>repens</i>	Creeping ditto	c. m.
287	— <i>Agrimonioides</i>	Three-leaved ditto	c. m.

DODECANDRIA TRIGYNIA.

288	<i>Euphorbia coralloides</i>	Coral-stalk'd Spurge	l.
289	— <i>pilosa</i>	Hairy ditto	l.
290	— <i>Esula</i>	Gromwell-leaved ditto	l.
291	— <i>falcata</i>	Sickle-leaved ditto	l.
292	— <i>Cyparissias</i>	Cypress ditto	c. m.
293	— <i>palustris</i>	Marsh ditto	l. b.
294	— <i>verrucosa</i>	Warted ditto	l.
295	— <i>multicorymbosa</i>	Flax-leaved ditto	c. m.

DODECANDRIA PENTAGYNIA.

296	<i>Spiræa Aruncus</i>	Goat's-beard Meadow Sweet	c. m.
297	— <i>lobata</i>	Lo-be-leaved ditto	l.
298	— <i>trifoliata</i>	Three-leaved ditto	l. b.

ICOSANDRIA POLYGYNIA.

299	<i>Fragaria monophylla</i>	One-leaved Strawberry	c. m.
300	— <i>virginiana</i>	Virginian ditto	c. m.
301	— <i>grandiflora</i>	Pine ditto	c. m.
302	— <i>chilensis</i>	Chili or White ditto	c. m.
303	<i>Potentilla pensylvanica</i>	Pennsylvanian Cinquefoil	c. m.
304	— <i>recta</i>	Upright ditto	c. m.
305	— <i>hirta</i>	Hairy ditto	c. m.
306	— <i>multifida</i>	Cut-leaved ditto	c. m.
307	— <i>norwegica</i>	Norway ditto	c. m.

FOREIGN HARDY HERBACEOUS PLANTS.

179

308	Potentilla grandiflora	Great-flowered Cinquefoil	c. m.
309	— monspeliensis	Montpelier ditto	c. m.
310	Geum virginicum	Virginian Avens	c. m.
311	— strictum	Upright ditto	c. m.
312	— potentilloides	Cinquefoil ditto	c. m.
313	— montanum	Mountain ditto	c. m.

POLYANDRIA MONOGYNIA.

314	Actea racemosa	American Herb-Christopher	c. m.
315	Podophyllum peltatum	Duck's-foot, or May-apple	c. m.
316	Chelidonium laciniatum	Cut-leaved Celandine	c. m.
317	Papaver orientale	Oriental Poppy	c. m.

POLYANDRIA DIGYNIA.

318	Paeonia coralloides	Female Paeony	l.
319	— humilis	Dwarf ditto	l.
320	— albidiflora	White-flowered ditto	l.
321	— officinalis	Common or Male ditto	c. m.
322	— tenuifolia	Fine-leaved ditto	c. m.
323	— fimbriata	Fringed-flowered ditto	c. m.
324	— anomala	Siberian ditto	c. m.

POLYANDRIA TRIGYNIA.

325	Delphinium intermedium	Palmate-leaved Bee Larkspur	c. m.
326	— hybridum	Bastard ditto	l.
327	— elatum	Common ditto	c. m.
328	— exaltatum	American ditto	c. m.
329	— grandiflorum	Large-flowered ditto	c. m.
330	Aconitum Lycoctonum	Great Yellow Wolf's-bane	c. m.
331	— Napellus	Common Blue Wolf's-bane	c. m.
332	— pyrenaicum	Pyrenean ditto	c. m.
333	— japonicum	Japan ditto	l. b.
334	— Anthora	Wholesome ditto	c. m.
335	— variegatum	Variegated ditto	c. m.
336	— ochroleucum	Tall ditto	c. m.
337	— album	White-flowered ditto	l.
338	— volubile	Twining ditto	l. b.
339	— uncinatum	Hook-seeded ditto	c. m.
340	— Cammarum	Purple ditto	c. m.

POLYANDRIA PENTAGYNIA.

341	Aquilegia canadensis	Canadian Columbine	c. m.
342	— montana	Mountain ditto	l.
343	— sibirica	Siberian ditto	l.
344	— viridiflora	Green-flowered ditto	l.

POLYANDRIA POLYGYNIA.

345	Anemone pratensis	Meadow Anemone	l. b.
-----	-------------------	----------------	-------

346 <i>Anemone coronaria</i>	Common Garden ditto	l.
347 — <i>sylvestris</i>	Snow-drop ditto	c. m.
348 — <i>virginiana</i>	Virginian ditto	c. m.
349 — <i>pennsylvanica</i>	Pennsylvanian ditto	c. m.
350 <i>Clematis recta</i>	Upright Virgin's-Bower	c. m.
351 — <i>ochroleuca</i>	Yellow ditto	l.
352 — <i>viorna</i>	Leathery-flowered ditto	l.
353 — <i>integrifolia</i>	Entire-leaved ditto	c. m.
354 <i>Thalictrum aquilegifolium</i>	Feathered Columbine	c. m.
355 — <i>simplex</i>	Simple-stalked ditto	c. m.
356 — <i>lucidum</i>	Shining-leaved Meadow Rue	c. m.
357 — <i>nigricaus</i>	Black-flowered ditto	c. m.
358 — <i>elatum</i>	Tall ditto	c. m.
359 — <i>fœtidum</i>	Stinking ditto	c. m.
360 — <i>purpurascens</i>	Purple-stalked ditto	c. m.
361 — <i>medium</i>	German ditto	c. m.
362 — <i>atropurpureum</i>	Dark-purple-flowered ditto	c. m.
363 — <i>rugosum</i>	Rough-leaved ditto	c. m.
364 — <i>divicm</i>	Dioicous ditto	c. m.
365 — <i>sibiricum</i>	Siberian ditto	c. m.
366 — <i>tuberosum</i>	Tuberous-rooted ditto	c. m.
367 — <i>angustifolium</i>	Narrow-leaved ditto	c. m.
368 — <i>contortum</i>	Twisted-stalked ditto	c. m.
369 — <i>Cornuti</i>	Canadian ditto	c. m.
370 <i>Thalictrum speciosum</i>	Glaucous-leaved Meadow Rue	c. m.
371 <i>Ranunculus aconitifolius</i>	Fair Maids of France	c. m.
372 — <i>platanifolius</i>	Plane-leaved Ranunculus	c. m.
373 — <i>illyricus</i>	Illyrian ditto	l. b.
374 — <i>asiaticus</i>	Common Persian ditto	c. m.
375 <i>Trollius asiaticus</i>	Asiatic Globe-flower	l. b. s.
376 — <i>americanus</i>	American ditto	l. b. s.
377 <i>Helleborus niger</i>	Christmas Rose	l. s.
378 — <i>lividus</i>	Livid Hellebore	l. b. s.

DIDYNAMIA GYMNOSPERMA.

379 <i>Teucrium lucidum</i>	Shining-leaved Germander	c. m.
380 — <i>multiflorum</i>	Many-flowered ditto	c. m.
381 <i>Hyssopus nepetoides</i>	Square-stalked Hyssop	l.
382 <i>Nepeta pannonica</i>	Hungarian Cat-Mint	c. m.
383 — <i>incana</i>	Hoary ditto	c. m.
384 — <i>violacea</i>	Violet-flowered ditto	c. m.
385 — <i>Nepetella</i>	Small ditto	c. m.
386 — <i>nuda</i>	Spanish ditto	c. m.
387 — <i>tuberosa</i>	Tuberous-rooted ditto	c. m.
388 <i>Sideritis hyssopifolia</i>	Hyssop-leaved Iron-wort	l.
389 — <i>scordioides</i>	Crenated ditto	l.
390 — <i>hirsuta</i>	Hairy ditto	l.
391 <i>Mentha crispa</i>	Curled-leaved Mint	c. m.

392	<i>Mentha niliaca</i>	White Mint	c. m.
393	— <i>auriculata</i>	Ear-leaved ditto	c. m.
394	<i>Lamium Orvala</i>	Balm-leaved Archangel	l.
395	— <i>rugosum</i>	Wrinkled-leaved ditto	c. m.
396	— <i>garganicum</i>	Woolly ditto	c. m.
397	— <i>molle</i>	Pellitory-leaved ditto	c. m.
398	<i>Betonica stricta</i>	Danish Betony	c. m.
399	— <i>incana</i>	Hoary ditto	c. m.
400	— <i>orientalis</i>	Oriental ditto	c. m.
401	— <i>hirsuta</i>	Hairy ditto	c. m.
402	<i>Stachys circinata</i>	Blunt-leaved Stachys	c. m.
403	— <i>lanata</i>	Woolly-leaved ditto	c. m.
404	— <i>cretica</i>	Cretan ditto	c. m.
405	— <i>recta</i>	Upright ditto	c. m.
406	<i>Marrubium supinum</i>	Procumbent Base Horehound	c. m.
407	— <i>hispanicum</i>	Spanish ditto	c. m.
408	— <i>peregrinum</i>	Saw-leaved ditto	c. m.
409	<i>Phlomis tuberosa</i>	Tuberous-rooted Phlomis	c. m.
410	— <i>Herba venti</i>	Rough-leaved ditto	l. b.
411	<i>Origanum hybridum</i>	Bastard ditto	l. b.
412	— <i>heracleoticum</i>	Winter ditto	c. m.
413	<i>Thymus virginicus</i>	Virginian Thyme	l.
414	<i>Melissa grandiflora</i>	Great-flowered Balm	c. m.
415	— <i>græca</i>	Grecian ditto	c. m.
416	<i>Dracocephalum virginicum</i>	Virginian Dragon's-head	l.
417	— <i>ruyschianum</i>	Hyssop-leaved ditto	c. m.
418	— <i>sibiricum</i>	Siberian ditto	c. m.
419	<i>Scutellaria albida</i>	Hairy Skull-cap	c. m.
420	— <i>integrifolia</i>	Entire-leaved ditto	l. b.
421	— <i>lupulina</i>	Great-flowered ditto	l. b.

DIDYNAMIA ANGIOSPERMIA.

422	<i>Chelone glabra</i>	White-flowered Chelone	l. b.
423	— <i>obliqua</i>	Red ditto	l. b.
424	— <i>ruellioides</i>	Scarlet ditto	l. b.
425	— <i>formosa</i>	Tall ditto	l. b.
426	<i>Antirrhinum purpureum</i>	Purple Toad-flax	c. m.
427	— <i>genistifolium</i>	Broom-leaved ditto	l.
428	— <i>triornithophorum</i>	Whorl-leaved ditto	l. b.
429	<i>Scrophularia betonicaefolia</i>	Betony-leaved Figwort	l.
430	— <i>orientalis</i>	Oriental ditto	l.
431	<i>Digitalis lutea</i>	Yellow Foxglove	c. m.
432	— <i>ambigua</i>	Great ditto	c. m.
433	— <i>ferruginea</i>	Iron-coloured ditto	c. m.
434	<i>Dodartia orientalis</i>	Eastern Dodartia	l.
435	<i>Penstemon pubescens</i>	American Penstemon	l. b.
436	— <i>laevigatum</i>	Smooth-leaved ditto	l. b.
437	<i>Mimulus ringens</i>	Oblong-leaved Monkey-flower	l.

438 <i>Mimulus guttatus</i>	Yellow Monkey-flower	l. b.
439 <i>Acanthus mollis</i>	Smooth Bear's-Breech	c. m.
440 — <i>spinosa</i>	Prickly ditto	c. m.

TETRADYNAMIA SILICULOSA.

441 <i>Myagrum perenne</i>	Perennial Gold-of-Pleasure	c. m.
442 <i>Cochlearia Draba</i>	Draba-leaved Scurvy-Grass	c. m.
443 <i>Iberis sempervirens</i>	Evergreen Candy-Tuft	c. m.
444 <i>Alyssum saxatile</i>	Shrubby Madwort	c. m.
445 <i>Lunaria rediviva</i>	Perennial Honesty	c. m.

TETRADYNAMIA SILIQUOSA.

446 <i>Sisymbrium strictissimum</i>	Spear-leaved Sisymbrium	c. m.
447 <i>Hesperis matronalis</i>	Single Garden Rocket	c. m.
448 <i>Bunias orientalis</i>	Oriental Bunias	c. m.

MONADELPHIA DECANDRIA.

449 <i>Geranium aconitifolium</i>	Aconite-leaved Crane's-bill	c. m.
450 — <i>angulosum</i>	Angular-stalked ditto	c. m.
451 — <i>maculatum</i>	Spotted ditto	c. m.
452 — <i>macrorhizum</i>	Long-rooted ditto	c. m.
453 — <i>palustre</i>	Marsh ditto	l.
454 — <i>reflexum</i>	Reflexed-flowered ditto	c. m.
455 — <i>striatum</i>	Striped-flowered ditto	c. m.
456 — <i>lividum</i>	Wrinkled ditto	c. m.

MONADELPHIA POLYANDRIA.

457 <i>Althæa cannabina</i>	Hemp-leaved Marsh-Mallow	c. m.
458 <i>Lavatera thuringiaca</i>	Large-flowered Lavatera	c. m.
459 <i>Alcea rosea</i>	Common Holyoak	c. m.
460 <i>Hibiscus palustris</i>	Marsh Hibiscus	l. b.
461 <i>Kitiabella vitifolia</i>	Vine-leaved Kitiabella	c. m.

DIADELPHIA DECANDRIA.

462 <i>Ononis antiquorum</i>	Tall Rest-Harrow	l.
463 <i>Lupinus perennis</i>	Perennial Lupine	l. b.
464 <i>Glycine Apios</i>	Tuberous-rooted Glycine	l.
465 <i>Orobis Lathyroides</i>	Upright Bitter-Vetch	c. m.
466 — <i>angustifolius</i>	Narrow-leaved ditto	l. b.
467 — <i>niger</i>	Black-flowered ditto	c. m.
468 — <i>vernus</i>	Spring ditto	l.
469 <i>Lathyrus tuberosus</i>	Tuberous-rooted Lathyrus	c. m.
470 — <i>heterophyllus</i>	Various-leaved ditto	c. m.
471 — <i>pisiformis</i>	Siberian ditto	c. m.
472 <i>Vicia pisiformis</i>	Pale-flowered Vetch	c. m.
473 <i>Glycyrrhiza echinata</i>	Prickly-headed Liquorice	c. m.
474 — <i>glabra</i>	Common ditto	c. m.
475 <i>Coronilla varia</i>	Purple Coronilla	c. m.

476	<i>Hedysarum canadense</i>	Canada Saintfoin	c. m.
477	<i>Galega officinalis</i>	Officinal Goat's-rue	c. m.
478	— <i>montana</i>	Mountain ditto	l. b.
479	<i>Phaca alpina</i>	Alpine Phaca, or Bastard-Vetch	l. b.
480	<i>Astragalus alopecuroides</i>	Foxtail Milk-Vetch	l. b.
481	— <i>virescens</i>	Green-flowered ditto	c. m.
482	— <i>galegiformis</i>	Goat's-rue-leaved ditto	c. m.
483	— <i>Cicer</i>	Bladder-podded ditto	l. b.
484	— <i>Onobrichis</i>	Purple-spiked ditto	c. m.
485	<i>Trifolium hybridum</i>	Bastard Trefoil, or Clover	c. m.
486	— <i>rubens</i>	Long-spiked ditto	c. m.
487	— <i>alpestre</i>	Oval-spiked ditto	c. m.
488	— <i>Lupinaster</i>	Bastard Lupine	c. m.
489	<i>Lotus maritimus</i>	Sea Bird's-foot Trefoil	c. m.
490	<i>Medicago Karstiensis</i>	Creeping-rooted Medick	c. m.
491	— <i>prostrata</i>	Procumbent ditto	c. m.

POLYADELPHIA POLYANDRIA.

492	<i>Hypericum calycinum</i>	Great-flowered St. John's-wort	c. m. s.
493	— <i>perfoliatum</i>	Perfoliate ditto	c. m. s.
494	— <i>Ascyron</i>	Red-leaved ditto	c. m. s.

SYNGENESIA POLYGAMIA ÆQUALIS.

495	<i>Scorzonera hispanica</i>	Spanish Viper's-grass	c. m.
496	<i>Sonchus sibiricus</i>	Siberian Sow-thistle	c. m.
497	<i>Prenanthes purpurea</i>	Purple Prenanthes	l.
498	<i>Hieracium amplexicaule</i>	Heart-leaved Hawkweed	c. m.
499	— <i>pyrenaicum</i>	Pyrenean ditto	c. m.
500	<i>Crepis pontica</i>	Roman Crepis	c. m.
501	<i>Catananche cærulea</i>	Blue Catananche	c. m.
502	<i>Serratula præalta</i>	Tall Saw-wort	c. m.
503	— <i>coronata</i>	Lyre-leaved ditto	c. m.
504	— <i>spicata</i>	Spike-flowered ditto	b. l.
505	<i>Carduus canus</i>	Hoary Thistle	c. m.
506	— <i>ciliatus</i>	Ciliated ditto	c. m.
507	— <i>tuberosus</i>	Tuberous-rooted ditto	c. m.
508	— <i>serratuloides</i>	Saw-wort ditto	c. m.
509	<i>Cnicus oleraceus</i>	Pale-flowered Cnicus	c. m.
510	— <i>ferox</i>	Prickly ditto	c. m.
511	— <i>centaurioides</i>	Centauray ditto	c. m.
512	<i>Cynara Scolymus</i>	French Artichoke	c. m.
513	<i>Carthamus corymbosus</i>	Umbelled Carthamus	l. b.
514	<i>Carline acaulis</i>	Stemless Carline	l. b. s.
515	<i>Cacalia hastata</i>	Spear-leaved Cacalia	c. m.
516	— <i>suaveolens</i>	Sweet-scented ditto	c. m.
517	— <i>saracenicæ</i>	Creeping-rooted ditto	c. m.
518	<i>Eupatorium maculatum</i>	Spotted Eupatorium	c. m.
519	— <i>altissimum</i>	Tall ditto	c. m.

520	<i>Eupatorium trifoliatum</i>	Three-leaved Eupatorium	c. m.
521	— <i>perfoliatum</i>	Perfoliate ditto	l. b.
522	— <i>Ageratoides</i>	Nettle-leaved ditto	b. l.
523	<i>Chrysocoma Linosyris</i>	German Goldy-locks	c. m.
524	— <i>biflora</i>	Two-flowered ditto	c. m.

SYNGENESIA POLYGAMIA SUPERFLUA.

525	<i>Tanacetum macrophyllum</i>	Various-leaved Tansy	c. m.
526	— <i>Balsamita</i>	Cost-Mary	c. m.
527	<i>Artemisia Abrotanum</i>	Common Southernwood	c. m.
528	— <i>sanctonicum</i>	Tartarian ditto or Wormseed	c. m.
529	— <i>pontica</i>	Roman ditto	c. m.
530	— <i>Dracunculus</i>	Tarragon	c. m.
531	<i>Conyza linifolia</i>	Flax-leaved Flea-bane	c. m.
532	<i>Tussilago paradoxa</i>	Downy-leaved Colt's-foot	c. m.
533	— <i>lobata</i>	Lobated ditto	c. m.
534	— <i>alba</i>	White ditto	c. m.
535	<i>Senecio luridus</i>	Dingy-coloured Groundsel	c. m.
536	— <i>coriacens</i>	Thick-leaved ditto	c. m.
537	<i>Dahlia superflua</i>	Purple Dahlia	c. m.
538	— <i>v. rosea</i>		c. m.
539	— <i>frustranea</i>	Red ditto	c. m.
540	— <i>v. lutea</i>	Yellow ditto	c. m.
541	— <i>v. violacea</i>	Violet ditto	c. m.
542	<i>Boltonia asteroides</i>	Aster-leaved Boltonia	c. m.
543	<i>Aster hyssopifolius</i>	Hyssop-leaved Aster	c. m.
544	— <i>dumosus</i>	Purple-flowered ditto	c. m.
545	— <i>ericoides</i>	Heath-leaved ditto	c. m.
546	— <i>multiflorus</i>	Many-flowered ditto	c. m.
547	— <i>linearifolius</i>	Linear-leaved ditto	c. m.
548	— <i>foliolosus</i>	Many-leaved ditto	c. m.
549	— <i>salicifolius</i>	Willow-leaved ditto	c. m.
550	— <i>linifolius</i>	Flax-leaved ditto	c. m.
551	— <i>rigidus</i>	Rough-leaved ditto	c. m.
552	— <i>acris</i>	Biting ditto	c. m.
553	— <i>umbellatus</i>	Umbell'd ditto	c. m.
554	— <i>novæ angliae</i>	New England ditto	c. m.
555	— <i>grandiflorus</i>	Great-flowered ditto	c. m.
556	— <i>patens</i>	Spreading ditto	c. m.
557	— <i>aestivus</i>	Labrador ditto	c. m.
558	— <i>undulatus</i>	Wave-leaved ditto	c. m.
559	— <i>concolor</i>	Woolly ditto	c. m.
560	— <i>Amellus</i>	Italian ditto	c. m.
561	— <i>sibiricus</i>	Siberian ditto	c. m.
562	— <i>flexuosus</i>	Bending-stalk'd ditto	c. m.
563	— <i>divaricatus</i>	Divaricated ditto	c. m.
564	— <i>longifolius</i>	Long-leaved ditto	c. m.
565	— <i>cordifolius</i>	Heart-leaved ditto	c. m.

566	<i>Aster corymbosus</i>	Purple-stalk Aster	c. m.
567	— <i>paniculatus</i>	Smooth-stalked panicled ditto	c. m.
568	— <i>puniceus</i>	Small Purple-stalked ditto	c. m.
569	— <i>lævis</i>	Smooth ditto	c. m.
570	— <i>novi belgii</i>	New-Holland ditto	c. m.
571	— <i>Tradescanti</i>	Tradescant's ditto	c. m.
572	— <i>pendulus</i>	Pendulous ditto	c. m.
573	— <i>diffusus</i>	Diffuse red-flowered ditto	c. m.
574	— <i>divergens</i>	Spreading downy-leaved ditto	c. m.
575	— <i>tardiflorus</i>	Spear-leaved ditto	c. m.
576	— <i>spectabilis</i>	Showy ditto	c. m.
577	— <i>mutabilis</i>	Variable ditto	c. m.
578	— <i>macrophyllus</i>	Broad-leaved-white ditto	c. m.
579	— <i>fragilis</i>	Brittle ditto	c. m.
580	— <i>juncens</i>	Slender-stalked ditto	c. m.
581	— <i>elegans</i>	Elegant ditto	c. m.
582	— <i>glaberrimus</i>	Smooth ditto	c. m.
583	— <i>lucidus</i>	Shining ditto	c. m.
584	— <i>sessiliflorus</i>	Sessile-flowered ditto	c. m.
585	— <i>altissimus</i>	Tallest ditto	c. m.
586	<i>Solidago viminea</i>	Twiggy Golden Rod	c. m.
587	— <i>mexicana</i>	Mexican ditto	c. m.
588	— <i>sempervirens</i>	Narrow-leaved Evergreen do.	c. m.
589	— <i>elliptica</i>	Oval-leaved ditto	c. m.
590	— <i>stricta</i>	Willow-leaved ditto	c. m.
591	— <i>latifolia</i>	Broad-leaved ditto	c. m.
592	— <i>lævigata</i>	Fleshy-leaved ditto	c. m.
593	— <i>cæsia</i>	Maryland ditto	c. m.
594	— <i>lateriflora</i>	Red-stalked ditto	c. m.
595	— <i>altissima</i>	Tall ditto	c. m.
596	— <i>arguta</i>	Sharp Notched ditto	c. m.
597	— <i>canadensis</i>	Canadian ditto	c. m.
598	— <i>procera</i>	Great ditto	c. m.
599	— <i>reflexa</i>	Reflexed ditto	c. m.
600	— <i>lanceolata</i>	Grass-leaved ditto	c. m.
601	— <i>serotina</i>	Upright ditto	c. m.
602	— <i>nemoralis</i>	Woolly-stalked ditto	c. m.
603	— <i>bicolor</i>	Two-coloured ditto	c. m.
604	— <i>aspera</i>	Rough-leaved ditto	c. m.
605	— <i>flexicaulis</i>	Crooked-stalked ditto	c. m.
606	— <i>ambigua</i>	Angular-stalked ditto	c. m.
607	— <i>rigida</i>	Hard-leaved ditto	c. m.
608	<i>Cineraria sibirica</i>	Heart-leaved Cineraria	c. m.
609	<i>Inula squarrosa</i>	Net-leaved Inula	c. m.
610	— <i>salicina</i>	Willow-leaved ditto	l. b.
611	— <i>ensifolia</i>	Sword-leaved ditto	c. m.
612	<i>Helenium autumnale</i>	Smooth Helenium	c. m.
613	<i>Chrysanthemum corymbosum</i>	Large White Chrysanthemum	c. m.

614	<i>Chrysanthemum indicum</i>	Purple Indian Chrysanthemum	c. m.
615	— <i>millefoliatum</i>	Tausy-leaved ditto	c. m.
616	— v. —	<i>a</i> Quilled White.	
617	— v. —	<i>β</i> Double White.	
618	— v. —	<i>γ</i> Bright Yellow.	
619	— v. —	<i>δ</i> Straw-coloured.	
620	— v. —	<i>ε</i> Quilled straw-coloured.	
621	— v. —	<i>ζ</i> Purple quilled.	
622	— v. —	<i>η</i> Lilac-coloured.	
623	— v. —	<i>ς</i> Spanish brown.	
624	— v. —	<i>ξ</i> Copper-coloured.	
625	— v. —	<i>μ</i> Quilled Lilac.	
626	<i>Achillea alpina</i>	Alpine Milfoil or Maudlin	c. m.
627	— <i>crinata</i>	Slender-branched ditto	c. m.
628	— <i>serrata</i>	Saw'd-leaved ditto	c. m.
629	— <i>impatiens</i>	Impatient ditto	c. m.
630	— <i>santolina</i>	Lavender Cotton-leaved ditto	l. b.
631	— <i>tanacetifolia</i>	Tansy-leaved ditto	c. m.
632	— <i>nobilis</i>	Showy ditto	c. m.
633	— <i>abrotanifolia</i>	Southernwood-leaved ditto	c. m.
634	<i>Buphthalmum grandiflorum</i>	Great-flowered Ox-eye	l.
635	— <i>salicifolium</i>	Willow-leaved ditto	l.

SYNGENESIA POLYGAMIA FRUSTRANEA.

636	<i>Helianthus multiflorus</i>	Perennial Sun-flower	c. m.
637	— <i>tuberosus</i>	Jerusalem Artichoke	c. m.
638	— <i>divaricatus</i>	Rough-leaved Sun-flower	c. m.
639	— <i>decapetalus</i>	Ten-petal'd ditto	c. m.
640	— <i>altissimus</i>	Tall ditto	c. m.
641	— <i>giganteus</i>	Gigantic ditto	c. m.
642	<i>Rudbeckia laciniata</i>	Broad-jagged-leaved Rudbeckia	c. m.
643	— <i>digitata</i>	Narrow-jagged-leaved do.	c. m.
644	— <i>fulgida</i>	Bright purple ditto	l. b.
645	— <i>purpurea</i>	Common purple ditto	l. b.
646	<i>Coreopsis verticillata</i>	Whorl-leaved Coreopsis	c. m.
647	— <i>tripteris</i>	Three-leaved ditto	c. m.
648	— <i>aurea</i>	Hemp-leaved ditto	c. m.
649	<i>Coreopsis procera</i>	Tall Coreopsis	c. m.
650	— <i>alternifolia</i>	Alternate-leaved ditto	c. m.
651	— <i>auriculata</i>	Ear-leaved ditto	c. m.
652	— <i>minima</i>	Least ditto	l. b.
653	<i>Centaurea Centaureum</i>	Great Centaury	c. m.
654	— <i>alpina</i>	Alpine ditto	l. b.
655	— <i>montana</i>	Mountain ditto	c. m.
656	— <i>sempervirens</i>	Evergreen ditto	c. m.
657	— <i>sibirica</i>	Siberian ditto	c. m.
658	— <i>phrygia</i>	Austrian ditto	c. m.
659	<i>Centaurea glastifolia</i>	Wood-leaved Centaury	l. b.

FOREIGN HARDY HERBACEOUS PLANTS.

187

661 —	rhapontica	Swiss ditto	l. b.
662 —	sochifolia	Sow-thistle-leaved ditto	l. b.
663 —	aurea	Great Yellow ditto	l. b.

SYNGENESIA POLYGAMIA NECESSARIA.

664	Silphium	scabrum	Rough-leaved Silphium	c. m.
665 —	terebinthinum		Broad-leaved ditto	c. m.
666 —	perfoliatum		Perfoliate ditto	c. m.
667 —	connatum		Round-stalked ditto	c. m.
668 —	Asteriscus		Hairy-stalked ditto	c. m.
669 —	trifoliatum		Three-leaved ditto	c. m.

SYNGENESIA POLYGAMIA SEGREGATA.

670	Echinops	Ritro	Small Globe Thistle	c. m.
671 —	sphaerocephalus		Great ditto	c. m.

SYNGENESIA MONOGAMIA.

672	Lobelia	Cardinalis	Scarlet Cardinal flower	l.
673 —	siphylitica		Blue ditto	l.

GYNANDRIA TRIANDRIA.

674	Sisyrinchium	striatum	Striated Sisyrinchium	l.
-----	--------------	----------	-----------------------	----

GYNANDRIA POLYANDRIA.

675	Arum	Dracunculus	Long-sheathed Arum	c. m.
676 —	venosum		Varied ditto	c. m.

MONOECIA PENTANDRIA.

677	Parthenium	integrifolium	Intire-leaved Parthenium	c. m.
678	Urtica	nivea	Snowy Nettle	c. m.

DIOECIA HEXANDRIA.

669	Smilax	herbacea	Herbaceous Smilax.	b. l. s.
-----	--------	----------	--------------------	----------

DIOECIA DODECANDRIA.

680	Datisca	cannabina	Bastard Hemp	c. m.
-----	---------	-----------	--------------	-------

DIOECIA MONADELPHIA.

681	Napaea	laevis	Smooth Napaea	l. b.
682 —	scabra		Rough ditto	c. m.

POLYGAMIA MONOECIA.

683	Veratrum	album	White Hellebore	l. b. s.
684 —	nigrum		Dark-flowered Veratrum	l. b. s.