

732. Bugloss, small	-	-	<i>Lycopsis arvensis.</i>
733. Crowfoot, round-rooted	-	-	<i>Ranunculus bulbosus.</i>
734. ———, tall	-	-	<i>Ranunculus acris.</i>
735. Dock, curled	-	-	<i>Rumex crispus.</i>
736. ———, broad-leaved	-	-	<i>——— obtusifolius.</i>
737. ———, sharp-pointed	-	-	<i>——— acutus.</i>
738. Fleabane, common	-	-	<i>Inula dysenterica.</i>
739. Garlick, crow	-	-	<i>Allium vineale.</i>
740. ———, bear	-	-	<i>——— ursinum.</i>
741. Grass, turfy hair	-	-	<i>Aira cæspitosa.</i>
742. ———, meadow soft	-	-	<i>Holcus lanatus.</i>
743. ———, carnation	-	-	<i>Carex cæspitosa.</i>
744. Knapweed, common	-	-	<i>Centaurea nigra.</i>
745. ———, great	-	-	<i>——— Scabiosa.</i>
746. Mugwort	-	-	<i>Artemisia vulgaris.</i>
747. Meadow-sweet	-	-	<i>Spiræa ulmaria.</i>
748. Ox-eye Daisy	-	-	<i>Chrysanthemum Leucanthemum.</i>
749. Plantain, great	-	-	<i>Plantago major.</i>
750. Ragwort, common	-	-	<i>Senecio Jacobæa.</i>
751. ———, marsh	-	-	<i>——— aquaticus.</i>
752. Rush, common	-	-	<i>Juncus conglomeratus.</i>
753. ———, blueish	-	-	<i>——— glaucus.</i>
754. ———, flat-jointed	-	-	<i>——— squarrosus.</i>
755. ———, round-jointed	-	-	<i>——— articulatus.</i>
756. ———, bulbous	-	-	<i>——— bulbosus.</i>
757. Scabious, common	-	-	<i>Scabiosa arvensis.</i>
758. Thistle, milk	-	-	<i>Carduus marianus.</i>
759. ———, meadow	-	-	<i>——— pratensis.</i>

SECT. XVI.—EXOTIC TREES AND SHRUBS.

THE fashionable rage for planting ornamental trees and shrubs having so much prevailed of late years, that we meet with them by the road sides, &c. almost as common as we do those of our native soil, I have therefore enumerated them in this section.

Our limits will not admit of giving any particular descriptions of each; but as persons are often at a loss to know what soil each tree is

known to thrive in best, we have endeavoured to supply that information; which will be understood by applying to the following

ABBREVIATED CHARACTERS.

c. m.	<i>read</i> common garden mould.
b. m.	- bog mould.
l.	- loam.
b. l.	- bog and loam, the greater part bog.
l. b.	- loam and bog, the greater part loam.
s.	- sheltered situation.
☉	- annual.
♂	- biennial.
♂	- perennial.
h	- tree or shrub.

As the soils recommended may not be generally understood; a little attention to the following rules will enable persons to discover what is *fit* for their purposes.

LOAM—the kind best adapted to the purpose of growing plants, is of a moderately close texture, between clay and sand, differing from the former in want of tenacity when wet; and not becoming hard when dry; nor is it loose and dusty like the latter; but in both states possesses somewhat of a saponaceous quality. It varies in colour from yellow to brown, and is commonly found in old pastures: it may also be remarked, that where any perennial species of Clover (*Trifolium*) are found wild, it is almost a certain indication of a fertile loam, and such as contains the proper food of plants in abundance.

Bog-MOULD—is frequently found on waste lands, where Heaths (*Ericæ*) are produced: it is composed of decayed vegetable matter and white sand. The best sort is light when dry, of a black colour, and easily reduced to a powder. Care should be taken to distinguish it from *Peat*, which is hard when dry, destitute in a great measure of the sand, and mostly of a red colour. This contains in great quantities sulphureous particles and mineral oil, which are known to be highly destructive to vegetation.

The mould formed from rotten leaves is a good substitute for bog-mould if mixed with sand, and is often made use of for the same purposes. These earths should be dug from the surface to the depth of

a few
may b
throug
As l
pabulu
pots;
mixtur
most k
consist
the ot

1 JAS
2 —
3 —
4 —
5 —
6 Ph
7 —
8 —
9 —
10 —
11 —
12 —
13 —
14 —
15 —
16 —
17 —
18 Ch
19 Sy
20 —
21 —
22 —
23 —

24 Ce
25 H
26 Bu

* y
to be

a few inches and laid in heaps, that the roots, &c. contained therein may be decomposed: and before they are used should be passed through a coarse screen, particularly if intended for plants in pots.

As loam has been found to contain the greatest portion of the real pabulum of plants, it has long been used for such as are planted in pots; and the component parts of bog-earth being of a light nature, a mixture of the two in proper proportions will form a compost in which most kinds of plants will succeed. Attention should be paid to the consistence of the loam; as the more stiff it is, the greater portion of the other is necessary.

DIANDRIA MONOGYNIA.

1	JASMINUM officinale. w.*	Common white Jasmine	c. m.
2	— v. argen. variegat. w.	Silver-striped ditto	c. m.
3	— v. aureo variegat. w.	Gold-striped ditto	c. m.
4	— fruticans, w.	Yellow ditto	c. m.
5	— humile, w.	Dwarf yellow ditto	b. l.
6	Phillyrea media	Privet-leaved Phillyrea	c. m.
7	— v. virgata	Twiggy ditto	c. m.
8	— v. pendula	Pendulous ditto	c. m.
9	— oleæfolia	Olive-leaved ditto	c. m.
10	— buxifolia	Box-leaved ditto	c. m.
11	— angustifolia	Narrow-leaved ditto	c. m.
12	— v. rosmarinifolia	Rosemary-leaved ditto	c. m.
13	— brachiata	Dwarf ditto	c. m.
14	— v. latifolia	Broad-leaved ditto	c. m.
15	— v. lævis	Smooth broad-leaved ditto	c. m.
16	— v. spinosa	Prickly broad-leaved ditto	c. m.
17	— v. obliqua	Ilex-leaved ditto	c. m.
18	Chionanthus virginicus	Fringe Tree	b. m.
19	Syringa vulgaris	Blue Lilac	c. m.
20	— v. alba	White ditto	c. m.
21	— persica	Persian ditto	c. m.
22	— v. laciniata	Cut-leaved ditto	c. m.
23	— latifolia	Broad-leaved ditto	c. m.

TETRANDRIA MONOGYNIA.

24	Cephalanthus occidentalis	Button-wood	b. l.
25	Houstonia coccinea	Scarlet Houstonia	b. l. s.
26	Buddlea globosa	Globe-flowered Buddlea	b. l. s.

* Where c. occurs immediately after the word, it denotes the plant to be a creeper, and w. such as are adapted to covering walls, &c.

154 SECT. XVI.—EXOTIC TREES AND SHRUBS.

27	<i>Cornus florida</i>	Great-flowering Dog-wood	c. m.
28	— <i>mascula</i>	Cornelian Cherry	c. m.
29	— <i>sericea</i>	Blue-berried ditto	c. m.
30	— <i>alba</i>	White-berried ditto	c. m.
31	— <i>stricta</i>	Upright ditto	c. m.
32	— <i>sibirica</i>	Siberian ditto	c. m.
33	— <i>paniculata</i>	Panicled ditto	c. m.
34	— <i>alternifolia</i>	Alternate-leaved ditto	c. m.
35	— <i>v. virescens</i>	Green-twigg'd ditto	c. m.
36	<i>Ptelea trifoliata</i>	Shrubby Bean-trefoil	c. m.
37	<i>Elæagnus angustifolia</i>	Narrow-leaved Oleaster	c. m.
38	— <i>v. latifolia</i>	Broad-leaved ditto	c. m.

TETRANDRIA DIGYNIA.

39	<i>Hamamelis virginica</i>	Witch Hazel	c. m.
----	----------------------------	-------------	-------

TETRANDRIA TETRAGYNIA.

40	<i>Ilex opaca</i>	Carolina Holly	b. l.
41	— <i>v. angustifolia</i>	Narrow-leaved ditto	b. l.
42	— <i>prinoïdes</i>	Deciduous ditto	b. l.
43	— <i>Cassine</i>	Dahoon ditto	l.
44	— <i>vomitorea</i>	South Sea Tea Tree	l.

PENTANDRIA MONOGYNIA.

45	<i>Azalea pontica</i>	Yellow Azalea	b. s.
46	— <i>nudiflora</i>	Red ditto	b. s.
47	— <i>v. coccinea</i>	Scarlet ditto	b. s.
48	— <i>v. carnea</i>	Flesh-coloured ditto	b. s.
49	— <i>v. alba</i>	Early white ditto	b. s.
50	— <i>v. bicolor</i>	Red and white ditto	b. s.
51	— <i>v. papilionacea</i>	Variegated ditto	b. s.
52	— <i>v. partita</i>	Downy ditto	b. s.
53	— <i>v. aurantia</i>	Orange ditto	b. s.
54	— <i>v. viscosa</i>	Late white ditto	b. s.
55	— <i>v. vittata</i>	White striped ditto	b. s.
56	— <i>v. fissa</i>	Narrow petalled ditto	b. s.
57	— <i>v. floribunda</i>	Cluster-flowered ditto	b. s.
58	— <i>v. glauca</i>	Glaucous-leaved ditto	b. s.
59	— <i>v. scabra</i>	Rough-leaved ditto	b. s.
60	<i>Lonicera dioica. c.</i>	Glaucous Honeysuckle	c. m.
61	— <i>sempervirens. c.</i>	Trumpet ditto	l.
62	— <i>grata. c.</i>	Evergreen Honeysuckle	c. m.
63	— <i>implexa. c.</i>	Minorca ditto	l.
64	— <i>nigra</i>	Black-berried ditto	c. m.
65	— <i>tatarica</i>	Tartarian ditto	c. m.
66	— <i>pyrenaica</i>	Pyrenean ditto	c. m.
67	— <i>Alpigena</i>	Red-berried ditto	c. m.

m.	68	<i>Lonicera caerulea</i>	Blue-berried ditto	c. m.
m.	69	— <i>Symphoricarpos</i>	St. Peter's Wort	c. m.
m.	70	— <i>Diervilla</i>	Yellow-flowered Honeysuckle	c. m.
m.	71	— <i>Caprifolium. c.</i>	Italian white ditto	c. m.
m.	72	— <i>v. rubra. c.</i>	Italian early red ditto	c. m.
m.	73	— <i>Periclym. v. serotina. c.</i>	Late red ditto	c. m.
m.	74	— <i>v. quercifolia</i>	Oak-leaved ditto	c. m.
m.	75	— <i>v. belgica</i>	Dutch ditto	c. m.
m.	76	<i>Lycium barbarum. w.</i>	Willow-leaved Boxthorn	c. m.
m.	77	— <i>europæum. w.</i>	European ditto	c. m.
m.	78	<i>Sideroxylon lycioides</i>	Willow-leaved Iron-wood	b. l.
m.	79	<i>Rhamnus latifolius</i>	Broad-leaved ditto	c. m.
m.	80	— <i>alpinus</i>	Alpine ditto	b. m.
m.	81	— <i>theezans</i>	Tea ditto	c. m.
m.	82	— <i>alnifolius</i>	Alder-leaved ditto	c. m.
m.	83	— <i>Paliurus</i>	Christ's Thorn	c. m.
m.	84	— <i>volubilis. c.</i>	Supple-jack Tree	c. m.
m.	85	— <i>Ziziphus</i>	Shining-leaved ditto	c. m.
m.	86	— <i>Alaternus</i>	Common Alaternus	c. m.
m.	87	— <i>fol. argen. var.</i>	Silver-striped ditto	c. m. s.
m.	88	— <i>fol. aureo var.</i>	Gold-striped ditto	c. m. s.
m.	89	— <i>v. angustifolius</i>	Jagged-leaved ditto	c. m.
m.	90	<i>Celastrus scandens</i>	Climbing Staff-Tree	c. m.
m.	91	<i>Ceanothus americanus</i>	New Jersey Tea Tree	c. m.
m.	92	<i>Euonymus latifolius</i>	Broad-leaved Spindle-Tree	c. m.
m.	93	— <i>verrucosus</i>	Warted ditto	c. m.
m.	94	— <i>atro-purpureus</i>	Purple-flowered ditto	c. m.
m.	95	— <i>americanus</i>	Evergreen ditto	c. m.
m.	96	<i>Itea virginica</i>	Virginian Itea	b. l.
m.	97	— <i>buxifolia</i>	Box-leaved ditto	b. l.
m.	98	<i>Ribes glandulosum</i>	Glandulous Currant	c. m.
m.	99	— <i>petraeum</i>	Rock ditto	c. m.
m.	100	— <i>floridum</i>	Large-flowered ditto	c. m.
m.	101	— <i>diacanthum</i>	Two-spined Gooseberry	c. m.
m.	102	— <i>oxyacanthoides</i>	Hawthorn-leaved ditto	c. m.
m.	103	— <i>canadense</i>	Canadian ditto	c. m.
m.	104	— <i>Cynosbata</i>	Prickly-fruited Currant	c. m.
m.	105	— <i>prostratum</i>	Procumbent ditto	c. m.
m.	106	— <i>alpinum</i>	Alpine ditto	c. m.
m.	107	<i>Hedera quinquefolia. w.</i>	Virginian Creeper	c. m.
m.	108	— <i>Helix. v. latifolia</i>	Broad-leaved Ivy. c.	c. m.
m.	109	<i>Vitis vinifera. c.</i>	Common Grape	c. m.
m.	110	— <i>Labrusca. c.</i>	Downy-leaved ditto	c. m.
m.	111	— <i>vulpina. c.</i>	Fox Grape	c. m.
m.	112	— <i>laciniata. c.</i>	Parsley-leaved Vine	c. m.
m.	113	— <i>arborea. c.</i>	Pepper Vine	c. m.

PENTANDRIA DIGYNIA.

114	<i>Periploca græca</i> , c.	Virginian Silk-Tree	c. m.	153 Z
115	<i>Salsola prostrata</i>	Trailing Saltwort	c. m.	
116	<i>Ulmus americana</i>	American Elm	c. m.	
117	— <i>v. alba</i>	White American ditto	c. m.	154 P
118	— <i>v. pendula</i>	Drooping ditto	c. m.	155 —
119	— <i>nemoralis</i>	Twiggy ditto	c. m.	156 —
120	— <i>pumila</i>	Dwarf ditto	c. m.	157 —
121	— <i>crispa</i>	Curled-leaved ditto	c. m.	158 B
122	<i>Bupleurum fruticosum</i>	Shrubby Hare's-ear	c. m.	159 —

PENTANDRIA TRIGYNIA.

123	<i>Rhus Typhinum</i>	Virginian Sumach	c. m.	
124	— <i>glabrum</i>	Smooth ditto	c. m.	161 A
125	— <i>Vernix</i>	Varnish Tree	c. m.	162 —
126	— <i>copallinum</i>	Lentiscus-leaved Sumach	c. m.	163 —
127	— <i>radicans</i> , c.	Upright Poison Ash	c. m.	164 —
128	— <i>Toxicodendron</i> , c.	Trailing or official ditto	c. m.	
129	— <i>Cotinus</i>	Venus's Sumach	c. m.	
130	— <i>Coriaria</i>	Elm-leaved ditto	c. m.	
131	<i>Viburnum Tinus</i>	Laurustinus	c. m.	165 P
132	— <i>fol. variegat.</i>	Striped-leaved ditto	c. m.	166 V
133	— <i>lucidum</i>	Shining-leaved ditto	c. m.	167 —
134	— <i>strictum</i>	Upright ditto	c. m.	168 —
135	— <i>nudum</i>	Oval-leaved Viburnum	c. m.	169 —
136	— <i>cassinoides</i>	Thick-leaved ditto	l. s.	170 —
137	— <i>nitidum</i>	Shining-leaved ditto	b. l.	171 —
138	— <i>lævigatum</i>	Cassio-berry Bush	b. l.	172 —
139	— <i>prunifolium</i>	Plum-leaved Viburnum	c. m.	173 —
140	— <i>Lentago</i>	Pear-leaved ditto	c. m.	174 —
141	— <i>dentatum</i>	Toothed-leaved ditto	c. m.	175 —
142	— <i>v. pubescens</i>	Downy-leaved ditto	c. m.	176 —
143	— <i>acerifolium</i>	Maple-leaved ditto	c. m.	177 —
144	— <i>Opulus v. americana</i>	American Gelder Rose	c. m.	178 —
145	— <i>v. rosea</i>	Snow-bail ditto	c. m.	179 —
146	— <i>alnifolium</i>	Alder-leaved ditto	c. m.	180 —
147	<i>Sambucus canadensis</i>	Canadian Elder	c. m.	181 —
148	— <i>nigra v. laciniata</i>	Cut-leaved ditto	c. m.	182 —
149	— <i>racemosa</i>	Clustered-flowered ditto	c. m.	183 —
150	<i>Staphylea trifolia</i>	Three-leaved Bladder-Nut	c. m.	184 —
151	<i>Tamarix germanica</i>	German Tamarisk	c. m.	185 —

PENTANDRIA PENTAGYNIA.

152	<i>Aralia spinosa</i>	Angelica Tree	b. l.	187 —
				188 —
				189 —
				190 —
				191 —

PENTANDRIA POLYGYNIA.

- 153 *Zanthorhiza Apifolium* Parsley-leaved *Zanthorhiza* b.

HEXANDRIA MONOGYNIA.

- 154 *Prinos verticillatus* Whorl-leaved Winter-berry b. l.
 155 — glaber Smooth ditto b. l.
 156 — lanceolatus Lanceolate-leaved ditto b. l.
 157 — laevigatus Spear-leaved ditto b. l.
 158 *Berberis canadensis* Canadian Barberry b. l.
 159 — cretica Cretan ditto b. l.
 160 — sibirica Siberian ditto b. l.

HEPTANDRIA MONOGYNIA.

- 161 *Aesculus Hippocastanum* Common Horse Chesnut c. m.
 162 — flava Yellow-flowered ditto c. m.
 163 — Pavia Scarlet-flowered ditto c. m.
 164 — parviflora Small-flowered ditto l.

OCTANDRIA MONOGYNIA.

- 165 *Koelreuteria paniculata* Panicked *Koelreuteria* b. l.
 166 *Vaccinium stamineum* Green-twigg'd Bleaberry b. m.
 167 — diffusum Shining-leaved ditto b. m.
 168 — fuscatum Brown ditto b. m.
 169 — angustifolium Narrow-leaved ditto b. m.
 170 — frondosum Obtuse-leaved ditto b. m.
 171 — venustum Red-twigg'd ditto b. m.
 172 — resinosum Clammy ditto b. m.
 173 — amcenum Broad-leaved ditto b. m.
 174 — virgatum Twigg'y-leaved ditto b. m.
 175 — tenellum Gale-leaved ditto b. m.
 176 — macrocarpon Large-fruited ditto b. m.
 177 — nitidum Shining-leaved ditto b. m.
 178 — ligustrinum Privet-leaved ditto b. m.
 179 — pumilum Dwarf ditto b. m.
 180 *Erica ciliaris* Ciliated Heath b. m. s.
 181 — mediterranea Mediterranean ditto b. m. s.
 182 — australis Spanish ditto b. m. s.
 183 — herbacea Herbaceous ditto b. m.
 184 — arborea Tree ditto b. m. s.
 185 *Daphne alpina* Alpine *Daphne* b. l.
 186 — pontica Two-flowered ditto b. l. s.
 187 — Cneorum Trailing ditto b. l.
 188 — Tartonraira Silvery-leaved *Daphne* b. l. s.
 189 — collina Hairy ditto b. l. s.
 190 — Gnidium Flax-leaved ditto b. l. s.
 191 *Dirca palustris* Marsh Leatherwood b. m.

OCTANDRIA DIGYNIA.

- | | | | |
|--------------------------|-------------------|-------|-----|
| 192 Polygonum frutescens | Shrubby Polygonum | b. s. | 234 |
|--------------------------|-------------------|-------|-----|

ENNEANDRIA MONOGYNIA.

- | | | | |
|--------------------|----------------|-------|-----|
| 193 Laurus Benzoin | Benjamin Tree | c. m. | 235 |
| 194 — nobilis | Sweet Bay | c. m. | 236 |
| 195 Sassafras | Sassafras Tree | b. l. | 237 |

DECANDRIA MONOGYNIA.

- | | | | |
|------------------------------|---------------------------|-------|-----|
| 196 Sophora japonica | Japan Sophora | c. m. | 238 |
| 197 Cercis Siliquastrum | European Judas Tree | c. m. | 239 |
| 198 — canadensis | American ditto | c. m. | 240 |
| 199 Guilandina dioica | Canadian Bonduc | c. m. | 241 |
| 200 Ruta graveolens | Common Rue | c. m. | 242 |
| 201 — montana | Mountain ditto | c. m. | 243 |
| 202 Kalmia latifolia | Broad-leaved Kalmia | b. s. | 244 |
| 203 — angustifolia | Narrow-leaved ditto | b. s. | 245 |
| 204 — v. carnea | Pale-flowered ditto | b. s. | 246 |
| 205 — glauca | Glaucous-leaved ditto | b. s. | 247 |
| 206 Ledum palustre | Marsh Rosemary | b. s. | 248 |
| 207 — v. decumbens | Dwarf ditto | b. s. | 249 |
| 208 — latifolium | Labrador Tea | b. s. | 250 |
| 209 — buxifolium | Box-leaved Ledum | b. s. | 251 |
| 210 Rhodora canadensis | Canadian Rhodora | b. m. | 252 |
| 211 Rhododendron ferrugineum | Rusty-leaved Rhododendron | b. m. | 253 |
| 212 — dauricum | Dauric ditto | b. m. | 254 |
| 213 — hirsutum | Hairy ditto | b. m. | 255 |
| 214 — ponticum | Pontic ditto | b. m. | 256 |
| 215 — fol. variegat. | Striped-leaved ditto | b. m. | 257 |
| 216 — cataubiense | Large ditto | b. m. | 258 |
| 217 — maximum | Large-leaved ditto | b. m. | 259 |
| 218 — punctatum | Dotted ditto | b. m. | 260 |
| 219 Andromeda mariana | Maryland Andromeda | b. m. | 261 |
| 220 — v. oblonga | Oval-leaved ditto | b. m. | 262 |
| 221 — ferruginea | Rusty-leaved ditto | b. m. | 263 |
| 222 — polifolia, v. major | Broad-leaved rusty ditto | b. m. | 264 |
| 223 — paniculata | Panicled ditto | b. m. | 265 |
| 224 — arborea | Tree ditto | b. m. | 266 |
| 225 — racemosa | Branching ditto | b. m. | 267 |
| 226 — axillaris | Notch-leaved ditto | b. m. | 268 |
| 227 — coriacea | Thick-leaved ditto | b. m. | 269 |
| 228 — acuminata | Acute-leaved ditto | b. m. | 270 |
| 229 — calyculata | Globe-flowered ditto | b. m. | 271 |
| 230 — v. latifolia | Broad Box-leaved ditto | b. m. | 272 |
| 231 — v. angustifolia | Narrow-leaved ditto | b. m. | |
| 232 — Catesbæi | Catesby's ditto | b. m. | |
| 233 Epigæa repens | Creeping Epigæa | b. s. | |

234	<i>Gualtheria procumbens</i>	Procumbent Gualtheria	b. s.
235	<i>Arbutus Unedo</i>	Common Strawberry Tree	b. l.
236	— <i>v. fl. rubro</i>	Scarlet-flowered ditto	b. l.
237	— <i>v. flore pleno</i>	Double-flowered ditto	b. l.
238	— <i>v. angustifolia</i>	Narrow-leaved ditto	b. l.
239	— <i>v. crispa</i>	Curled-leaved ditto	b. l.
240	— <i>Andrachne</i>	Eastern ditto	b. l.
241	<i>Clethra alnifolia</i>	Alder-leaved Clethra	b. l.
242	— <i>v. pubescens</i>	Pubescent ditto	b. l.
243	<i>Styrax officinale</i>	Officinal Styrax	b. l.
244	— <i>grandifolium</i>	Large-leaved ditto	l.
245	— <i>laevigatum</i>	Smooth-leaved ditto	l.

DECANDRIA DIGYNIA.

246	<i>Hydrangea arborescens</i>	Tree Hydrangea	c. m.
247	— <i>hortensis</i>	Changeable-flowered ditto	c. m.
248	— <i>glauca</i>	Glaucous-leaved ditto	b. l.
249	— <i>radiata</i>	Rayed-flowered ditto	b. l.

DODECANDRIA MONOGYNIA.

250	<i>Halesia tetraptera</i>	Wing-seeded Snow-drop Tree	c. m.
-----	---------------------------	----------------------------	-------

DODECANDRIA TRIGYNIA.

251	<i>Euphorbia spinosa</i>	Shrubby Euphorbia	b. l.
252	<i>Aristotelia Macqui</i>	Shining-leaved Aristotelia	b. s.

ICOSANDRIA MONOGYNIA.

253	<i>Philadelphus coronarius</i>	Common Syringa	c. m.
254	— <i>nanus</i>	Dwarf ditto	c. m.
255	<i>Punica Granatum. w.</i>	Pomegranate	l. w. s.
256	— <i>flore pleno. w.</i>	Double-flowered ditto	l. w. s.
257	— <i>flore luteo. w.</i>	Yellow-flowered ditto	l. w. s.
258	— <i>flore albo. w.</i>	White-flowered ditto	l. w. s.
259	— <i>nana. w.</i>	Dwarf ditto	l. w. s.
260	<i>Amygdalus Persica</i>	Peach Tree	c. m.
261	— <i>v. flore pleno</i>	Double-flowering ditto	c. m.
262	— <i>v. Nectarina</i>	Nectarine	c. m.
263	— <i>nana</i>	Rough-leaved Almond	c. m.
264	— <i>pumila</i>	Dwarf ditto	c. m.
265	— <i>communis</i>	Common ditto	c. m.
266	— <i>fol. variegat.</i>	Striped-leaved ditto	c. m.
267	— <i>chinensis</i>	Chinese ditto	c. m.
268	— <i>orientalis</i>	Silvery-leaved ditto	c. m.
269	— <i>sibirica</i>	Siberian ditto	c. m.
270	<i>Prunus virginiana</i>	Virginian Bird-Cherry	c. m.
271	— <i>caroliniana</i>	Carolinian ditto	c. m.
272	— <i>lusitanica</i>	Portugal Laurel	c. m.

273	Lauro-Cerasus	Common Laurel	c. m.	317
274	— Maheleb	Perfumed Cherry	c. m.	318
275	— Armeniaca	Apricot Tree	c. m.	319
276	— pumila	Dwarf Bird-Cherry	c. m.	320
277	— pendula	Weeping Cherry	c. m.	321
278	— pennsylvanica	Pennsylvanian Bird-Cherry	c. m.	322
279	— nigra	Black ditto	c. m.	323
280	— cerasifera	Mirobalum Plum-Tree	c. m.	324
281	— rubra	Cornish Bird-Cherry	c. m.	325
282	— Cerasus, v. <i> flore pleno</i>	Double-flowering ditto	c. m.	326
283	— domestica	Common Plum	c. m.	327
284	— v. <i> flore pleno</i>	Double-flowering ditto	c. m.	328
285	— sibirica	Siberian ditto	c. m.	329

ICOSANDRIA DIGYNIA.

286	Crataegus Crus galli	Cockspur Thorn	c. m.	330
287	— v. <i>pyracanthifolia</i>	Pyracanthus-leaved ditto	c. m.	331
288	— salicifolia	Willow-leaved ditto	c. m.	332
289	— Aria, v. <i>succica</i>	Swedish White Beam Tree	c. m.	333
290	— coccinea	American Hawthorn	c. m.	334
291	— sanguinea	Bloody ditto	c. m.	335
292	— cordata	Maple-leaved ditto	c. m.	336
293	— pyrifolia	Pear-leaved ditto	c. m.	337
294	— elliptica	Oval-leaved ditto	c. m.	338
295	— glandulosa	Hollow-leaved ditto	c. m.	339
296	— flava	Yellow-berried ditto	c. m.	340
297	— parviflora	Gooseberry-leaved ditto	c. m.	341
298	— punctata	Great-fruited ditto	c. m.	342
299	— v. <i>aurea</i>	Great Yellow-fruited ditto	c. m.	343
300	— Azarolus	Parsley-leaved ditto	c. m.	344
301	— monogynia, v. <i>coc.</i>	Scarlet Thorn	c. m.	345
302	— tomentosa	Woolly-leaved ditto	c. m.	346
303	— odoratissima	Sweet-scented ditto	c. m.	347

ICOSANDRIA PENTAGYNIA.

304	Mespilus Pyracantha	Evergreen Thorn	c. m.	348
305	— Chamæ Mespilus	Bastard Quince	c. m.	349
306	— canadensis	Snowy Service	c. m.	350
307	— Cotoneaster	Dwarf Mespilus	c. m.	351
308	— arbutifolia	Arbutus-leaved ditto	c. m.	352
309	— <i>fructu rubro</i>	Red-fruited ditto	c. m.	353
310	— <i>fructu albo</i>	White-fruited ditto	c. m.	354
311	— tomentosa	Woolly ditto	c. m.	355
312	— Amelanchier	Alpine ditto	c. m.	356
313	— pennsylvanica	Pennsylvanian ditto	c. m.	357
314	Pyrus Pollveria	Woolly-leaved Pear-tree	c. m.	358
315	— spectabilis	Chinese Apple-tree	c. m.	359
316	— prunifolia	Large Siberian Crab	c. m.	360

317	<i>Pyrus baccata</i>	Small Siberian Crab	c. m.
318	— <i>coronaria</i>	Sweet-scented ditto	c. m.
319	— <i>angustifolia</i>	Narrow-leaved ditto	c. m.
320	— <i>Cydonia</i>	Common Quince	c. m.
321	— <i>salicifolia</i>	Willow-leaved Crab	c. m.
322	— <i>præcox</i>	Early-flowering ditto	c. m.
323	<i>Spiræa laevigata</i>	Smooth-leaved Spiræa	b. l.
324	— <i>salicifolia</i>	Willow-leaved ditto	c. m.
325	— v. <i>paniculata</i>	Panicled ditto	c. m.
326	— v. <i>latifolia</i>	Broad-leaved ditto	c. m.
327	— <i>tomentosa</i>	Woolly-leaved ditto	c. m.
328	— <i>Hypericifolia</i>	Hypericum-leaved ditto	c. m.
329	— <i>crenata</i>	Crenated ditto	c. m.
330	— <i>chamaedrifolia</i>	Germander-leaved ditto	c. m.
331	— <i>thalictroides</i>	Meadow Rue leaved ditto	l.
332	— <i>Opulifolia</i>	Guelder Rose leaved ditto	c. m.
333	— <i>sorbifolia</i>	Mountain Ash-leaved	b. m.
334	— <i>sibirica</i>	Siberian ditto	c. m.

ICOSANDRIA POLYGYNIA.

335	<i>Rosa lutea</i>	Single Yellow Rose	l.
336	— <i>bicolor</i>	Red and Yellow Austrian ditto	l.
337	— <i>sulphurea. w.</i>	Double Yellow ditto	l. s.
338	— <i>blanda</i>	Hudson's Bay ditto	l.
339	— <i>cinnamomea. fl. pl.</i>	Double Cinnamon ditto	c. m.
340	— <i>pimpinellifolia</i>	Small Burnet-leaved ditto	c. m.
341	— <i>spinosissima. v.</i>	Striped-flowered Scotch Rose	c. m.
342	— v. <i>ruberrima</i>	Red Scotch ditto	c. m.
343	— v. <i>flore pleno</i>	Double Scotch ditto	c. m.
344	— v. <i>altissima</i>	Tall Scotch ditto	c. m.
345	— v. <i>versicolor</i>	Marbled Scotch ditto	c. m.
346	— <i>carolina</i>	Single Burnet-leaved ditto	c. m.
347	— v. <i>flore pleno</i>	Double Burnet-leaved ditto	c. m.
348	— v. <i>pimpinellifolia</i>	Single Pennsylvanian ditto	c. m.
349	— v. <i>pimpinellifol. fl. pl.</i>	Double Pennsylvanian ditto	b. m.
350	— v. <i>diffusa</i>	Spreading Carolina ditto	c. m.
351	— v. <i>stricta</i>	Upright Carolina Rose	c. m.
352	— <i>villosa, v. flore pleno</i>	Double Apple-bearing ditto	c. m.
353	— <i>provincialis</i>	Common Provins ditto	c. m.
354	— v. <i>ruberrima</i>	Scarlet Provins ditto	c. m.
355	— v. <i>pallida</i>	Blush Provins ditto	c. m.
356	— v. <i>alba</i>	White Provins ditto	c. m.
357	— v. <i>multiflora</i>	Rose de Meaux	c. m.
358	— v. <i>bicolor</i>	Rose de Pomponne	b. m.
359	— v. <i>humilis</i>	Rose de Rheims	c. m.
360	— v. <i>prolifera</i>	Childing's Provins ditto	c. m.
361	— v. <i>lusitanica</i>	Blandford or Portugal ditto	c. m.
362	— v. —	Rose St. Francis	c. m.

363	<i>Rosa provincialis</i> v. —	Shailer's Provins ditto	c. m.	411
364	— <i>ferox</i>	Hedgehog ditto	c. m.	412
365	— <i>bracteata</i>	Id. Macartney's White Rose	c. m.	413
366	— <i>centifolia</i>	Dutch Hundred-leaved ditto	c. m.	414
367	— v. <i>rubicans</i>	Blush Hundred-leaved ditto	c. m.	415
368	— v. <i>Singletonia</i>	Singleton's Hundred-leaved do.	c. m.	416
369	— v. <i>holosericea</i>	Single Velvet ditto	c. m.	417
370	— v. <i>holosericea</i> fl. pl.	Double Velvet ditto	c. m.	418
371	— v. <i>sultana</i>	Sultan Rose	c. m.	419
372	— v. <i>stebennensis</i>	Stepney ditto	c. m.	420
373	— v. —	Lisbon ditto	c. m.	421
374	— v. —	Bishop ditto	c. m.	422
375	— v. —	Cardinal ditto	c. m.	423
376	— v. —	Blush Royal ditto	c. m.	424
377	— v. —	Petit Hundred-leaved ditto	c. m.	425
378	— v. —	Pluto ditto	c. m.	426
379	— v. —	Monstrous Hundred-leaved do.	c. m.	427
380	— v. —	Fringe ditto	c. m.	428
381	— v. —	Plicate ditto	c. m.	429
382	— v. —	Two-coloured Hund.-leaved do.	c. m.	
383	— v. —	Shell Rose	c. m.	
384	— <i>parvifolia</i>	Burgundy Rose	b. m.	430
385	— <i>gallica</i>	Red officinal Rose	c. m.	431
386	— v. <i>versicolor</i>	Rosa mundi	c. m.	432
387	— v. <i>marmorea</i>	Marbled Rose	c. m.	433
388	— v. —	Royal Virgin ditto	c. m.	434
389	— v. <i>major</i>	Giant ditto	c. m.	435
390	— <i>damascena</i>	Red Damask ditto	c. m.	436
391	— v. <i>rubicans</i>	Blush Damask ditto	c. m.	437
392	— v. <i>versicolor</i>	York and Lancaster ditto	c. m.	438
393	— v. <i>menstrualis</i>	Red Monthly ditto	c. m.	439
394	— v. <i>menstrualis alba</i>	White Monthly ditto	c. m.	440
395	— v. <i>Belgica</i>	Blush Belgic ditto	c. m.	441
396	— v. —	Great Royal ditto	c. m.	442
397	— v. —	Blush Monthly ditto	c. m.	443
398	— v. —	Red Belgic ditto	c. m.	444
399	— v. —	Goliah Rose	c. m.	445
400	— v. —	Imperial Blush ditto	c. m.	446
401	— <i>multiflora</i>	Many-flowered ditto	c. m.	447
402	— <i>sempervirens</i> c.	Evergreen Rose	c. m.	448
403	— <i>turbinata</i>	Frankfort ditto	c. m.	449
404	— <i>rubiginosa</i> v.	Semidouble Sweet Briar	c. m.	450
405	— v. <i>muscosa</i>	Mossy ditto	c. m.	451
406	— v. <i>sempervirens</i>	Manning's Blush ditto	c. m.	
407	— v. <i>flore pleno</i>	Double Red ditto	c. m.	
408	— v. —	Royal ditto	c. m.	
409	— <i>muscosa</i>	Moss Provence Rose	c. m.	452
410	— <i>moschata</i>	Single Musk ditto	c. m.	

411	<i>Rosa v. flore pleno</i>	Double Musk Rose	c. m.
412	— <i>alpina</i>	Alpine Rose	c. m.
413	— <i>v. rubro</i>	Red Alpine ditto	c. m.
414	— <i>canina, v. flore pleno</i>	Double Dog-rose	c. m.
415	— <i>pendulina</i>	Rose without Thorns	c. m.
416	— <i>alba</i>	Single White Rose	c. m.
417	— <i>v. flore pleno</i>	Double White ditto	c. m.
418	— <i>v. prolifera</i>	Cluster Maiden's-blush ditto	c. m.
419	— <i>v. major</i>	Great Maiden's-blush ditto	c. m.
420	— <i>procera</i>	Tall Rose	c. m.
421	— <i>americana</i>	American Yellow ditto	c. m.
422	<i>Rubus occidentalis</i>	American Bramble	c. m.
423	— <i>odoratus</i>	Flowering ditto	c. m.
424	— <i>fruticosus inermis. c.</i>	Bramble without Thorns	c. m.
425	— <i>v. laciniata. c.</i>	Cut-leaved Bramble	c. m.
426	— <i>v. flore pleno. c.</i>	Double-flowered ditto	c. m.
427	<i>Calycanthus floridus</i>	Carolina Allspice	l.
428	— <i>v. oblongus</i>	Long-leaved ditto	l.
429	— <i>præcox. w.</i>	Early-flowered Chinese ditto	l. s.

POLYANDRIA MONOGYNIA.

430	<i>Tilia Americana</i>	Broad-leaved American Lime	c. m.
431	— <i>v. corallina</i>	Red-twigg'd ditto	c. m.
432	— <i>pubescens</i>	Pubescent ditto	c. m.
433	— <i>alba</i>	White-leaved ditto	c. m.
434	<i>Cistus populifolius</i>	Poplar-leaved Cistus	l. s.
435	— <i>v. minor</i>	Small Poplar-leaved ditto	l. s.
436	— <i>laurifolius</i>	Laurel-leaved ditto	l. s.
437	— <i>Ladaniferus</i>	Gum Cistus	c. m.
438	— <i>monspeliensis</i>	Montpelier Cistus	l. s.
439	— <i>laxus</i>	Waved-leaved ditto	l. s.
440	— <i>salvifolius</i>	Sage-leaved ditto	l. s.
441	— <i>incanus</i>	Hoary ditto	l. s.
442	— <i>albidus</i>	White-leaved ditto	l. s.
443	— <i>crispus</i>	Curled-leaved ditto	l. s.
444	— <i>halimifolius</i>	Sea Purslane-leaved ditto	l. s.
445	— <i>halimifol. v. angustifol.</i>	Narrow-leaved Cistus	l. s.
446	— <i>umbellatus</i>	Umbelled-flowered ditto	l. s.
447	— <i>roseus</i>	Red-flowered ditto	l. s.
448	— <i>marifolius</i>	Marum-leaved ditto	l. s.
449	— <i>Tuberaria</i>	Plantain-leaved ditto	l. s.
450	— <i>apenninus</i>	Apennine ditto	c. m.
451	— <i>mutabilis</i>	Changeable ditto	l. s.

POLYANDRIA DIGYNIA.

452	<i>Fothergillia alnifolia</i>	Alder-leaved Fothergillia	b. s.
-----	-------------------------------	---------------------------	-------

POLYANDRIA POLYGYNIA.

453	<i>Liriodendron Tulipifera</i>	Common Tulip Tree	c. m.	493 H
454	<i>Magnolia grandiflora</i>	Laurel-leaved Magnolia	b. l. s.	494 —
455	— <i>v. obovata</i>	Broad-leaved ditto	b. l. s.	495 —
456	— <i>v. lanceolata</i>	Long-leaved ditto	b. l. s.	496 —
457	— <i>v. ferruginea</i>	Ferruginous ditto	b. l. s.	497 —
458	— <i>glauc</i>	Swamp ditto	b. l. s.	498 St
459	— <i>acuminata</i>	Blue-flowering ditto	b. l. s.	499 —
460	— <i>tripetala</i>	Umbrella Tree	b. l. s.	500 G
461	— <i>auriculata</i>	Large-leaved ditto	b. l. s.	
462	— <i>purpurea</i>	Purple Chinese ditto	b. l. s.	
463	<i>Annona triloba</i>	Trifid-fruited Custard Apple	b. l. s.	
464	<i>Atragea alpina. c.</i>	Alpine Atragea	b. l.	501 P
465	— <i>austriaca. c.</i>	Austrian ditto	b. l.	
466	<i>Clematis cirrhosa. c.</i>	Evergreen Virgin's Bower	b. l.	
467	— <i>florida. c.</i>	Large-flowered ditto	b. l.	502 Sp
468	— <i>flore pleno</i>	Double ditto	c. m.	503 —
469	— <i>viticella. c.</i>	Purple-flowered ditto	b. l.	504 —
470	— <i>v. fl. pleno. c.</i>	Double Purple-flowered ditto	c. m.	505 —
471	— <i>crispa. c.</i>	Curled-flowered ditto	b. l.	506 —
472	— <i>orientalis. c.</i>	Eastern ditto	b. l.	507 —
473	— <i>virginiana. c.</i>	Virginian ditto	c. m.	508 —
474	— <i>flammula. c.</i>	Sweet-scented ditto	c. m.	509 —

DIDYNAMIA GYMnosPERMIA.

475	<i>Teucrium flavum</i>	Yellow Teucrium	l. s.	510 G
476	<i>Satureja montana</i>	Winter Savory	c. m.	511 —
477	<i>Hyssopus officinalis</i>	Common Hyssop	c. m.	512 —
478	<i>Lavandula Spica</i>	Lavender	c. m.	513 —
479	— <i>v. flore albo</i>	White-flowered ditto	c. m.	514 —
480	— <i>Stæchas</i>	French ditto	c. m. s.	515 —
481	<i>Phlomis fruticosa</i>	Jerusalem Sage	c. m.	516 —
482	<i>Thymus vulgaris</i>	Common Thyme	c. m.	517 A
483	— <i>v. fol. variegat.</i>	Silver Thyme	c. m.	518 O
484	— <i>vulgaris. latifolia</i>	Broad-leaved Thyme	c. m.	519 —
485	— <i>Zygis</i>	Linear-leaved ditto	c. m.	520 G

DIDYNAMIA ANGiosPERMIA.

486	<i>Bignonia Catalpa</i>	Common Catalpa	c. m.	521 C
487	— <i>radicans</i>	Great Trumpet Flower	c. m.	522 —
488	— <i>v. minor</i>	Small ditto	c. m.	523 —
489	— <i>capreolata</i>	Four-leaved ditto	l. s.	524 —
490	<i>Vitex Agnus Castus</i>	Chaste Tree	c. m.	525 —
491	— <i>v. latifolia</i>	Broad-leaved ditto	c. m.	526 —

TETRADYNAMIA SILICULOSA.

492	<i>Vella Pseudo-cytisus</i>	Shrubby Vella	l. s.	527 —
-----	-----------------------------	---------------	-------	-------

493 H
494 —
495 —
496 —
497 —
498 St
499 —
500 G
501 P
502 Sp
503 —
504 —
505 —
506 —
507 —
508 —
509 —
510 G
511 —
512 —
513 —
514 —
515 —
516 —
517 A
518 O
519 —
520 G
521 C
522 —
523 —
524 —
525 —
526 —
527 —
528 —
529 —
530 —
531 —
532 —
533 R
534 —

MONADELPHIA POLYANDRIA.

493 <i>Hibiscus syriacus</i>	<i>Athæa Frutex</i>	c. m.
494 — <i>v. ruber</i>	Red-flowered ditto	c. m.
495 — <i>v. albus</i>	White-flowered ditto	c. m.
496 — <i>v. fol. variegat.</i>	Striped-leaved ditto	c. m.
497 — <i>v. flore pleno</i>	Double white-flowered ditto	c. m.
498 <i>Stuartia Malacodendron</i>	Common Stuartia	b. l. s.
499 — <i>marilandica</i>	Maryland ditto	b. l. s.
500 <i>Gordonia pubescens</i>	Loblolly Bay	b. l. s.

DIADELPHIA OCTANDRIA.

501 <i>Polygala Chamæbuxus</i>	Box-leaved Milkwort	b. m.
--------------------------------	---------------------	-------

DIADELPHIA DECANDRIA.

502 <i>Spartium Junceum</i>	Spanish Broom	c. m.
503 — <i>flore pleno</i>	Double-flowered ditto	l. s.
504 — <i>decumbens</i>	Trailing Broom	c. m.
505 — <i>Scorpius</i>	Scorpion ditto	c. m.
506 — <i>multiflorum</i>	Portugal White ditto	c. m.
507 — <i>patens</i>	Woolly-podded ditto	c. m.
508 — <i>purgans</i>	Purgings ditto	c. m.
509 — <i>radiatum</i>	Starry ditto	b. m.
510 <i>Genista candicans</i>	Evergreen Genista	c. m.
511 — <i>triquetra</i>	Triangular ditto	c. m.
512 — <i>sagittalis</i>	Jointed ditto	l.
513 — <i>sibirica</i>	Siberian ditto	c. m.
514 — <i>germanica</i>	German ditto	l.
515 — <i>hispanica</i>	Spanish ditto	l.
516 — <i>lusitanica</i>	Portugal ditto	l.
517 <i>Amorpha fruticosa</i>	Bastard Indigo	c. m.
518 <i>Ononis rotundifolia</i>	Round-leaved Rest-Harrow	l.
519 — <i>fruticosa</i>	Shrubby ditto	l.
520 <i>Glycine frutescens</i>	Shrubby Kidney-bean Tree	c. m.
521 <i>Cytisus Laburnum</i>	Common Laburnum	c. m.
522 — <i>v. latifolium</i>	Scotch ditto	c. m.
523 — <i>alpinus</i>	Alpine Cytisus	c. m.
524 — <i>nigricans</i>	Black ditto	c. m.
525 — <i>divaricatus</i>	Divaricated ditto	c. m.
526 — <i>sessilifolius</i>	Sessile-leaved ditto	c. m.
527 — <i>hirsutus</i>	Hairy Evergreen ditto	c. m. s.
528 — <i>purpureus</i>	Purple-flowered ditto	b. l.
529 — <i>austriacus</i>	Austrian ditto	l.
530 — <i>supinus</i>	Trailing ditto	l.
531 — <i>capitatus</i>	Large Yellow-flowered ditto	c. m.
532 — <i>biflorus</i>	Two-flowered ditto	c. m.
533 <i>Robinia Pseudo-Acacia</i>	Common Acacia	c. m.
534 — <i>hispida</i>	Rose Acacia	c. m.

535	<i>Robinia glutinosa</i>	Glutinous Acacia	c. m.
536	— <i>Caragana</i>	Caragana ditto	c. m.
537	— <i>Altagana</i>	Siberian ditto	l.
538	— <i>Chamlagu</i>	Shining-leaved ditto	l.
539	— <i>spinosa</i>	Thorny ditto	l.
540	— <i>Halodendron</i>	Salt Tree	l.
541	— <i>frutescens</i>	Shrubby Robinia	l.
542	— <i>pygmaea</i>	Dwarf ditto	l.
543	— <i>jubata</i>	Bearded ditto	l.
544	<i>Colutea arborescens</i>	Common Bladder Senna	c. m.
545	— <i>cruenta</i>	Eastern ditto	c. m.
546	— <i>Pocockii</i>	Pocock's ditto	c. m.
547	<i>Coronilla Emeris</i>	Scorpion Senna	c. m.
548	<i>Astragalus Tragacantha</i>	Goat's Thorn	l.

POLYADELPHIA POLYANDRIA.

549	<i>Hypericum calycinum</i>	Great-flowered St. John's-wort	c. m.
550	— <i>hireinum</i>	Fœtid ditto	c. m.
551	— <i>v. minus</i>	Lesser Fœtid ditto	c. m.
552	— <i>elatum</i>	Tall ditto	c. m.
553	— <i>prolificum</i>	Proliferous ditto	c. m.
554	— <i>olympicum</i>	Olympian ditto	l. s.
555	— <i>Kalmianum</i>	Kalmia-leaved ditto	c. m.

SYNGENESIA POLYGAMIA ÆQUALIS.

556	<i>Santolina Chamæcyparissus</i>	Lavender Cotton	c. m.
557	— <i>rosmarinifolius</i>	Rosemary-leaved ditto	c. m.

SYNGENESIA POLYGAMIA SUPERFLUA.

558	<i>Gnaphalium Stœchas</i>	Narrow-leaved Everlasting	l. s.
559	<i>Baccharis halimifolia</i>	Groundsel Tree	c. m.
560	<i>Cineraria maritima</i>	Sea Rag-wort	l. s.

GYNANDRIA PENTANDRIA.

561	<i>Passiflora cærulea. c.</i>	Blue Passion Flower	c. m. s.
-----	-------------------------------	---------------------	----------

GYNANDRIA HEXANDRIA.

562	<i>Aristolochia Sipho. c.</i>	Tree Birthwort	l.
-----	-------------------------------	----------------	----

MONOECIA TRIANDRIA.

563	<i>Axyris Ceratoides</i>	Shrubby Axyris	l. s.
564	<i>Comptonia asplenifolia</i>	Fern-leaved Gale	b. s.

MONOECIA TETRANDRIA.

565	<i>Aucuba japonica</i>	Blotched-leaved Aucuba	l. b. s.
-----	------------------------	------------------------	----------

566 Be

567 —

568 —

569 —

570 —

571 —

572 —

573 —

574 Bu

575 —

576 —

577 Mo

578 —

579 —

580 —

581 Iva

582 Qu

583 —

584 —

585 —

586 —

587 —

588 —

589 —

590 —

591 —

592 —

593 —

594 —

595 —

596 —

597 —

598 —

599 —

600 —

601 —

602 —

603 —

604 Fa

605 —

606 —

607 —

608 Ca

EXOTIC TREES AND SHRUBS.

167

566	<i>Betula populifolia</i>	Poplar-leaved Birch	c. m.
567	— <i>nigra</i>	Black Birch	c. m.
568	— <i>papyracea</i>	Paper ditto	c. m.
569	— <i>pumila</i>	Hairy-leaved Dwarf ditto	b. m.
570	— <i>oblongata</i>	Oblong-leaved ditto	c. m.
571	— <i>laciniata</i>	Cut-leaved Alder	c. m.
572	— <i>incana</i>	Glaucous-leaved Alder	c. m.
573	— <i>v. angulata</i>	Elm-leaved ditto	c. m.
574	<i>Buxus balearicus</i>	Minorca Box	l. s.
575	— <i>semperv. v. variegat.</i>	Striped-leaved ditto	c. m.
576	— <i>v. angustifolia</i>	Narrow-leaved ditto	c. m.
577	<i>Morus alba</i>	White Mulberry	c. m.
578	— <i>nigra</i>	Black ditto	c. m.
579	— <i>papyracea</i>	Paper ditto	c. m.
580	— <i>rubra</i>	Red ditto	c. m.

MONOECIA PENTANDRIA.

581	<i>Iva frutescens</i>	Bastard Jesuit's-Bark Tree	c. m.
-----	-----------------------	----------------------------	-------

MONOECIA POLYANDRIA.

582	<i>Quercus Phellos</i>	Willow-leaved Oak	l.
583	— <i>v. sericea</i>	Dwarf Willow-leaved ditto	l.
584	— <i>Ilex</i>	Evergreen Oak	c. m.
585	— <i>v. serrata</i>	Sawed-leaved Evergreen ditto	c. m.
586	— <i>v. oblonga</i>	Oblong-leaved Evergreen do.	c. m.
587	— <i>Suber</i>	Cork Tree	c. m.
588	— <i>virens</i>	Live Oak	c. m.
589	— <i>Prinos</i>	Chesnut-leaved Oak	l. s.
590	— <i>v. oblonga</i>	Long-leaved ditto	l.
591	— <i>aquatica</i>	Water Oak	l.
592	— <i>v. heterophylla</i>	Various-leaved Water Oak	l.
593	— <i>v. elongata</i>	Long-leaved Water ditto	l.
594	— <i>v. indivisa</i>	Entire-leaved Water ditto	l.
595	— <i>v. attenuata</i>	Narrow-leaved Water ditto	l.
596	— <i>nigra</i>	Black Oak	c. m.
597	— <i>rubra</i>	Red ditto	c. m.
598	— <i>v. coccinea</i>	Scarlet ditto	c. m.
599	— <i>v. montana</i>	Mountain Red ditto	c. m.
600	— <i>discolor</i>	Downy-leaved ditto	c. m.
601	— <i>alba</i>	White Oak	c. m.
602	— <i>Ægilops</i>	Large prickly-cupped ditto	l.
603	— <i>Cerris</i>	Turkey Oak	c. m.
604	<i>Fagus pumila</i>	Chinquapin Chesnut	l. s.
605	— <i>ferruginea</i>	Copper Beech	c. m.
606	— <i>sylvatica v. purpurea</i>	Purple ditto	c. m.
607	— <i>v. asplenifolia</i>	Fern-leaved ditto	c. m.
608	<i>Carpinus virginiana</i>	Virginian Hornbeam	c. m.

609	<i>Carpinus Ostrya</i>	Hop Hornbeam	c. m.
610	<i>Corylus rostrata</i>	American Cuckold Nut	c. m.
611	— <i>Columna</i>	Constantinople ditto	c. m.
612	<i>Platanus orientalis</i>	Palmated Plane Tree	c. m.
613	— <i>v. acerifolia</i>	Maple-leaved ditto	c. m.
614	— <i>v. undulata</i>	Waved-leaved ditto	c. m.
615	— <i>occidentalis</i>	Lobed-leaved ditto	c. m.
616	<i>Liquidamber styraciflua</i>	Maple-leaved Gum Tree	l.

MONOECIA MONADELPHIA.

617	<i>Pinus Pinaster</i>	Pinaster	c. m.
618	— <i>Inops</i>	Jersey Pine	l.
619	— <i>resinosa</i>	Pitch ditto	l.
620	— <i>halepensis</i>	Aleppo Pine	l.
621	— <i>Pinea</i>	Stone Pine	l.
622	— <i>Tæda</i>	Frankincense ditto	l.
623	— <i>v. rigida</i>	Three-leaved ditto	l.
624	— <i>v. variabilis</i>	Two and three-leaved ditto	l.
625	— <i>v. alopecuroides</i>	Fox-tail ditto	l.
626	— <i>v. Cembra</i>	Siberian Stone ditto	c. m.
627	— <i>Strobis</i>	Weymouth ditto	c. m.
628	— <i>Cedrus</i>	Cedar of Lebanon	c. m.
629	— <i>Larix</i>	Red Larch	c. m.
630	— <i>v. pendula</i>	Black Larch	c. m.
631	— <i>Picea</i>	Silver Fir	c. m.
632	— <i>Balsamea</i>	Balm of Gilead Fir	c. m.
633	— <i>canadensis</i>	Hemlock Spruce Fir	c. m.
634	— <i>nigra</i>	Black ditto	c. m.
635	— <i>alba</i>	White ditto	c. m.
636	— <i>Abies</i>	Red or Common ditto	c. m.
637	— <i>sylvestris v. tatarica</i>	Tartarian Pine	l.
638	— <i>v. montana</i>	Mountain ditto	l.
639	— <i>v. divaricata</i>	Hudson's bay ditto	l.
640	— <i>v. maritima</i>	Sea Pine	l.
641	<i>Thuja occidentalis</i>	American Arbor-vitæ	c. m.
642	— <i>orientalis</i>	Chinese ditto	c. m.
643	<i>Cupressus sempervirens</i>	Upright Cypress	c. m.
644	— <i>v. horizontalis</i>	Male Spreading ditto	c. m.
645	— <i>disticha</i>	Deciduous ditto	c. m.
646	— <i>v. mutans</i>	Long-leaved Deciduous ditto	l.
647	— <i>thyoides</i>	Arbor-vitæ-leaved ditto	c. m.
648	— <i>pendula</i>	Cedar of Goa	l. s.

DIOECIA DIANDRIA.

649	<i>Salix phylicæfolia</i>	Phylica-leaved Willow	c. m.
650	— <i>babylonica</i>	Weeping Willow	c. m.
651	— <i>retusa</i>	Blunt-leaved ditto	c. m.

652 S
653 —
654 —
655 —
656 —
657 —

658 E
659 H
660 M
661 —

662 P
663 X

664 S

665 —

666 —

667 —

668 —

669 —

670 —

671 —

672 P

673 —

674 —

675 —

676 —

677 —

678 —

679 —

680 C

681 M

682 —

683 J

684 —

685 —

652 <i>Salix incubacea</i>	Spreading Willow	c. m.
653 — <i>ulmifolia</i>	Elm-leaved ditto	c. m.
654 — <i>hastata</i>	Halbert-leaved ditto	c. m.
655 — <i>myrtilloides</i>	Myrtle-leaved ditto	c. m.
656 — <i>Lapponum</i>	Lapland ditto	c. m.
657 — <i>tristis</i>	Narrow-leaved American ditto	c. m.

DIOECIA TRIANDRIA.

658 <i>Empetrum rubrum</i>	Red Crow Berry	b. m.
659 <i>Hippophaë canadensis</i>	Canada Sea Buck-thorn	b. l. s.
660 <i>Myrica cerifera</i>	Candleberry Myrtle	b. l.
661 — <i>v. latifolia</i>	Broad-leaved ditto	b. l.

DIOECIA PENTANDRIA.

662 <i>Pistachia Terebinthus</i>	Pistachia Nut Tree	l. s.
663 <i>Xanthoxylum ClavaHerculis</i>	Tooth-ach Tree	c. m.

DIOECIA HEXANDRIA.

664 <i>Smilax aspera. c.</i>	Rough Bindweed	l. b.
665 — <i>lanceolata. c.</i>	Spear-leaved ditto	l. b.
666 — <i>rotundifolia. c.</i>	Round-leaved ditto	l. b.
667 — <i>Bona Nox. c.</i>	Ciliated ditto	l. b.
668 — <i>laurifolia. c.</i>	Laurel-leaved ditto	l. b.
669 — <i>sassaparilla. c.</i>	Sassaparilla ditto	l. b.
670 — <i>tamnoides. c.</i>	Briony-leaved ditto	l. b.
671 — <i>caduca. c.</i>	Deciduous ditto	l. b.

DIOECIA OCTANDRIA.

672 <i>Populus dilatata</i>	Lombardy Poplar	c. m.
673 — <i>balsamifera</i>	Tacamahac ditto	c. m.
674 — <i>candicans</i>	White-leaved ditto	c. m.
675 — <i>laxigata</i>	Smooth-leaved ditto	c. m.
676 — <i>monilifera</i>	Canadian ditto	c. m.
677 — <i>græca</i>	Athenian ditto	c. m.
678 — <i>heterophylla</i>	Various-leaved ditto	c. m.
679 — <i>angulata</i>	Carolina ditto	c. m.

DIOECIA DECANDRIA.

680 <i>Coriaria myrtifolia</i>	Myrtle-leaved Sumach	c. m.
--------------------------------	----------------------	-------

DIOECIA DODECANDRIA.

681 <i>Menispermum canadense. c.</i>	Canada Moon-seed	l. b.
682 — <i>carolinianum</i>	Carolina ditto	l. b.

DIOECIA MONADELPHIA.

683 <i>Juniperus thuifera</i>	Spanish Juniper	c. m.
684 — <i>Sabina</i>	Common Savin	c. m.
685 — <i>v. tamariscifolia</i>	Tamarisk-leaved ditto	c. m.

Q

686	<i>Juniperus v. fol. variegat.</i>	Variegated Savin	c. m.
687	— <i>virginiana</i>	Red Cedar	c. m.
688	— <i>repens</i>	Creeping ditto	c. m.
689	— <i>Oxycedrus</i>	Brown-berried ditto	l. b. s.
690	— <i>phœnicea</i>	Phœnician ditto	l. b. s.
691	— <i>bermudiana</i>	Bermudian ditto	l. b. s.
692	— <i>communis v. suecica</i>	Swedish ditto	c. m.
693	— <i>montana</i>	Alpine ditto	l. b.
694	<i>Ephedra monostachya</i>	Shrubby Horse-tail	l. b.
695	— <i>distachya</i>	Greater ditto	l. b.
696	<i>Cissampelos smilacina</i>	Smilax-leaved Cissampelos	l. b.

DIOECIA SYNGENESIA.

697	<i>Ruscus Hypoglossum</i>	Broad-leaved Alexandrian Laurel	c. m.
698	— <i>Hypophyllum</i>	Double-leaved ditto	b. m.
699	— <i>racemosus</i>	Common ditto	b. m.

POLYGAMIA MONOECIA.

700	<i>Atriplex Halimus</i>	Sea Purslane	c. m.
701	<i>Acer tataricum</i>	Tartarian Maple	c. m.
702	— <i>rubrum</i>	Scarlet ditto	c. m.
703	— <i>v. pallidum</i>	Pale ditto	c. m.
704	— <i>saccharinum</i>	Sugar Maple	c. m.
705	— <i>platanoides</i>	Plane-leaved ditto	c. m.
706	— <i>v. laciniatum</i>	Cut-leaved ditto	c. m.
707	— <i>montanum</i>	Mountain ditto	c. m.
708	— <i>pensylvanicum</i>	Pennsylvanian ditto	c. m.
709	— <i>monspessulanum</i>	Montpellier ditto	c. m.
710	— <i>creticum</i>	Cretan ditto	c. m.
711	— <i>Negundo</i>	Ash-leaved ditto	c. m.
712	— <i>Opalus</i>	Italian ditto	c. m.

POLYGAMIA DIOECIA.

713	<i>Gleditsia triacanthos</i>	Three-thorned Acacia	c. m.
714	— <i>v. horrida</i>	Strong-spined ditto	c. m.
715	— <i>v. monosperma</i>	Single-seeded ditto	c. m.
716	<i>Fraxinus rotundifolia</i>	Round-leaved Ash	c. m.
717	— <i>excelsior v. crispa</i>	Curled-leaved ditto	c. m.
718	— <i>v. diversifolia</i>	Various-leaved ditto	c. m.
719	— <i>v. pendula</i>	Weeping Ash	c. m.
720	— <i>v. striata</i>	Striped-barked ditto	c. m.
721	— <i>v. variegata</i>	Blotch-leaved ditto	c. m.
722	— <i>Ornus</i>	Flowering ditto	c. m.
723	— <i>americana</i>	American ditto	c. m.
724	— <i>chinensis</i>	Chinese ditto	c. m.
725	— <i>rotundifolia</i>	Round-leaved ditto	c. m.
726	<i>Diospyrus Lotus</i>	Date Plum Tree	c. m.

EXOTIC TREES AND SHRUBS.

171

727	Diospyrus virginiana	Virginian Plum Tree	c. m.
728	Nyssa integrifolia	Mountain Tupello	l. b.
729	— denticulata	Water ditto	l. b.

POLYGAMIA TRIOECIA.

730	Ficus Carica	Common Fig Tree	c. m.
-----	--------------	-----------------	-------

FOREIGN HARDY HERBACEOUS PLANTS.

In enumerating the foregoing, as well as the plants of the present section, I have had more than one object in view; being desirous to put in only such plants as were ornamental or curious, at the same time to insert none but what are perfectly hardy; yet, independently of this, to make it sufficiently general, to give to such persons who might wish to study plants scientifically, a sufficient number for examples in every genus. For this purpose I have retained a portion of the Umbelliferous and other plants. Although not to be distinguished for their general beauty or appearance, yet they are calculated to afford the student the best plants for comparison, and for that reason I have arranged them according to the Linnæan System.

DIANDRIA MONOGYNIA.

1	Veronica sibirica	Siberian Speedwell	c. m.
2	— virginica	Virginian ditto	c. m.
3	— spuria	Bastard ditto	c. m.
4	— maritima	Blue-flowered Sea ditto	c. m.
5	— longifolia	Long-leaved ditto	c. m.
6	— incana	Hoary ditto	c. m.
7	— incisa	Cut-leaved ditto	c. m.
8	— Allioni	Creeping ditto	c. m.
9	— Teucrium	Hungarian ditto	c. m.
10	— urticifolia	Nettle-leaved ditto	c. m.
11	— orientalis	Oriental ditto	c. m.
12	— candida	White-leaved ditto	c. m.
13	— multifida	Multifid ditto	c. m.
14	— latifolia	Broad-leaved ditto	c. m.