

INDEX.

Our account of the most celebrated German Spas, and of the Mineral Waters of our own Country (page 396 to 410), and also the Medical Botany or Family Herbal, being alphabetically arranged (page 416 to 439), we deem it unnecessary to extend the Index by any reference to those pages, excepting where any particular formula or recipe has been interspersed.

A

- ABLUTIONS**, Jewish and Mahometan, well calculated for the preservation of health, 36.
- Abortion**, causes and symptoms of, 342. Means of prevention, 343. Proper treatment in the case of, 393.
- Abscesses**, how to be treated, 199, 359.
- ACCIDENTS**. See **CASUALTIES**.
- Acids**, of peculiar service in consumptions, 102. In putrid fevers, 114. Not suitable to the measles, 152.
- Acidities in the bowels of infants**, the origin of, 343. Method of cure, 343.
- Acid, vitriolic**, diluted, 442.
- Addison**, his remarks on the luxury of the table, 52.
- Ether**, very serviceable in removing fits of the asthma, 258. Is excellent for flatulencies, 282.
- Ethiops mineral**, strongly recommended by Dr. Cheyne in inflammations of the eyes, 171.
- Agaric of the oak**, its merit as a styptic, 362.
- Agriculture**, a healthful and profitable employment, 27. Is too much neglected in favour of manufactures, 27. Gardening the most wholesome amusement for sedentary persons, 30.
- Ague**, a species of fever no person can mistake, and the proper medicine for generally known.—Causes of, 81. Symptoms—Regimen for—Under a proper regimen, will often go off without medicine—Medical treatment of, 82. Often degenerates into obstinate chronical diseases, if not radically cured.—Cinchona bark the only medicine to be relied on in.—Children how to be treated in, 85. Preventive medicine for those who live in marshy countries, 86. See **AGUE** also in 420, 434.
- Air**, confined, poisonous to children, 17. A free open air will sometimes cure the most obstinate disorders in children, 18. The qualities of, act more sensibly on the body than is generally imagined, 41. The several noxious qualities of, specified.—In large cities, polluted by various circumstances, 42. The air in churches, how rendered unwholesome, 42. Houses ought to be ventilated daily, 43. The danger

- attenuating small apartments, 43. Persons whose business confines them to town ought to sleep in the country, 43. High walls obstruct the free current of air, 44. Trees should not be planted too near to houses, 44. Fresh air peculiarly necessary for the sick, 44. The sick in hospitals in more danger from the want of fresh air, than from their disorders, 45. Wholesomeness of the morning air, 47. The changeableness of, one great cause of catching cold, 70. Those who keep most within doors, the most sensible of these changes, 70. Of the night to be carefully guarded against, 71. Fresh air often of more efficacy in diseases than medicine, 77. Its importance in fevers, 80, 88. States of, liable to produce putrid fevers, 112. Must be kept cool and fresh in sick chambers under this disorder, 114. Change of, one of the most effectual remedies for the whooping cough, 184. The qualities of, a material consideration for asthmatic patients, 257. The various ways by which it may be rendered noxious, 378. Confined, how to try, and purify, 378. Method of recovering persons poisoned by foul air, 379. Fresh, of the greatest importance in fainting fits, 382.
- Alkali, caustic, recommended in the stone, 209.
- Aliment, is capable of changing the whole constitution of the body, 34. Will in many cases answer every intention in the cure of diseases, 35. The calls of hunger and thirst sufficient for regulating the due quantity of, 35. The quality of, how injured, 35. A due mixture of vegetables necessary with our animal food, 35. To what the bad effects of tea are principally owing, 36. Water, good and bad, distinguished, 37. Inquiry into the qualities of fermented liquors, with instructions for the due making of them, 38. The qualities of good bread, and why adulterated by bakers, 39. General rules for the choice of food, 39. Ought not to be too uniform.—Meals ought to be taken at regular times, 40. Long fasting injurious both to old and young.—Breakfasts and suppers.—Changes of diet ought to be gradually made, 41.
- AMAUROSIS. See GUTTA SERENA.
- American Indians, their method of curing the venereal disease, 325.
- Amusements, sedentary, improper for sedentary persons, 28. Ought always to be of an active kind, 46.
- ANASARCA. See DROPSY.
- Anger, violent fits of, injurious to the constitution, 62. Tranquillity of mind essential to health, 62.
- Animal food, cautions in giving it to children, 11. Animals that die of themselves, unfit for food, 36. Overdriven cattle rendered unwholesome, 36. The artifices of butchers exposed, 36. Too great a quantity of, generates the scurvy, 36.
- Animals and plants, the analogy in the nourishment of, stated, 51.
- ANTHONY'S FIRE, ST. See ERYSIPELAS.
- Antimony tartarised, solution of, for an emetic, 457.
- Apūthæ. See THRUSH.
- Apoplexy, who most liable to this disorder, 259. Causes, 259. Symptoms and method of cure, 259. Cautions to persons of an apoplectic make, 260.
- Apothecaries' weights, a table of, 415.
- APPAREL. See CLOTHING.
- Appetite, want of, causes and remedies for, 266.

Arbuthnot, Dr. his advice in the inflammation of the lungs, 95. His advice for persons troubled with costiveness, 262.

Arsenic, the effects of on the stomach, 300. Medical treatment when the symptoms appear, 300.

ARTS. See MANUFACTURES.

ASCITES. See DROPSY.

Asses' milk, why it seldom does any good, 99. Instructions for taking it, 99. Artificial how prepared, 458.

Asthma, the different kinds of this disorder distinguished, with its causes, 256. Symptoms, 256. Regimen, 257. Medical treatment, 257. Remedies proper in the moist asthma, 258. See ASTHMA also 423, 430, 435, 439.

ATMOSPHERE. See AIR.

B

Ball's purging vermifuge powder, preparation of, 232.

Balsams, how to prepare. Anodyne balsam, 443. Locatelli's balsam, 443. Vulnerary balsam, 443.

Bark, Peruvian, the best antidote for sailors against disorders on a foreign coast, 26. How to be administered in the ague, 84. A decoction or infusion of, may be taken by those who cannot swallow it in substance, 85. How it may be rendered more palatable, 86. May be administered by clyster, 86. Cold water the best menstruum for extracting the virtues of this drug, 102. How to be administered in the putrid fever, 116; and in the erysipelas, 165. In an inflammation of the eyes, 169. Its efficacy in a malignant quinsy, 171. In the whooping cough, 186. A good medicine in vomiting, when it proceeds from weakness of the stomach, 204. Its efficacy in a diabetes, and how to take it, 206. Is good against the piles, 214; and worms, 229. Its use dangerous for preventing a fit of the gout, 241. A good remedy in the king's evil, 253; and in the fluor albus, 340. Externally to children in agues 420. See Cinchona.

Barley water, how made, 91, 417.

Barrenness in women, the general cause of, 340.

Barrough, Dr. his method of curing the falling sickness, 274. He recommended the use of antimonial wine one hundred and fifty years before the late learned Dr. Huxham, 275.

Bath waters, good in the gout, 241.

Bath, cold, the good effects of on children, 17. Recommended to the studious, 34. Is peculiarly excellent for strengthening the nervous system, 285. Therefore should never be omitted in gleans, 316. Is good for rickety children, 353. Cautions concerning the improper use of, in adults, 394.

Bath, warm, of great service in an inflammation of the stomach, 188.

Bathing, a religious duty under the Judaic and Mahometan laws, 56.

Warm, the various benefits derived from, 395.

Bear's foot, recommended as a powerful remedy against worms, 232, 418.

Beds, instead of being made up again as soon as persons rise from them. ought to be turned down and exposed to the air, 43. Bad effects of too great indulgence in bed, 43. Damp, the danger of, 71. Soft, are injurious to the kidneys, 205.

- Beer, the ill consequences of making it too weak, and the pernicious artifices of the dealers in, 38.
- Biles, 360.
- Bilious colic, symptoms and treatment of, 193. Medical treatment of, 193.
- Bilious fever. See FEVER.
- Bite of a mad dog. See DOG.
- Bitters, warm and astringent, antidotes to agues, 82. Are serviceable in vomiting when it proceeds from weakness in the stomach, 204.
- Bladder, inflammation of, its general causes, 197.
- Bladder, stone in. See STONE.
- Blast. See ERYSIPELAS.
- Bleeding, cautions for the operation of, in fevers, 80. In the ague, 86. Its importance in the acute continual fever, 89. In the pleurisy, 92. When necessary in an inflammation of the lungs, 95. Caution against, in a nervous fever, 110. In the putrid fever, 113. In the miliary fever, 121. When necessary in the small-pox, 129. When useful in the measles, 153. When necessary in the bilious fever, 161. Under what circumstances proper in the erysipelas, 164. Mode of, proper in an inflammation of the brain, 166. Is always necessary in the inflammation of the eyes, 170. When proper and improper in a cough, 181. When proper in the hooping-cough, 184. Is almost the only thing to be depended on in an inflammation of the stomach, 188; and in an inflammation of the intestines, 189. Is necessary in an inflammation of the kidneys, 196. Its use in a suppression of urine, 207. Is proper in an asthma, 257. Is dangerous in fainting fits, without due caution, 281. Cautions proper in the puerperal fever, 337. Is an operation generally performed by persons who do not understand when it is proper, 357. In what cases it ought to be had recourse to, 375. The quantity taken away, how to be regulated, 358. General rules for the operation, 358. Prevailing prejudices relating to bleeding, 358. The arm the most commodious part to take blood from, 359.
- Bleeding at the nose, spontaneous, is of more service, where bleeding is necessary, than the operation with the lancet, 212. Ought not to be stopped without due consideration, 212. How to stop it when necessary, 212. Cautions to prevent frequent returns of, 213.
- Blisters, peculiarly advantageous in the nervous fever, 110. When only to be applied in the putrid fever, 115. When proper in the miliary fever, 120. Seldom fail to remove the most obstinate inflammation of the eyes, 169. A good remedy in the quinsy, 174. Proper for a violent hooping-cough, 180. Is one of the best remedies for an inflammation of the stomach, 188. Are efficacious in the tooth ach, 226.
- Blood, involuntary discharges of, often salutary, and ought not to be rashly stopped, 210. The several kinds of these discharges, with their usual causes, 211. Methods of cure, 212.
- Blood, spitting of, who most subject to, and at what seasons, 212. Its causes, 215. Symptoms.—Proper regimen in.—Medical treatment, 216. Cautions for persons subject to it, 217.
- Blood, vomiting of, its causes, and symptoms.—Medical treatment, 217.
- Blood-shot eye, how to cure, 292.
- Bloody-flux. See DYSENTERY.

- oerhaave, his mechanical expedients to relieve an inflammation of the brain, 167.
- Boluses, general rules for the preparing of—The astringent bolus—Bolus of rhubarb and mercury—Pectoral bolus—Purging bolus, 444.
- Bones, the exfoliation of, a very slow operation, 367. Bones, broken, often successfully undertaken by ignorant operators, 370. Regimen to be adopted after the accident, 371.
- Bowels, inflammation of. See Stomach.
- Boys, the military exercise proper for them, 15.
- Brain, inflammation of, who most liable to it, with its causes and symptoms, 165. Regimen—Medical treatment, 167.
- Bread, proper food for children, as soon as they can chew it—A crust of, the best gum-stick—The best modes of preparing it in food for children, 10. Toasted, a decoction of, good to check the vomiting in a cholera morbus, 200.
- Brimstone. See SULPHUR.
- Broth, gelatinous, recommended in the dysentery, how to make it, 220.
- Bruises, why of worse consequence than wounds, 364. Proper treatment of, 365. How to cure sores occasioned by, 365.
- uboes, two kinds of, distinguished, with their proper treatment, 318.
- Buchan, Dr. A. P. his Practical Observations on Sea-bathing recommended, 395.
- Burdens, heavy, injurious to the lungs, 23; and to persons afflicted with ruptures, 392.
- Burgundy pitch, a plaster of, between the shoulders, an excellent remedy in a cough, 182. In a hooping cough, 186. And for children in teething, 351.
- Burns, slight, how to cure, 363. Treatment of, when violent, 363. Extraordinary case of, 364. Liniment for, 464.
- Butchers, their professional artifices explained and condemned, 36.

C

- Cabbage-leaves, topical application of, in a pleurisy, 92.
- Cachexy, 431.
- Camphorated mixture, or julep, 457.
- Camphorated oil, preparation of, 460.
- Camphorated spirit of wine, 470.
- Camps, the greatest necessity of consulting cleanliness in, 56.
- Cancer, its different stages described, with the producing causes—Symptoms, 296. Regimen, and medical treatment, 297. Carburate or rust of iron recommended in this disease—Cautions for avoiding it, 299.
- Carrot, wild, recommended in the stone, 209.
- Carrot poultice for cancers, how to prepare, 298.
- Casualties, which apparently put an end to life. Necessary cautions respecting, 373.
- substances stopped in the gullet, 374.
- drowning, 376.
- Casualties, noxious vapours, 378.
- extremity of cold, 379.

- Cataplasms, their general intention—Preparation of the discutient cataplasma, 444. Ripening cataplasma, 445.
- Cataract, the disorder and its proper treatment described, 290.
- Cellars, long shut, ought to be cautiously opened, 43. And sunk stories of houses, unhealthy to live in, 72. Of liquors in a state of fermentation, dangerous to enter—How to purify the air in, 378.
- Celsus, his rules for the preservation of health, 74.
- Cerates, the general intentions of—Cerate of calomel—Cerate of calamine, 445.
- Chancres, described—Primary, how to treat—Symptomatic, 391.
- Charcoal fire, the danger of sleeping in the fume of, 398.
- Chicken-pox, its symptoms and treatment, 138, 139.
- Chilblains, cause of—How to cure, 347.
- Child-bed women, how to be treated under a miliary fever 121. Mixture suitable for, 337; for the infant, 337. Delivery to facilitate—After-pains to diminish, 345.
- CHILD-BED FEVER. See FEVER.
- Child-birth, the season of requires due care after the labour-pains are over, 344. Medical advice to women in labour, 345. How to guard against the miliary fever, 121, 337. Symptoms of the puerperal fever, 337. Proper treatment of this fever, 337. General cautions for women at this season, 339.
- Children, their diseases generally acute, and delay dangerous—Their disorders less complicated, and easier cured, than those of adults—Are often the heirs of the diseases of their parents, 4. Those born of diseased parents require peculiar care in the nursing, 5. Are often killed or deformed by injudicious clothing, 5. The usual causes of deformity in, explained, 6. Their clothes ought to be fastened on with strings, 6. General rule for clothing them, 8. Cleanliness, an important article in their dress, 6. The milk of the mother the most natural food for, 9. Absurdity of giving them drugs as their first food, 9. The best method of expelling the MECONIUM, 9. How they ought to be weaned from the breast—A crust of bread the best gum-stick for them—How to prepare bread in their food—Cautions as to giving them animal food, 10. Cautions as to the quantity of their food—Errors in the quality of their food more frequent than in the quantity—The food of adults improper for children—Strong liquors expose them to inflammatory disorders—Ill effects of unripe fruit, 11. Butter—Honey a wholesome article of food for them—The importance of exercise to promote their growth and strength, 12. Rules for their exercise, 13. Poverty of parents occasions their neglect of children—The utility of exercise demonstrated from the organical structure of children—Philosophical arguments shewing the necessity of exercise—Ought not to be sent to school too soon, 14. Nor be put too soon to labour, 16. Dancing an excellent exercise for them, 16. The cold bath, 17. Want of wholesome air destructive to children, 17. To wrap them up close in cradles pernicious—Are treated like plants in a hot-house, 18. The usual faulty conduct of nurses pointed out, 19. Are crammed with cordials by indolent nurses, 19. Eruptions ignorantly treated by nurses, 20. Loose stools, the proper treatment of, 20. Every method ought to be taken to make them strong and hardy, 21. Indications of the small-pox in, 124.

CHIN-COUGH. See COUGH.

Cholera Morbus, the disorder defined, with its causes and symptoms—
Medical treatment, 200.

Churches, the several circumstances that render the air in unwholesome,
42.

Churching of women after lying in, a dangerous custom, 339.

Church-yards, the bad consequences of having them in large towns, 42.

Cinchona, (or Peruvian bark) compound tincture of, 111; also the
formula in the Appendix. See PERUVIAN BARK.

Cities, large, the air in, contaminated by various means—The bad effects
of burying the dead in, 42. Houses ought to be ventilated daily—
The danger attending small apartments—All who can ought to sleep
in the country, 43. Disorders that large towns are peculiarly hurtful
to, 44. Cleanliness not sufficiently attended to in, 56. Should be
supplied with plenty of water, 58. The best means to guard against
infection in, 60.

Clare, Mr., his method of applying saline preparations of mercury in
venereal cases, 322.

Cleanliness, an important article of attention in the dress of children, 8
and to sedentary artists, 29. Finery in dress often covers dirt, 51.
Is necessary to health, 55. Disorders originating from the want of,
55. Is not sufficiently attended to in large towns—Nor by country
peasants—Necessity of consulting cleanliness in camps—Was the
principal object of the whole system of the Jewish laws—Is a great
part of the religion of the Eastern countries, 56. Bathing and wash-
ing greatly conducive to health, 57. Cleanliness peculiarly neces-
sary on board of ships,—and to the sick—General remarks on, 57.
Many disorders may be cured by cleanliness alone, 58. The want of,
a very general cause of putrid fevers, 112. Is a great preservative
against venereal infection, 325; and against galling in infants, 344.
Cutaneous disorders proceed from a want of, 346.

Clergy, might do great good by undertaking the practice of vaccine
inoculation, 133.

Clothing, the only natural use of, 6. That of children has become a
secret art, 6. Ought to be fastened on infants with strings instead of
pins, 8. Pernicious consequences of stays, 6. Importance of clean-
liness to children, 6. The due quantity of, dictated by the climate,
50. Should be increased in the decline of life;—and adapted to the
seasons—Is often hurtful by being made subservient to the purposes
of vanity—Pernicious consequences of attempting to mend the shape
by dress—Stays, 50. Shoes—Garters, buckles, and other bandages.
The perfection of, to be easy and clean, 51. Wet, the danger of, and
how to guard against it, 73.

Clysters, a proper form of, for an inflammation of the stomach—And for
an inflammation of the intestines, 182. Of tobacco-smoke, its efficacy
in procuring a stool—In the colic, 194. In inflammation of the kid-
neys, 196. Of chicken broth salutary in the CHOLERA MORBUS,
200. Their use in suppression of urine, 207. Ought to be frequently
administered in the puerperal fever, 338. Of tobacco, to excite a
vomit, 384. Of tobacco fumes to stimulate the intestines, 386. The
general intention of, 445. Preparation of the emollient clyster—

- Laxative clyster—Carminative clyster—Oily clyster—Starch clyster—
Turpentine clyster—Vinegar clyster, 446.
- Cœliac passion, proper treatment for, 222.
- Coffee berries, recommended in the stone, 209.
- Cold, extreme, its effects on the human frame, 379. The sudden appli-
cation of heat dangerous in such cases—How to recover frozen or
benumbed limbs, 380.
- COLD BATH. See BATH.
- Colds, frequently occasioned by imprudent changes of clothes at the first
approaches of summer, 50. Various causes of, specified, 70. Their
general causes, 179. Proper regimen on the symptoms of, appearing
—Danger of neglecting the disorder, 180. The chief secret for avoid-
ing, 181.
- Colic, different species of, 191. Medical treatment of, according to
their species and causes, 192. Bilious colic—Hysteric colic—Nerv-
ous colic—Cautions necessary to guard against the nervous colic—
General advice in colics, 194. Flatulent colic, 429, 439.
- COLLYRIA. See EYE-WATERS.
- Commerce, often imports infectious disorders, 59. Means suggested to
guard against this danger, 61.
- Confections, often very needlessly compounded—Preparation of the con-
fection of catechu, 447.
- Conserves and Preserves, general remarks on, and their composition—
Of red roses—Of sloes—Candied orange-peel, 448.
- Constitution, good or bad, the foundation of, generally laid during
infancy, 1.
- Consumptions, the increase of this disorder may be attributed to hard
drinking, 53. Who most liable to, and its causes, 96. Symptoms,
97. Regimen, 98. Riding, 98. Much benefit to be expected from
going a long voyage—Travelling, 99. Diet, 100. Great efficacy of
milk in—Medical treatment, 101, 423.
- Consumptions, Nervous, defined, and the persons most liable to, 107.
—Symptomatic, the treatment of, must be directed to the
producing cause, 107.
- Convulsions, why new-born infants are so liable to, 8. Those preceding
the eruption in the small-pox favourable symptoms, 125. The gene-
ral causes of, 354. Further instructions in like cases, 385.
- Cooke, Captain, the circumnavigator, his means of preserving the health
of his men, 26.
- Cookery, the arts of, render many things unwholesome that are not
naturally so, 37.
- Cordials, ought not to be given to infants, 9. Are the common refuge
of nurses who neglect their duty to children, 19. Are often fatal in
an inflammation of the stomach, 188. When good in the colic, 192.
Ought seldom to be given to a pregnant woman during labour, 345.
- Corn, damaged, will produce the putrid fever, 112.
- Cortex. See BARK.
- Cosmetic, 431.
- Costiveness, a frequent recourse to medicines for the prevention of, injuri-
ous to the constitution, 67. Is rather to be removed by diet than drugs,
68. Its general causes and effects—Regimen, 261. Remedies for, 262.
- Cough, the proper remedies for, 181. A plaster of Burgundy pitch

- laid between the shoulders an excellent remedy for, 182. The stomach cough, and cough of the lungs, distinguished.—Treatment for the nervous cough, 183.
- Cough, hooping, who most liable to, with its disposing causes, 184. Remedies. 185. Is infectious, 185. Vomits, their use, and how to administer them to children, 185. Garlic ointment a good remedy for, 186. Editor's remark on, 187, 426.
- Cough, phthisical, incident to sedentary artificers, from their breathing confined air, 28.
- Cow-pox, account of its introduction to general practice, 139. Its advantages over the small-pox, 140. Its most zealous adversary admitted that he had seen worse symptoms succeed the small-pox, than subsequent to the cow-pock inoculation, 141. The latter opposed by means inimical to all philosophical discussion, 141. The Editor's argument in favour of the Jennerian practice, 141. The Report of the Medical Council of the Royal Jennerian Society, 142. Instruction for practisers of the vaccine inoculation, 145. Medical treatment of the patient, 150.
- Cradles, on many accounts hurtful to children, 18.
- Cramp, proper remedies for, 286.
- Cramp, of the stomach, who most subject to, 279. Medical treatment of, 279.
- Croup in children, described, 348. Its symptoms and proper treatment, 349.
- Cyder, the ill consequences of making it too weak, 38.

D

- Dancing, an excellent kind of exercise for young persons, 16.
- Daucus sylvestris*. See CARROT.
- Deafness, when a favourable symptom in the putrid fever, 114. Methods of cure according to its causes, 293.
- Death, the evidences of, sometimes fallacious, and ought not to be too soon credited, 375, 387. The means to be used for the recovery of persons from, nearly the same in all cases, 388.
- Decoctions, general remarks on, 448. Preparation of the decoction of *althæa*, 449. Of tamarinds with manna and senna, in acute continual fever, 88. Useful diluent drinks in, 421, 437. Common decoction, 449. Of sarsaparilla, 459. White decoction, or compound decoction of chalk, 450.
- Deformity, often occasioned by the injudicious manner of dressing children, 6. Is seldom found among savage nations, 6. The usual causes of explained, 7.
- Dews, night, dangerous to health, 71.
- Diabetes, who most liable to this disorder—Its causes and symptoms—Regimen, and medical treatment, 205. Distinguished from incontinency of urine, 206.
- Diarrhœa. See LOOSENESS.
- Diet, will often answer all the indications of cure in diseases, 76.
- Digestion, the powers of, equally impaired by repletion or inanition, 40.
- Dimness of sight, 438.

- Diseases, hereditary, cautions to persons afflicted with, 5. Peculiar disorders attending particular occupations, 23. Many of them infectious, 58. The knowledge of, depends more upon experience and observation than upon scientific principles, 74. Are to be distinguished by the most obvious and permanent symptoms.—The difference of sex, age, and constitution, to be considered.—Of the mind, to be distinguished from those of the body, 75. Climate, situation, and occupation, to be attended to.—Other collateral circumstances.—Many indications of cure to be answered by diet alone, 76. Cures often effected by fresh air, by exercise, or by cleanliness, 77. Nervous diseases, of a complicated nature and difficult to cure, 264.
- Dislocations, should be reduced before the swelling and inflammation come on, and how.—Of the jaw, 67. Of the neck.—Of the ribs, 68. Of the shoulder.—Of the elbow, 69. Of the thigh, 370.
- Dog, symptoms of madness in, 302. Ought to be carefully preserved after biting any person, to ascertain whether he is mad or not, 303. Symptoms of the bite of a mad dog.—The poison cannot lie many years dormant in the body, as is supposed, 304. Vinegar of considerable service in this disorder.—Medical course of treatment recommended, 305. Regimen, 306. Dipping in the sea, when beneficial, 308. Remarks on the Ormskirk medicine, 304.
- Dogs, their disease called the mange, to cure, 437.
- Doses of medicines, the relative proportions of, for different ages, 414.
- Drams ought to be avoided by persons afflicted with nervous disorders, 266.
- Draught, is the proper form for such medicines as are intended for immediate operation.—How to prepare the anodyne draught.—Diuretic draught.—Purging draught.—Sweating draught.—Vomiting draught, 451.
- Dress. See CLOTHING.
- Drinking, persons who are seldom intoxicated may nevertheless injure their constitutions by, 53. The habit of drinking frequently originates from misfortunes.—Frequently destroys the powers of the mind.—Persons often forced to it by mistaken hospitality, 54. Leads to other vices, 55.
- Dropsy, the several distinctions of, with its causes.—Symptoms, 235. Regimen.—Medical treatment, 236. Tapping a safe and simple operation.—See DROPSY also 418, 419, 423, 424, 427, 428, 431.
- DROPSY OF THE BRAIN. See WATER IN THE HEAD.
- Drowning persons ought not to be rashly given up for dead, 358. Proper trials for recovery of life, 386.
- Drunkenness. See INTOXICATION.
- Dysentery, where and when most prevalent, 294. Its causes and symptoms.—Regimen, 219. Fruit one of the best remedies for.—Proper drink for.—Medical treatment, 221. Cautions to prevent a relapse, 222. See Dysentery also, 434, 444.
- Dyspepsy, 421.

E

- Ear, the several injuries it is liable to, 292. Deafness, medical treatment of, according to its causes.—Warm urine restores the secretions of the ear, and sometimes cures deafness, 293.

- Ear-ach, its causes, and proper treatment for, 227. How to drive insects out of, 227.
- Effluvia, putrid, will occasion the spotted fever, 112. Noxious and suffocative, various, how to remedy, 43, 160, 379, 386.
- Electricity beneficial in the palsy, 271.
- Electuaries, general rules for making, 451. Electuary of catechu, 447. Preparation of lenitive electuary.—Electuary for the dysentery.—For the epilepsy.—For the gonorrhœa.—Of the cinchona bark.—For the p...s, 452. For the palsy.—For the rheumatism, 453.
- Elixir, paregoric, how to prepare, 469. Elixir of aloes and rhubarb.—Stomachic elixir.—Acid elixir of vitriol, 470.
- Emulsions, their use.—Preparation of the common emulsion, or milk of almonds.—Arabic emulsion.—Camphorated emulsion.—Oily emulsion, 453.
- Epilepsy, the disorder defined.—Its causes and symptoms.—Due regimen, 272. Medical treatment, 273.
- Eruptions in children often free them from bad humours, but are mistaken and ill-treated by nurses.—Ought never to be stopped without proper advice, 20. In fevers, how to be treated, 111, 115, 120. In the small-pox, 125, 127. In children, the causes of, 346. How to cure, 349.
- Erysipelas; a disorder incident to the laborious, 23. Its causes explained, and who most subject to it, 161. Its symptoms, 161. Regimen.—Medical treatment, 162. Instructions for those who are subject to the scorbutic erysipelas, 163. How to treat when it attacks the lower extremities, 164.
- Evacuations of the human body, the principal specified, 67. By stool, 67. Urine, 68. Perspiration, 69.
- Exercise, the importance of, to promote the growth and strength of children, 13. The utility of, proved from anatomical considerations.—And from philosophical deductions, 14. Military exercise, recommended for boys, 15. Benefits of dancing, 16. Is better for sedentary persons under lowness of spirits than the tavern, 29. Gardening the best exercise for the sedentary, 30. Violent, ought not to be taken immediately after a full meal, 34. Is as necessary as food for the preservation of health, 45. Our love of activity, an evidence of its utility. Indolence relaxes the solids, 45. The indulgence of carriages as absurd as pernicious.—Is almost the only cure for glandular obstructions. Will prevent and remove those disorders that medicine cannot cure.—Is the best cure for complaints in the stomach, 46. How to be taken within doors, when not to be done in the open air.—Active sports better than sedentary amusements.—The golf a better exercise than cricket.—Exercise should not be extended to fatigue, 47. Is as necessary for the mind as for the body, 65. Is often of more efficacy than any medicine whatever, 77. The best mode of taking it in a consumption, 98. Is of the greatest importance in a dropsy, 235. Muscular, for the gout, 244. Is necessary for the asthmatic, 257. Is superior to all medicine in nervous disorders, 268. And in the palsy, 271. Is proper for pregnant women, unless they are of a very delicate texture, 336. Want of, the occasion of rickets in children, 354. Salutary to persons who drink the mineral waters, 431.

- Extracts, general rules for making; but are more conveniently purchased ready made, 453.
- Eyes, inflammation of, its general causes.—Symptoms.—Medical treatment, 168. How to be treated when it proceeds from a scrophulous habit, 169. Advice to those who are subject to this complaint, 171. Are subject to many diseases which are difficult to cure, 289. The means by which they are frequently injured.—General means of prevention, 290. The several disorders of, with their medical treatment, 291, 292.
- Eye-waters, general remarks on, and their principal intentions.—Collyrium of alum.—Vitriolic collyrium.—Collyrium of lead, 447.

F

- Fainting-fits, how to cure, 281, 381. Cautions to persons subject to them, 382.
- FALLING-SICKNESS. See EPILEPSY.
- Falling down of the rectum or of the uterus, fomentation for, 454.
- Fasting, long, injurious to those who labour hard, 24. Is hurtful both to old and young, 40.
- Fathers, culpably inattentive to the management of their children, 3. Their irregular lives often injure the constitution of their children, 4.
- Fear, the influence of very great in occasioning and aggravating diseases, 62. Its various operations, 63.
- Feet, injured by wearing tight shoes, 51. The washing of, an agreeable article of cleanliness, 57. Wet, the danger of, 70. Bathing them in warm water, a good remedy in a cold, 174. And in the hooping cough, 184.
- Fermentation, the vapour of liquors in a state of, noxious, 378.
- Fevers, of a bad kind, often occasioned among labourers by poor living, 24. Frequently attack sedentary persons after hard drinking, 29. Nervous, often the consequence of intense study, 32. Putrid and malignant, often occasioned by want of cleanliness, 55. The most general causes of, enumerated, 77. The distinguishing symptoms of.—The several species of.—Is an effort of nature, which ought to be assisted, 78. Fresh air of great importance in.—The mind of the patient ought not to be alarmed with religious terrors.—Cautions as to bleeding and sweating in, 80. Longings, the calls of nature, and deserve attention.—Cautions to prevent a relapse, 81.
- Fever, acute continual, who most liable to.—Causes.—Symptoms.—Regimen, 87. Medical treatment.—Symptoms favourable and unfavourable, 89. Regimen to be observed during recovery, 90.
- Fever, bilious, general time of its appearance, 161. Proper treatment of, according to its symptoms, 162. See FEVER also 425, 436, 439.
- Fever, intermittent. See AGUE.
- Fever, miliary, from what the name derived, and its general appearances.—Who most liable to it.—Causes, 118. Symptoms.—Regimen, 119. Account of a miliary fever at Strasburgh.—Proper medical treatment.—Cautions for avoiding this disorder, 120. How to prevent, in child-bed women, 337.
- Fever, milk, how occasioned, 337. How to prevent, 342.
- Fever, nervous, why more common now than formerly, and who most liable to it.—Its causes, 108. Symptoms and proper regimen.—Medical treatment, 109.

- Fever, puerperal, or child-bed, the time of its attack, and symptoms, 337.
 Medical treatment of, 338. Cautions for the prevention of this fever, 339.
- Fever, putrid, of a pestilential nature, and who most liable to it.—Its general causes, 112. Symptoms of.—Other fevers may be converted to this by improper treatment, 113. Regimen, 114. Medical treatment, 115. Cautions for the prevention of this disorder, 117.
- Fever, remitting, derivation of its name.—Its causes and symptoms, 121. Proper regimen.—Medical treatment, 122. Cautions for avoiding this fever, 123.
- Fever, scarlet, why so named, and its usual season of attack.—Proper treatment of.—Is sometimes attended with putrid and malignant symptoms.—Medicines adapted to this stage of the malady, 154. History of a fever of this kind at Edinburgh, 155.
- Fever, secondary, in the small pox, proper treatment of, 129.
- Flatulencies in the stomach, remedies against, 282. The several causes of.—Medical treatment of, 283. See FLATULENCIES also 424.
- Flatulent colic, its causes, and seat of the disorder.—Remedies for, 189.
- Flower cardamine, or cuckow-flower, useful in convulsive diseases, 481.
- Fluor albus described, with its proper treatment, 341.
- Fomentations, how to make and apply.—General intentions of.—Anodyne fomentation.—Aromatic fomentation.—Common fomentation.—Emollient fomentation.—Strengthening fomentation, 454.
- Food. See ALIMENT.
- Forgiveness of injuries, ought to be practised from a regard to our own health, 62.
- Fox, Mr. (dentist) his remark on the effects of the preparations of quick-silver on the teeth, 324.
- Fractures. See BONES, broken.
- Frozen limbs, how to recover, 379
- Fruit, unripe, very hurtful to children, 12. One of the best medicines both for the prevention and cure of a dysentery, 219.
- Fumigation for houses, hospitals, or ships, and to obviate the danger of infection from contagious diseases, 61, 160.
- Funerals, the great number of visitors attending them, dangerous to their health, 59.

G

- Galling, in infants, the cause and cure of, 344.
- Gangrene, proper treatment of, 360, 434.
- Gardening, a wholesome amusement for sedentary persons, 30.
- Gargles for the throat, how to make, 172, 176. General intentions of, 451. Method of making the attenuating gargle.—Common gargle.—Detergent gargle.—Emollient gargle, 455. For the mouth of infants in the thrush, 343. For relaxed tonsils, 434.
- Garlic ointment, an old remedy for the whooping cough, how to apply it, 184.
- Generals of armies, how they ought to consult the health of the men they command, 25.
- Gilders. See MINERS.
- Ginger, syrup of, how to prepare, 466.

- Girls, in common mode of education prejudicial to their constitution, 15. Means of rectifying it recommended, 16.
- Gleet, how occasioned, and its symptoms, 315. Method of cure, 316. How to apply bougies, 317.
- Glover, Mr., his course of treatment for the recovery of hanged men, 384.
- Gonorrhœa, virulent, the nature of, and its symptoms, 311. Regimen, 311. Medical treatment, 312. Is often cured by astringent injections, 312. Cooling purges always proper in, 312.
- Goulard, M., preparation of his celebrated extract of Saturn, 471. His various applications of it, 471.
- Gout, the general causes of, 31. How to treat a looseness occasioned by repelling it from the extremities, 199. The sources of this disorder, and its symptoms, 238, 239. Regimen for, 239. Wool the best external application in, 240. Proper medicines after the fit, 241. Proper regimen in the intervals between fits to keep off their returns, 241. How to remove it from the nobler parts to the extremities, 242. Mr. Parkinson's practice in the gout, 240. His opinion of its cause, 245. General cautions to prevent danger by mistaking it for other disorders, 242. The late Dr. Hamilton, of Lynn, his successful mode of treating the gout, 242. Bathing and drinking the waters beneficial in, 241. See GOUT also, 433, 438.
- Gravel, how formed in the bladder, 69. How distinguished from the stone, 205. Causes and symptoms, 205. Regimen, 205. Medical treatment, 206, 430.
- Green-sickness originates in indolence, 328.
- Grief, its effects permanent, and often fatal, 64. Danger of the mind dwelling long upon one subject, especially if of a disagreeable nature, 65. The mind requires exercise as well as the body, 65. Innocent amusements not to be neglected, 65. Is productive of nervous diseases, 265.
- Gripes in infants, proper treatment of, 346.
- Guaiacum, gum, a good remedy for the quinsy, 174; and rheumatism, 246.
- Gullet; how to remove substances detained in, 374.
- Gums of children, applications to, during teething, and how to cut them 350.
- Gum ammoniacum, solution, or milk of, its use in pleurisy, 93, in peripneumony, 95, and in consumption, 101. How prepared, 457.
- Gutta serena, proper treatment of, 290.

H

- Harvey, Dr. William, that celebrated person's singular practice in a fit of the gout, 245.
- Hæmoptoe, spitting of blood. See BLOOD.
- Hæmorrhages. See BLOOD.
- Harrogate water, an excellent medicine for expelling worms, 231. And for the jaundice, 234. In the scurvy, 250.
- Heart, nervous palpitation of, Dr. Wurtzer's remedy for, 288.
- Head-ach, the species of, distinguished.—Causes of, 223. Regimen.—Medical treatment, 224, 437.
- Health of the people ought to be attended to in matrimonial contracts, 5. Rules given by Celsus for the preservation of, 74.

- Heart-burn, the nature of this disorder, with its causes, and remedies for, 263.
- Hemicrania, whence it proceeds, 224. Medical treatment, 225.
- Hemlock, a good remedy in the king's evil, 253. Is recommended for the cure of cancers, 297.
- Hemp-seed, a decoction of, good in the jaundice, and how to prepare it, 237.
- Herbal, or medical Botany, 416.
- Hiccup, its causes, and method of treatment, 278.
- Hoffman, his rules for guarding child-bed women against the miliary fever, 337.
- Honey, a wholesome article of food for children, 12. Is recommended in the stone, 206.
- Hooping cough. See COUGH.
- Horse-radish, the chewing of, will restore sensibility to the organs of taste when injured, 295.
- Hospitals, the want of fresh air in, more dangerous to the patients than their disorders, 45. Cleanliness peculiarly necessary in, 57. Often spread infection by being situated in the middle of populous towns, 60. How they might be rendered proper receptacles for the sick.—particularly in infectious disorders, 61.
- Houses, instead of contrivances to make them close and warm, ought to be regularly ventilated, 43. In marshy situations unwholesome, 44. Ought to be built in a dry situation, 72. Danger of inhabiting new-built houses before thoroughly dry, 72. Are often rendered damp by unseasonable cleanliness, 72. Are dangerous when kept too close and hot, 73.
- Humane Society, Royal, their directions for recovering persons drowned, suspended, suffocated, intoxicated, &c. 386.
- Husbandmen, the peculiar disorders they are exposed to from the vicissitudes of the weather, 22.
- Hydrocephalus. See DROPSY.
- Hydrophobia, method of treating, 304.
- Hydrops pectoris. See DROPSY.
- Hypochondriac affections, frequently produced by intense study, 32. Their causes, and who most subject to them, 286. The general intensions of cure, 287. Regimen, 288.
- Hysterics, a disorder produced by the habitual use of tea, 36. General causes of.—Symptoms.—Proper treatment of, 284. Regimen, and medicines adapted to, 285, 432.
- Hysteric colic, symptoms and treatment of, 191.
- I and J
- Jails, why malignant fevers are often generated in them, 43. Often spread an infection by being situated in the middle of populous towns, 60. Ought to be removed, 61.
- Jaundice, the different stages of its appearance, with the cause of this disorder.—Symptoms and regimen 233. Medical treatment, 234, 423, 435.
- Jesuits' Bark. See BARK.
- Jews, the whole system of their laws tending to promote cleanliness, 56.
- Iliac passion, a particular kind of inflammation in the intestines, 186.
- Imposthume in the breast, in consumptions, how to make it break in-

- wardly, when not to be discharged by other means, 103. Imposthumes after the small-pox, proper treatment of, 130.
- Incontinency of urine, distinguished from a diabetes, 206. Expedient for relief, 206.
- Indigestion, is one consequence of intense study, 32. General causes, and remedies for, 263.
- Indolence, its bad effects on the constitution, 45. Occasions glandular obstructions.—Ill consequences of too much indulgence in bed, 46. Is the parent of vice, 48. Is the general cause of most nervous disorders, 265.
- Infancy, the foundation of a good or bad constitution generally laid in this season of life, 1.
- Infants, nearly one half of those born in Great Britain die under twelve years of age.—Perish mostly by art, 1. Ought not to be suckled by delicate women.—Importance of their being nursed by their mothers, 2. Often lose their lives, or become deformed, by errors in clothing them, 6. Benefit resulting from washing them (infants) daily with cold water, 17. Philosophical observations on their organical structure, and on the causes of deformity, 7. Why they so frequently die of convulsions, 7. Why exposed to fevers and colds, 8. Rules for their dress, 8. Their food, 9. Reflections on the many evils they are exposed to, 340. How to cleanse their bowels, 341. The meconium.—Thrush, 342. Acidities, 343. Gripes.—Galling and excorations.—Stoppage of the nose, 344. Vomiting.—Looseness, 345. Eruptions, 346. Scabbed heads.—Chilblains, 349. The croup, 348. Teething, 350. Rickets, 351. Convulsions, 354. Water in the head, 356. How to recover infants seemingly dead.—Ought never to sleep in the same beds with their nurses, 384. See CHILDREN.
- Infection, the danger of, incurred by injudicious or unnecessary attendance on the sick, 58. And on funerals.—Is often communicated by clothes.—Is frequently imported, 59. Is spread by hospitals and jails being situated in the middle of populous towns.—How to prevent in sick chambers, 60, 61. Physicians liable to spread infection.—In what respects the spreading of infection might be checked by the magistrate, 61. Bleeding and purging increase the danger of, by debilitating the body, 117. Small-pox, 123. Putrid fever, means to avoid, 117, 160. Of the small-pox may be received again, 126.
- Inflammations, how the laborious part of mankind expose themselves to, 22. Proper treatment of, 359.
- Inflammation of the bladder. See BLADDER.
- of the brain. See BRAIN.
- of the eyes. See EYES.
- of the intestines. See INTESTINES.
- of the kidneys. See KIDNEYS.
- of the liver. See LIVER.
- of the lungs. See PERIPNEUMONY.
- of the stomach. See STOMACH.
- of the throat. See QUINSY.
- of the womb. See WOMB.
- Infusion of cinchona in cold water, 102.
- Infusions, advantages of, over decoctions.—How to obtain rich in-

- fusions from weak vegetables, 455. Preparation of the bitter infusion.
 —Infusion of the bark.—Infusion of carduus.—Of linseed.—Of roses.
 —Of tamarinds and senna.—Spanish infusion.—For the palsy, 456.
- Inns, the great danger of meeting with damp beds in them, 71.
- Inoculation of the small-pox, more favourably received here than in neighbouring countries.—Cannot prove of general utility while kept in the hands of a few.—May safely be performed by parents or nurses, 131. Various methods of doing it, 132. Ought to be rendered universal, 134. Means of extending the practice of, 135. Might be performed by clergymen, or by parents themselves, 136. The proper season and age for performing it.—Necessary preparation and regimen for, 137.
- Insects, when they creep into the ear, how to force them out, 227. Poisonous, the bites of, how to be treated, 308.
- Intemperance, one great cause of the diseases of seamen, 26. The danger of, argued from the construction of the human body.—The analogy in the nourishment of plants and animals.—Is the abuse of natural passions.—In diet.—In liquor and carnal pleasures, 52. The bad consequences of, involve whole families.—Effects of drunkenness on the constitution.—Persons who seldom get drunk, may nevertheless injure their constitutions by drink, 53. The habit of drinking frequently acquired under misfortunes.—Is peculiarly hurtful to young persons, 54. Leads to all other vices, 55.
- Intermitting fever. See AGUE.
- Intestines, inflammation of, general causes from whence it proceeds, 186. The symptoms, regimen, and medical treatment, 189. Cautions to guard against it, 190.
- Intoxication produces a fever.—Fatal consequences of a daily repetition of this vice.—Persons who seldom get drunk, may nevertheless injure their constitutions by drinking, 53. Getting drunk, a hazardous remedy for a cold, 180. Often produces fatal effects.—Proper cautions for treating persons in liquor, 383.
- Islington, or Tunbridge-wells, water, useful in cases of stomach-weakness and bad digestion, 267, 406, 408.
- Issues, useful for those who are frequently troubled with inflammation of the eyes, 170. Perpetual, are preventive of apoplexy, 260. Are curative of melancholy.—How to make them take the best effect, 270.
- Itch, the nature and symptoms of this disease described, 254. Sulphur the best remedy against, 255. Great danger of the injudicious use of mercurial preparations for.—Cleanliness the best preservative against, 256.
- Juleps, the form of, explained, 456. Preparation of the camphorated julep.—Cordial julep.—Expectorating julep.—Musk julep.—Saline julep.—Vomiting julep, 457.

K

- Kali, tartarised, a good remedy for the jaundice, 234.
- Kermes Mineral, recommended by Dr. Duplanil for the whooping cough, 185.
- Kidneys, inflammation of, its general causes, 195. Its symptoms and proper regimen, 195. Medical treatment.—Where it proceeds from

K K

the stone and gravel.—Cautions for those subject to this disorder, 198.
See GRAVEL.
King's Evil. See SCROPHULA.

L

- Laborious employments, the peculiar disorders incident to, 22. The folly of men emulating each other in trials of strength, 25. Disadvantages attending their diet, 23. How they expose themselves to inflammations, 23. Danger of sleeping in the sun.—Long fasting hurtful to them.—Injuries arising from poor living.—Many of the diseases of labourers not only occasioned, but aggravated, by poverty, 24.
Labour should not be imposed too early on children, 16.
Labour in child-bed, medical advice for, 334. Painful, how mitigated.—Flooding after, the proper treatment, 335.
Laudanum, or tincture of opium, its efficacy in fits of an ague, 82. How to be administered in a cholera morbus, 200. In a looseness, 202. In a diabetes, 206. When proper for the head-ach, 225. How to apply, for the tooth-ach, 226. Will ease pain in the gout, 242. How to administer for the cramp in the stomach, 279. Is good for flatulencies, 283. Effects of an over-dose of, 301. Medical treatment in this case, 302.
Laxative for infants and persons of a delicate constitution, 466.
Leading-strings, injurious to young children, 13.
Leake, the late Dr. John, and learned Dr. Ferriar's, practice in dropsy, 238.
Leeches, may be successfully applied to inflamed testicles, 317. And to disperse buboes, 318. Are proper to apply to children where inflammations appear in teething, 350.
Lemons, See ORANGES.
Leprosy, why less frequent in this country now than formerly.—Requires the same treatment as the scurvy, 251.
Lientery, proper treatment for, 222.
Life, may frequently be restored, when the appearances of it are suspended by sudden casualties, 373. 376. 378. 380.
Lightning, persons apparently killed by, might possibly be recovered by the use of proper means, 385.
Lime-water recommended to prevent gravel in the kidneys from degenerating to the stone in the bladder, 206. Is a good remedy for worms, 231. Happy effects of, in the cure of obstinate ulcers, 366.
Lind, Dr. his prescription to abate fits of an ague, 82.
Liniment for burns, preparation of.—White liniment, or liniment of spermaceti.—For the piles.—Of ammonia, 460.
Liquors, strong, expose children to inflammatory disorders, 11. Fermented, the qualities of, examined, 38. Cold, the danger of drinking when a person is hot, 73.
Liver, schirrous, produced by sedentary employments, 31.
Liver, inflammation of, its causes and symptoms.—Regimen and medical treatment, 198. Abscess in, how to be treated.—Cautions in the event of a schirrus being formed, 199.
Lobelia, an American plant used by the natives in the venereal disease 323.

- Lochia**, a suppression or, now to be treated, 346.
- Longings**, in diseases, are the calls of nature, and often point out what may be of real use, 81.
- Looseness**, habitual, general directions for persons subject to, 68. Its general causes.—Periodical looseness ought never to be stopped, 201. Medical treatment of, according to its various causes.—Means of checking it when necessary, 202, 436. In children, proper treatment of, 345.
- Love**, why perhaps the strongest of all passions.—Is not rapid in its progress, and may therefore be guarded against at its commencement.—To pretend to it for amusement, cruelty to the object.—Children often real martyrs between inclination and duty, 66.
- Mercury**, confirmed, symptoms of, 321. Mercury the only certain remedy known in Europe for this disease, 322. How to administer corrosive sublimate.—American method of curing this disease, 323.
- Lungs**, injured by artists working in bending postures, 29. Studious persons liable to consumptions of, 31.
- Luxury**, highly injurious to the organs of taste and smell, 294.

M

- Mad dog**. See **DOG**.
- Magnesia alba**, a remedy for the heart-burn, 264. Is the best medicine in all cases of acidity, 343.
- Magnets**, artificial, their reputed virtue in the tooth-ach, 221.
- Malt liquor**, hurtful in the asthma, 257. See **BEER**.
- Man**, why inferior to brutes in the management of his young, 1. Was never intended to be idle, 45.
- Manufactures**, the growth of, produced the rickets in children, 12. More favourable to riches than health, 16. Some injurious to health by confining artists in unwholesome air.—Cautions to the workmen, 21. Compared with agriculture, 22. Are injurious to health, from artists being crowded together, 28. And from their working in confined postures.—Cautions offered to sedentary artists, 29. Sedentary arts better suited to women than to men, 46.
- Matrimony** ought not to be contracted without a due attention to health and form, 5.
- Mead**, Dr. his recipe for colliquative diarrhœas, 481.
- Meals** ought to be taken at regular times.—Reasons for this uniformity, 40.
- Measles**, have great affinity with the small-pox.—Cause and symptoms, 151. Proper regimen and medicine, 152, 153.
- Mechanics** ought to employ their leisure hours in gardening, 30.
- Meconium**, the best mode of expelling it, 348.
- Medicine**, the theory of, can never supply the place of experience and observation, 74.
- Medicines** have more virtue attributed to them than they deserve, 76. Ought not to be administered by the ignorant, nor without caution, 77. Want of perseverance in the use of, one reason why chronic diseases are seldom cured, 249. Disadvantages of compounded medicines, 413. Are often adulterated for the sake of colour.—The relative proportions of doses of, for different ages, 414. A list of such medicinal reparations as ought to be kept for private practice, 440.

- Medicinal waters in Germany, 393. A brief account of the chief medicinal springs in England, 401. Of Seltzer and other waters artificially prepared, 402.
- Melancholy, religious, its effects.—Leads to suicide, 66. Defined, with its causes.—Symptoms and regimen, 268. Medical treatment, 269.
- Menstrual discharge in women, the commencement and decline of, the most critical period of their lives, 327. Symptoms of the first appearance of this discharge, 329. Ought to be restored whenever unnaturally obstructed, and how, 330, 432. Treatment under a redundancy of the discharge, 340, 433. Regimen and medicine proper at the final decline of the menses, 341.
- Mercury, great caution necessary in using mercurial preparations for the itch, 255. Is seldom necessary in a gonorrhœa.—How to administer it when needful in that disorder.—Solution of mercury, how to make, 314. Is the only certain remedy known in Europe for the cure of a confirmed lues.—Saline preparations of, more efficacious than the mercurial ointment, 322. How to administer muriated quicksilver in venereal cases.—Necessary cautions in the use of mercury, 323. Regimen under a course of, 324.
- Mezereon root, a powerful assistant in venereal cases, 321.
- Midwives, a historical view of the profession.—How they became intrusted with the care of bandaging infants, with the ill effects of their attempts at dexterity in this office, 6.
- Miliary fever. See FEVER.
- Military exercise recommended for boys to practise, 15.
- Milk, that of the mother the most natural food for an infant, 9. Cows' milk, better unboiled than boiled, 10. Is a good antidote against the scurvy, 36. Of more value in consumptions than the whole *Materia Medica*, 99. Its great efficacy in the scurvy, 251. A milk diet proper both for men and women in cases of barrenness, 343.
- Milk of almonds, 453. Of gum ammoniac.—Of goat's and mare's milk, 457. Artificial ass's milk, 456.
- Milk fever. See FEVER.
- Millepedes, how to administer for the whooping-cough, 186. In suppression of urine, 428.
- Mind, diseases of, to be distinguished from those of the body, 75. See PASSIONS.
- Miners, exposed to injuries from unwholesome air and mineral particles 21. Cautions to, 22. Colic, how treated, 191.
- Mineral waters, cautions concerning the drinking of, 396.
- Mixtures, general remarks on this form of medicines.—Composition of the astringent mixture.—Diuretic mixture.—Laxative absorbent mixture.—Saline mixture.—Squill mixture, 458.
- Mothers, preposterous, when they think it below them to nurse their own children.—Under what circumstances they may be really unfit to perform this task, 1. Importance of their suckling their own children, 2. Delicate mothers produce unhealthy short-lived children, 4. Their milk, the best food for children, 9. Ought to give their children proper exercise, 13; and air, 17.
- Mouth, cautions against putting pins or other dangerous articles into, 374.

Mucilage of gum arabic, 458.

Muscular exercise a cure for the gout, 241.

Mushrooms, a dangerous article of food, as other funguses are often gathered instead of them, 309.

Music, the performance of, recommended as a proper amusement for studious persons, 33. Is useful in the cure of mental derangement, 269.

Musk, extraordinary effects produced by, under particular circumstances in the nervous fever, 111. Is a good remedy in the epilepsy, 273. And for the hiccup, 278. Deafness cured by, 293.

Mustard, white, a good remedy in the rheumatism, 247. With horse-radish in scorbutic and paralytic disorders, 433.

N

Nelson, Lord, his excellent rules for preserving the health of mariners, 251.

Nervous diseases, the most complicated and difficult to cure of all others, 264. General causes of.—Symptoms of, 265. Regimen, 266. Medical treatment.—A cure only to be expected from regimen, 267. The several symptoms of, though differently named, all modifications of the same disease, 268.

Nervous colic, its causes and symptoms.—Medical treatment of, 194.

Nervous fever. See FEVER.

Night-mare, its causes and symptoms described, 273. Proper treatment of, 274.

Night-shade, an infusion of, recommended in a cancer, 297.

Nitre; purified, its good effects in erysipelas, 164. In a quinsy, 172. Is an efficacious remedy for the dropsy, 237. Promotes urine and perspiration, 270.

Nose, ulcer in, how to cure, 294. Stoppage of, in children, how to cure, 344. See BLEEDING AT.

Nurses, their superstitious prejudices in bathing of children, 17. The only certain evidence of a good one.—Their usual faults pointed out.—Administer cordials to remedy their neglect of duty towards children.—Their mistaken treatment of eruptions.—And loose stools.—Are apt to conceal the disorders of children that arise from their own negligence.—Ought to be punished for the misfortunes they thus occasion, 19. Sensible, often able to discover diseases sooner than persons bred to physic, 74. Are liable to catch the small-pox again from those they nurse in that disorder, 126.

Nursery, ought to be the largest and best aired room in a house, 18.

O

Oil, an antidote to the injuries arising from working in mines or metals, 22. Should be employed both externally and internally in hydrophobia, 308. Salad oil, the best application to the bite of a wasp or bee 309. Camphorated, how to prepare, 460.

Oils essential, of vegetables, the proper menstruum for, 466.

Ointment for the itch, 255. Use of ointments when applied to wounds and sores, 459. For the piles, 425. Preparation of yellow basilicum.—Emollient ointment.—Eye ointment, 465. Issue ointment.—Ointment of lead, 459. Mercurial ointment.—Ointment of sulphur.—Ointment of spermaceti, 460. See LINIMENT.

Ophthalmia. See EYE

Opiates, efficacious in a cholera morbus, 200. In a diabetes, 206. When proper for the head-ach, 223. Recommended for the tooth-ach, 224. Are delusive remedies in nervous diseases, 267. See LAUDANUM.

Opium, cautions respecting its exhibition, 206. To obviate the narcotic effects of too large a dose, 301.

Opodeldoc. See SOAP LINIMENT.

Orange and lemon peel, how to candy, 447. How to preserve orange and lemon juice in the form of syrup, 466.

Ormskirk medicine for the bite of a mad dog, remarks on, 304.

Oxycrate, or vinegar and water, an useful application in scarlet fever, 155. The most proper external application in a fracture, 372.

Oxygenated muriatic acid, its efficacy in scarlet fever.—Cautions to take it out of a glass, and never in contact with metal 150.

Oysters of great service in consumptions, 101.

P

Painters' colic, 193.

Palsy, the nature of this disorder explained, with its causes, 270. Medical treatment, 271. See PALSY also 422, 427, 429.

Paraphrenitis, its symptoms and treatment, 94.

Paraphymosis described, 320.

Passions, intemperance the abuse of, 52. Have great influence both in the cause and cure of diseases.—Anger.—Fear, 62. Grief, 64. Love, 66. Religious melancholy.—The best method of counteracting the violence of any of the passions, 67.

Pease, parched, good in cases of flatulency, 228.

Penis, ulcerated, cured, and partly regenerated, by a careful attention to cleanliness, 325.

Peripneumony, who most subject to, 94. Its causes, symptoms, and proper regimen, 95.

Perspiration, insensible, the obstruction of, disorders the whole frame.—The various causes of its being checked, 69. Changes in the atmosphere.—Wet clothes.—Wet feet, 70. Night air.—Damp beds, 71. Damp houses.—Sudden transitions from heat to cold, 72.

Peruvian bark. See BARK, and CINCHONA.

Phrenitis. See BRAIN.

Phymosis described, and how to treat, 320.

Physicians, ill consequences of their inattention to the management of children, 4. Are liable to spread infection, 60. Their custom of prognosticating the fate of their patients, a bad practice, 63. Are seldom called in until medicine can give no relief, 87. Some of the faculty oppose every salutary discovery, 131.

Pickles, provocatives injurious to the stomach, 37.

Piles, bleeding and blind, the distinction between.—Who most subject to the disorder.—General causes, 213. Medical treatment of, 213, 214. Proper treatment of the blind piles, 214. External ointments of little use.—Cured by dilatation of the rectum, 215.

Pills, purging, proper form of, for an inflammation of the intestines, 190. The general intention of this class of medicines, 460. Pre-

- paration of the composing pill.—Asafœtida pill.—Hemlock pill.—Mercurial pill.—Muriated Quicksilver pill.—Alterative pill, 461. Purging pills.—Pill for the jaundice.—Stomachic pill.—Squill pills.—Strengthening pills, 462.
- Pins, ought never to be used in the dressing of children, 8.
- Plasters, the general intention of, and their usual basis.—Litharge plaster, formerly called diachylon, or common plaster, 462. Adhesive plaster.—Anodyne plaster.—Blistering plaster.—Gum plaster.—Mercurial plaster.—Stomach plaster.—Warm plaster, 463. Wax plaster, 464.
- Pleurisy, the nature of the disorder explained, with its causes, 90.—Symptoms.—Regimen.—Medical treatment, 91. A decoction of seneka reckoned a specific in, 93. Bastard pleurisy, 94. See also 432.
- Plumbers. See MINERS.
- Poisons, the nature and cure of, a general concern, and easily acquired.—Mineral poisons, 300. Vegetable poisons, 301. Bites of poisonous animals, 302. Bite of a mad dog, 303. Bite of a viper.—The practice of sucking the poison out of wounds recommended, 308. Poisonous plants ought to be destroyed in the neighbourhood of towns.—Negro remedy to cure the bite of a rattlesnake.—General rules for security against poisons, 309.
- Poor living, the dangers of, 24.
- Porters, subject to disorders of the lungs, 23.
- Postures, confined, injurious to the health of sedentary artists, 28.
- Poverty, occasions parents to neglect giving their children proper exercise, 14. Not only occasions, but aggravates, many of the diseases of labourers, 24. The poor great sufferers by the sale of bad provisions, 35. And by bad air in large cities, 48.
- Poultices proper for inflamed wounds, 363.
- Powders, general instructions for making and administering.—Astringent powder, preparation and doses of.—Powder of bole.—Carminative powder.—Diuretic powder.—Aromatic purging powder, 464. Saline laxative powder.—Chalybeate powder.—Sudorific powder.—Worm-powder.—Purging worm-powder.—Powder for the tape-worm, 465.
- Pox, small, who most liable to, and at what seasons, 123. Its causes and symptoms.—Favourable and unfavourable symptoms in, 124. Regimen.—How the patient ought to be treated during the eruptive fever, 125. Children in this disorder ought not to lie together in the same bed.—Should be allowed clean linen, 126. Patients under this disorder ought not to appear in public view.—Medical treatment, 127. The secondary fever.—When and how to open the pustules, 129. Of inoculation, 131.
- Pregnancy, how to treat vomiting when the effect of, 203. Rules of conduct for women under the disorders incident to, 342, 343. Causes and symptoms of abortion, 342. How to guard against abortion.—Treatment in cases of abortion, 343. Child-birth, 344.
- Provisions unsound, the sale of, a public injury, 35.
- Puerperal fever. See FEVER.
- Purges, the frequent taking of them renders the habitual use of them necessary, 68. Their efficacy in agues, 83. Proper form of, for an inflammation of the intestines, 190. Cooling purges always proper in a gonorrhœa, 312. Midwives too rash in the giving of purges, 340.

- Form of a gentle purge for infants disordered in the bowels, 341.
 For the thrush, 342.
 Pustules, in the small-pox, favourable and unfavourable appearances of, 124. The suppuration of to be promoted, 128. When and how to open, 129.
 Putrid fever. See FEVER.

Q

- Quacks put out more eyes than they cure, 289.
 Quakers, their mode of dressing recommended, 51.
 Quicksilver, may be given in cases of an inflammation of the intestines, 190. Muriated, how to administer in venereal cases, 322. See MERCURY.
 Quinsy, a common and dangerous disorder, and to whom most fatal.—Its causes.—Symptoms, 172. Regimen, 173. Medical applications, 174. How to nourish the patient when he cannot swallow.—Advice to persons subject to this disorder, 175.
 Quinsy, malignant, who most subject to, and its causes.—Its symptoms, 176. Regimen and medical treatment, 177.

K

- Kattlesnake, Negro remedy for the cure of its bite, 309.
 Regimen, will often cure diseases without medicine, 76. See ALIMENT.
 Religion, true, calculated to support the mind under every affliction, 66.
 The instructors in, ought not to dwell too much on gloomy subjects, 67.
 Remitting fever. See FEVER.
 Repletion, impairs the digestive power, 40. Diseases occasioned by, 41. How to treat a looseness produced by, 201.
 Resentment, the indulgence of, injurious to the constitution, 62.
 Resins and essential oils, the proper menstruum for, 466.
 Respiration, how to restore in a drowned person, 386.
 Rheumatism, acute and chronic, distinguished.—Causes, 245. Symptoms.—Medical treatment, 246. Cautions to persons subject to this disorder, 247. See RHEUMATISM also 432, 439.
 Rickets, the time of the appearance of that disease in Britain, 351. The causes of.—Symptoms, 352. Regimen and medical treatment, 353.
 Rollers, pernicious tendency of applying them round the bodies of infants, 6.
 Roses, conserve of, its great virtue against hæmorrhages, 214.
 Rosemary, the external application of, a popular remedy for the cramp, 286.
 Ruptures are chiefly incident to children and very old persons, 387. The causes respectively.—Method of treatment, 388. Sketch of an useful bandage for ruptured persons, 390. Directions for making iron spring trusses for the poor.—Cautions for persons afflicted with a rupture, 392.

S

- Sailors, their health injured by change of climate, hard weather, and

- bad provisions, 25. Many of their diseases spring from intemperance.—Ought to guard against wet clothes.—How the ill effects of salt provisions might be corrected, 26. Peruvian bark the best antidote for sailors on a damp foreign coast, 27. Cleanliness greatly conducive to their health, 57.
- Sal-prunella, its good effects in a quinsy, 174.
- Saline draughts, of good use for stopping a vomiting.—Preparation of for this purpose, 204. Peculiarly good in the puerperal fever, 338.
- Salivation not necessary in the cure of the venereal disease, 314.
- Sarsaparilla, a powerful assistant in venereal cases, 316, 323. Decocted with hartshorn, 120.
- Scabbed head in children, difficult to cure.—Medical treatment, 347.
- Scalds, medical treatment of, 363.
- Scarlet fever. See FEVER.
- Schools, ought to be seated in a dry air, and not to be too much crowded, 18.
- Schirrus in the liver, proper regimen in the case of, 198. See CANCER.
- Scrophula, nature of this disease, and its causes.—Symptoms, and regimen, 252. Medical treatment, 253. See also p. 426, 435.
- Scurvy, why prevalent among the English, 36. Where most prevalent, and the two distinctions of.—Causes of, 248. Symptoms and cure.—Instructions to sea-faring men, 249. Extraordinary effects of milk, 250. Lord Nelson's rules for preserving the health of seamen, 251. See also Scurvy, 419, 433, 434, 438.
- Sea water, a good remedy in the king's evil, 253. See p. 394.
- Sedentary life, includes the greater part of the human species, 21. Sedentary and active employments ought to be intermixed, for the sake of health.—Artists suffer from unwholesome air, by being crowded together, 27. The postures artists are confined to, injurious to health. Disorders produced by, 28. Cautions offered to the sedentary.—Sedentary amusements improper for sedentary persons.—Hints relating to improper food.—Exercise, a surer relief for low spirits than drinking, 29. Gardening a wholesome amusement for the sedentary, 30. Disorders occasioned by intense study, 31. Dietetical advice to the sedentary, 39.
- Senses, disorders of, 289.
- Seton, sometimes has extraordinary effects in an inflammation of the eyes, 170. Is of service for preventing apoplexies, 260. The best method of making it, 270.
- Shoes, tight, the bad consequences resulting from, 51.
- Sibbins, a venereal disorder so termed in the west of Scotland, how to cure, 325.
- Sick, the mutual danger incurred by unnecessary visitors to, 58. Persons in health to be kept at a distance from the sick, 59. Proper nurses ought to be employed about them.—Instructions for avoiding infection, 60. Tolling of bells for the dead very dangerous to, 63. Their fears ought not to be alarmed, 67.
- Sight injured by studying by candle-light, 32.
- Simples, a list of those proper to be kept for private practice, 440.
- Sleep, the due proportion of, not easy to fix, 48. How to make it refreshing.—Complaints of the want of, chiefly made by the indolent.—

- Heavy suppers cause uneasy nights.—Anxiety destructive of sleep.—That in the fore-part of the night most refreshing.—Early risers the longest livers, 49.
- Sleeping in the sun, the danger of, 24.
- Small-pox. See POX.
- Smell, injuries to which the sense of is liable, with the remedies applicable to, 294.
- Soap, Alicant, recommended in the stone.—Soap-lees, or water of pure kali, how to take, 209.
- Solanum. See NIGHT-SHADE.
- Soldiers, exposed to many disorders from the hardships they undergo.—Ought to be employed in moderate labour in time of peace, 25.
- Soups. See BROTHS.
- Spine, often bent by artists working in unfavourable postures, 28.
- Spirit, rectified, the direct menstruum for resins and essential oils of vegetables, 460. Of wine, camphorated, how to prepare.—Spirit of Mindererus, or water of acetated ammonia, 470.
- Spirits, lowness of, the general forerunner of a nervous fever, 285. The proper remedies for.—Cautions to persons under this complaint, 286.
- Spirituous liquors, when good in the colic, 192; and for gouty complaints in the stomach, 230. Should be avoided by all persons afflicted with nervous disorders, 266. The use of, often fatal, 382.
- Spitting of Blood. See BLOOD.
- Sponge, may be used to supply the want of agaric as a styptic, 362.
- Sports, active, far more wholesome than sedentary amusements.—Golf, a better exercise than cricket, 47.
- Spots in the eye, how to treat, 291.
- Squinting, how to correct the habit of, 291.
- Stays, the wearing of, tends to produce cancers in the breasts, 296.
- Sternutatories, preparations of, recommended for restoring lost Smell, 294.
- Sticking-plaster is the best application for slight wounds, 362.
- Stomach, exercise the best cure for disorders of, 47. Inflammation of, a disorder that calls for speedy assistance.—Its causes.—Symptoms, 187. Regimen.—Medical treatment, 188. Pain of, 228. Its various causes and medical treatment, 229. Instructions for persons subject to, 188. Stomachic infusion, 439.
- Stone, the formation of, in the bladder, explained.—This disorder how distinguished from the gravel.—Causes and symptoms.—Regimen, 205. Medical treatment.—Alicant soap and lime-water, how to take for this disorder.—The uva ursi, a remedy in present request for, 206.
- Stool, loose, the benefit of to children.—Proper treatment of, when excessive, 20. The discharge by cannot be regular, if the mode of living be irregular.—One in a day generally sufficient for an adult.—How to produce a regularity of, 67. Frequent recourse to medicines for costiveness, injurious to the constitution, 68.
- Strabismus. See SQUINTING.
- Strains, proper method of treating, 372. The safest external applications for, 373.
- Strangury, from a blistering-plaster, how to guard against, 92. In the small-pox, how to relieve, 128. From a venereal cause, described, with its proper treatment, 320.

- Strangulation, course of treatment for the recovery of persons from, 384.
 Strasburgh, successful treatment of a miliary fever there, 120.
 Strength, the folly of trials of, from emulation, 23, 25.
 Study, intense, injurious to health.—The disorders occasioned by.—
 Character of a mere student, 32. Hints of advice to studious persons,
 33. Danger of their having recourse to cordials.—No person ought
 to study immediately after a full meal.—Dietetical advice to the studi-
 ous, 34.
 Sublimate, corrosive. See QUICKSILVER, MURIATED.
 Substances stopt between the mouth and stomach, 374.
 Suffocation by the fumes of charcoal, liable to happen in close chambers,
 378. General causes of suffocation, 379.
 Sugar, an improper article in the food of children, 10.
 Sulphur, a good remedy for expelling worms, 231. And for the itch,
 255.
 Suppers, ought not to destroy the appetite for breakfast.—Heavy sup-
 pers sure to occasion uneasy nights, 49.
 Surgery, many of the operations of, sometimes performed by persons un-
 skilled in anatomy.—Humanity induces every one more or less to be
 a surgeon, 357.
 Sweating, generally excited in an improper manner, in fevers, 81, 88.
 Swoonings, the several causes of, described, 280. Proper treatment of
 this disorder, 281. Cautions to persons subject to them, 383.
 Sydenham, Dr., his method of treating fevers in children from teething,
 351.
 Symptoms, diseases better distinguished by, than by the systematical
 arrangement of, 74. The differences of sex, age, and constitution, to
 be considered.—Diseases of the mind to be distinguished from those
 of the body, 75.
 Syncope, proper treatment in, 381.
 Syrups, the general intention of.—How to make simple syrup, and to
 modify it for particular purposes.—Of manna, 466

T

- Tacitus, his remarks on the degeneracy of the Roman ladies, 2.
 Tallow-chandlers, and others working on putrid animal substances, cau-
 tions to, 22.
 Tape-worm, 424, 465.
 Tapping for the dropsy, a safe and simple operation, 237.
 Tar, Barbadoes, its efficacy in the nervous colic, 194.
 Tartar, cream of, a good remedy in a dropsy, 233; and rheumatism, 246.
 Taste, how to restore the sense of, when injured, 294.
 Tailors, are exposed to injuries from breathing confined air, 27. Are
 subject to consumptions.—Often lose the use of their legs, 28. Hints
 of instruction offered to them in regard to their health, 29.
 Tea, destroys the digestive powers of females, and produces hysterics.—
 The bad qualities of, principally owing to imprudence in the use of it,
 37. Green, chewing of, a remedy for the heart-burn, 264. Is bad for
 persons troubled with flatulencies, 283.
 Teething, the disorders attending, 350. Regimen and medical treat-
 ment in 351.

- Temperance, the parent of health, 51.
- Testicles, swelled, the cause of, 317. Regimen and medicine in, 318.
- Treatment under a cancerous or scrophulous habit, 309.
- Thirst, how it may be quenched when a person is hot, without danger, 72.
- Thought, intense, destructive of health, 32.
- Thrush in infants, the disorder and its causes described, 342. Medical treatment of, 343.
- Tinctures and elixirs, the proper medicines to exhibit in the form of, 468.
- Preparation of the aromatic tincture.—Compound tincture of cinchona, 469. Carminative tincture, 264. Volatile tincture of asafoetida.—Tincture of fox-glove, 469. Volatile tincture of gum guaiacum.—Tincture of hops, 470. Tincture of gum-kino.—Tincture of myrrh and aloes.—Tincture of opium, or liquid Laudanum.—Tincture of hiera picra.—Compound tincture of senna.—Tincture of Spanish flies.—Tincture of the balsam of Tolu.—Tincture of rhubarb, 471. Tincture of opium camphorated, or paregoric elixir, 472.
- Tobacco, a clyster of a decoction of, useful to excite a vomit, 306. A clyster of the fumes of, will stimulate the intestines, and produce a stool, 194, 377, 386. Wine of, diuretic in dropsy, &c. 437.
- Toes, the free motion of, destroyed by wearing tight shoes, 51.
- Tongue, paralysis of, 429, 430.
- Tooth-ach, the general causes of.—Medical treatment of, 225. Directions for cleaning the teeth.—To assuage, 226, 429.
- Touch, injuries to which the sense of is liable, with the remedies applicable to, 295.
- Towns, great, the air of, destructive to the children of the poor, 17.
- Children bred in the country ought not to be sent too early into towns, 18. Cleanliness not sufficiently attended to in, 56. Ought to be supplied with plenty of water for washing the streets, 58. The best means to guard against infection in, 60, 61, 160.
- Trades, some injurious to health by making artists breathe unwholesome air, 21.
- Transitions, sudden, from heat to cold, the ill effects of to the constitution, 72.
- Travellers, the use of vinegar recommended to, 26. Ought to be very careful not to sleep in damp beds, 71. Fevers, why often fatal to, 79.
- Trees, should not be planted too near to houses, 44.
- Trefoil, water, a good remedy in the rheumatism, 247.
- Tumors, schirrous, proper treatment of, 360.
- Turner's Cerate. See LITHARGE PLASTER.

V and U

- Vaccine inoculation, rules for performing, 145.
- Vapour of fermenting liquors, noxious nature of, 378.
- Vegetables, wholesome correctors of the bad qualities of animal food, 36. Their extraordinary effects in the scurvy, 26, 36, 249.
- Venereal disease, why omitted in the first edition of this work.—Unfavourable circumstances attending this disorder, 310. The virulent gonorrhœa, 311. Gleet, 315. Swelled testicles, 317. Buboës, 318. Chancres, 319. Strangury.—Phymosis, 320. A confirmed lues, 321. American method of curing this disease.—General observations, 323.

- Cleanliness a great preservative against, 324. The use of medicines ought not to be hastily dropped.—Tar water useful in, 325.
- Ventilators, one of the most useful of all modern medical improvements, 43.
- Verdigrise, the poison of, how counteracted, 204.
- Vertigo, often produced by intense study, 32.
- Vinegar, a great antidote against diseases, and ought to be used by all travellers, 26. Should be sprinkled in sick chambers, 60, 88, 114. Is of considerable service in the scurvy, 249. In the bite of a mad dog, 308, 307. In any kind of (but especially as an antidote to) vegetable poison, 301. In the asthma, 258. Its medical properties, 477. Is of use to extract the virtues of several medicinal substances.—How to prepare vinegar of litharge.—Vinegar of roses.—Vinegar of squills, 471.
- Viper, the bite of, the sufficiency of the grease for the cure of, doubled.—Method of treatment recommended, 308.
- Vitriol, elixir of, an excellent medicine in weaknesses of the stomach, 268. And for windy complaints, 267.
- Vitus, St. his dance, method of cure of, 274, 427.
- Ulcers, proper treatment of, according to their different natures, 365. Lime-water a good remedy.—Dr. Whytt's method of treating them.—Fistulous ulcers, 366.
- Vomits, their use in agues, 83; and in the nervous fever, 110. Cautions for administering in the putrid fever, 115. Ought by no means to be administered in an inflammation of the stomach, 188. Are useful in cases of repletion, 201. Are powerful remedies in the jaundice, 234. Are the first object to be pursued when poison has been received into the stomach, 300. Their use in the hooping cough, and how to administer them to children, 185. Vomits nor purges should be administered to women in child-bed without great caution, 338. Form of a gentle one for infants disordered in the bowels, 341.
- Vomiting the several causes of.—Medical treatment of, 203. Saline draught for stopping of, 204. Causes of, in children—and how to be treated, 348. Of blood: See BLOOD.
- Voyage, a long one frequently cures a consumption, 98. Voyages have an excellent effect on persons afflicted with nervous disorders, 266.
- Vulnerary decoction. See Compound Decoction of Marshmallows, 449
- Wretches, and their use, described, 196.
- Urine, the appearances and quality of, too uncertain to form any determined judgment from.—Dr. Cheyne's judgment as to the due quantity of, not to be relied on.—The secretion and discharge of, how obstructed, 68. Bad consequences of retaining it too long.—Too great a quantity of, tends to a consumption, 69. Stoppage of, its general causes.—Caution as to the treatment of, 197. Diabetes, 205. Incontinency of, 206. Suppression of, medical treatment in, 206, 437. Cautions to persons subject to this disorder, 207. Bloody, causes of, 217. Medical treatment of, 218. An obstinate deafness cured by warm urine, 293.
- Uva ursi, a remedy in present request for the stone, 210. Its use in phthisis pulmonalis, 105.

W

- Walls, high, unwholesome, by obstructing the free current of air, 44.
- Ward's essence, preparation of, 470. His fistula paste, a popular remedy that may deserve trial, 366.
- Warts, 433.
- Wars occasion putrid fevers, by tainting the air with the effluvia of dead carcasses, 112.
- Wasps, hornets or bees, how the bite of ought to be treated, 308.
- Water, frequently unwholesome by mineral impregnations, 37. Cautions for the choice of, 38. Cold, the danger of drinking when a person is hot, 72.
- Water in the head, is a disorder chiefly incident to children.—Its causes, symptoms, and proper treatment, 356.
- Waters, mineral, of those in Germany, 397. Of the principal in England, their virtues, and directions for drinking, 401, 410. Are artificially prepared, 400.
- Waters by infusion, how to prepare: Lime water.—Compound lime water.—Sublimate water.—Styptic water.—Tar water, 472.
- Waters, simple distilled, their medical uses.—Preparation of cinnamon water.—Pennyroyal water.—Peppermint water.—Spearment water.—Rose water.—Jamaica pepper water, 473.
- Waters, spirituous distilled, how to prepare: Spirituous cinnamon water.—Spirituous Jamaica pepper water, 473.
- Watery eye, how to cure, 292.
- Weaning of children from the breast, the proper mode of, 10.
- Weather, states of, which produce the putrid fever, 112.
- Wells, caution to persons going down into them, 43. Deep, ought not to be entered till the air in is purified, 378.
- Whey, an excellent drink in a dysentery, 221; and in the rheumatism, 246. Orange whey, how to make, 474. Alum whey, 473. Mustard whey, 373. Anti-scorbutic whey, 474.
- Whitlow, 360.
- Wind. See FLATULENCIES.
- Windows, the danger of throwing them open on account of heat, and sitting near them, 73.
- Wine, good, almost the only medicine necessary in a nervous fever, 109.
- Wines, the medical properties of.—Their use in extracting the virtues of medicinal substances.—Preparations of anthelmintic wine.—Antimonial wine, 174. Bitter wine.—Ipecacuanha wine.—Chalybeate or steel wine.—Stomachic wine, 475. Wine of tobacco, 437.
- Womb, inflammation of, its symptoms and medical treatment, 346.
- Women, errors in their education pointed out, 2. Why so subject to hysterics, 36. Are better adapted to follow sedentary occupations, than men, 46. In child-bed often die from the apprehensions of death.—Their disorders rendered epidemical by the force of imagination.—Every thing that can alarm them to be carefully guarded against.—Evil tendency of tolling bells for the dead, 63. How exposed to a miliary fever during pregnancy, 118. Their constitutions injured by living too much within doors, 327. Advice to, with reference to the menstrual discharge, 328. Fluor albus, with its proper treatment

- described.—Advice to, at the ceasing of the menses, 341. Rules of conduct during pregnancy.—Causes and symptoms of abortion, 342. How to guard against the miliary fever.—General cautions for women in child-bed, 339. Causes of barrenness, 340.
- Wool, the best external application in the gout, 240.
- Workhouses poisonous to infants, 17.
- Worms, how to treat a looseness produced by, 202. Three principal kinds of, distinguished.—Symptoms of, 230. Medical treatment for.—Remedy for children, 231. General cautions for preserving children from them.—Danger of taking quack medicines for them, 232. See WORMS, p. 418, 422, 431, 433, 438, 439.
- Wort, recommended for the scurvy, and proper to drink at sea, 250. Is a powerful remedy in cancerous cases, 299.
- Wounds, are not cured by external applications.—Are cured by nature.—Proper course of treatment, 361. How to stop the bleeding.—Method of dressing them.—Poultices for inflamed wounds.—Regimen in, 362.
- Writing, hints of advice to those who are much employed in, 31, 33.

Y


- Yaws, general hint for the cure of, 325
- Yeast, its antiseptic virtues in the cure of typhous and putrid fevers, 116.
- Young animals all exert their organs of motion as soon as they are able, 13

Z

- Zinc, the flowers of, a popular remedy for the epilepsy, 273.

THE END.

PRINTED BY J. HADDON, CASTLE STREET, FINSBURY.



B

