
I N D I C E S.

INDEX

... ..
... ..
... ..
... ..

... ..
... ..
... ..

...

I N D E X

NOMINUM MUTATORUM

ET

SYNONYMORUM QUORUNDAM.

NOMINA MUTATA.

ABSINTHIUM.

Acetosa.

Acetum vini.

Acidum vitriolicum.

—— *vitrioli aromaticum.*

Ærugo.

Æther vitriolicus.

Æthiops mineralis.

Agaricus.

Alkali causticum.

—— *fixum fossile.*

—— — *vegetabile.*

—— *volatile.*

NOMINA NOVA.

ARTEMISIA absinthium.

Rumex acetosa.

Acidum acetosum.

Acidum sulphuricum.

—— — *aroma-
ticum.*

Sub-Acetis cupri.

Æther sulphuricus.

*Sulphuretum hydrargyri ni-
grum.*

Boletus igniarius.

Potassa.

Carbonas sodæ.

—— *potassæ impurus.*

—— *ammoniæ.*

O

Alumen.

NOMINA MUTATA.

NOMINA NOVA.

Alumen.—— *ustum.**Ammonia muriata.*—— *preparata.**Amygdala dulcis.**Angelica sativa.**Anisum.**Antimonium.*—— *calcareo-phosphora-*
tum.—— *muriatum.*—— *tartarifatum.**Aqua ammoniæ.*—— *acetatæ.*—— *causticæ.*—— *cupri vitriolati composita,*
vel aqua styptica.—— *lixivia caustica.*—— *zinci vitriolati.**Arabicum gummi.**Argentum nitratum.**Arsenicum.**Asa fetida.**Aurantium Hispalense.**Sulphas aluminæ.*—— *exsiccat.**Murias ammoniæ.**Carbonas ammoniæ.**Amygdalus communis.**Angelica Archangelica.**Pimpinella anisum.**Sulphuretum antimonii.**Oxidum antimonii cum phos-*
*phate calcis.**Murias antimonii.**Tartris antimonii.**Aqua carbonatis ammoniæ.*—— *acetitis ammoniæ.*—— *ammoniæ.**Solutio sulphatis cupri com-*
*posita.**Aqua potassæ.**Solutio sulphatis zinci.**Gummi mimosæ niloticæ.**Nitras argenti.**Oxidum arsenici.**Gummi-resina ferulæ assæ fæ-*
*tidæ.**Citrus aurantium.**Balsamum*

NOMINUM MUTATORUM. 211

NOMINA MUTATA.

Balsamum Canadense.
 ——— *Copaiba.*
 ——— *Gileadense.*
 ——— *Peruvianum.*
 ——— *Tolutanum.*
 ——— *traumaticum.*
Bardana.
Barilla.
Barytes.
Belladonna.
Benzoinum.
Bistorta.
Borax.
Butyrum antimonii.

Cajuputa.
Calamus aromaticus.
Calomelas.
Calx viva.
Cancrorum lapilli.
Cantharis.
Cardamomum minus.
Carduus benedictus.
Carica.

NOMINA NOVA.

Refina pini balsameæ.
 ——— *copaiferæ officinalis.*
 ——— *amyridis Gileadensis.*
Balsamum myroxyli peruiferi.
 ——— *toluiferæ balsami.*
Tinctura benzoës composita.
Arctium lappa.
Carbonas sodæ impurus.
 ——— *barytæ.*
Atropa belladonna.
Balsamum styracis benzoës.
Polygonum bistorta.
Boras sodæ.
Murias antimonii.

Melaleuca leucadendron.
Acorus calamus.
Sub-Murias hydrargyri.
Calx.
Carbonas calcis præparatus.
Meloë vesicatorius.
Anomum repens.
Centaurea benedicta.
Fructus ficus caricæ.

NOMINA MUTATA.

Carvi.
Caryophylla aromatica.
 ——— *rubra.*
Cascarilla.
Cassia fistularis.
 ——— *lignea.*
Catechu.
Cauticum commune acerrimum.
 ——— ——— *mitius.*
 ——— *lunare.*
Centaurium minus.
Cerussa.
 ——— *acetata.*
Chamæmelum.
Cicuta.
Cinnabaris fasciata.
Cinara hortensis.
Cineres clavellati.
Cinnamomum.
Coccinella.
Colocynthis.
Confectio Japonica.
Contrayerva.

NOMINA NOVA.

Carum carvi.
Caryophyllus aromaticus.
Dianthus caryophyllus.
Croton eleutheria.
Cassia fistula.
Laurus cassia.
Extractum mimosæ catechu.
Potassa.
 ——— *cum calce.*
Nitras argenti.
Gentiana centaurium.
Oxidum plumbi album.
Acetis plumbi.
Anthemis nobilis.
Conium maculatum.
Sulphuretum hydrargyri rubrum.
Cinara scolymus.
Carbonas potassæ impurus.
Laurus cinnamomum.
Coccus cacti.
Cucumis colocynthis.
Electuarium catechu.
Dorstenia contrayerva.

Cortex

NOMINA MUTATA.

*Cortex Peruvianus.**Creta alba.*

Crocus antimonii. }
 ——— *metallorum.* }

*Cryſtalli tartari.**Cucumis agreſtis.**Cuprum ammoniacum.*—— *vitriolatum.**Cynophato.*

NOMINA NOVA.

*Cortex cinchonæ officinalis.**Carbonas calcis.**Oxidum antimonii cum ſulphure per nitratem potaſſæ.**Super-Tartris potaſſæ.**Fructus recens momordicæ elaterii.**Ammoniaretum cupri.**Sulphas cupri.**Fructus recens roſæ caninæ.**Daucus ſilveſtris.**Decoctum chamæmeli vel commune.*—— *lignorum.**Dens leonis.**Daucus carota.**Decoctum anthemidis nobilis.*—— *guaiaci officinalis compositum.**Leontodon taraxacum.**Elaterium.**Electuarium lenitivum.**Elixir paregoricum.*—— *ſacrum.**Succus ſpiſſatus momordicæ elaterii.**Electuarium caſſiæ ſennæ.**Tinctura opii ammoniata.*—— *rhei cum aloë.*

NOMINA MUTATA.

Elixir salutis.—— *stomachicum.**Emplastrum adhaesivum.*—— *cereum.*—— *lithargyri vel*
commune.—— *lithargyri compositum*
vel roborans.—— *vesicatorium.**Emulsio communis.**Ferrum ammoniatum.**Ferri rubigo.*—— *squamæ purificatæ.*—— ——— *præparata.**Ferrum vitriolatum.*—— ——— *ustum.**Filix mas.**Flores maritiales.**Flores sulphuris.*

NOMINA NOVA.

Tinctura cassiæ sennæ compo-
sita.—— *gentianæ composita.**Emplastrum resinofum.*—— *simplex.*—— *oxidi plumbi fe-*
mivitrei.—— *oxidi ferri rubri.**Emplastrum meloës vesicato-*
*rii.**Emulsio amygdalæ commu-*
*nis.**Murias ammoniæ et ferri.**Carbonas ferri.**Ferri oxidum nigrum purifi-*
catum.—— ——— *præpa-*
*ratum.**Sulphas ferri.**Oxidum ferri rubrum.**Polypodium filix mas.**Murias ammoniæ et ferri.**Sulphur sublimatum.**Flores*

NOMINA MUTATA.

*Flores zinci.**Feniculum dulce.**Galbanum.**Genista.**Granata malus.**Helleborus albus.**Hepar sulphuris.**Hippocastanum.**Hydrargyrus acetatus.*———— *muriatus corrosivus.*———— *mitis.*———— *præcipitatus.*———— *nitratu8 ruber.*———— *præcipitatus cinereus.*———— *sulphuratus niger.*———— *vitriolatus flavus.*

NOMINA NOVA.

Oxidum zinci.

Anethum fœniculum.

Gummi-resina bubonis galbani.

Spartium scoparium.

Punica granatum.

Veratrum album.

Sulphuretum potassæ.

Æsculus hippocastanum.

Acetis hydrargyri.

Murias hydrargyri.

Sub-Murias hydrargyri.

———— hydrargyri præcipitatus.

Oxidum hydrargyri rubrum
per acidum nitricum.

Oxidum hydrargyri cinereum.

Sulphuretum hydrargyri nigrum.

Sub-Sulphas hydrargyri flavus.

NOMINA MUTATA.

*Infusum amarum.**— rosarum.**Jalapa.**Lapis calaminaris.**Lavendula.**Laudanum liquidum.**Lignum Campechense.**Limon.**Linimentum anodynum vel opiatum.**— aquæ calcis.**— saponaceum.**— volatile.**Lithargyrus.**Lixiva acetata.**— e tartaro.**— purificata.**— tartarifata.**— vitriolata.**— — sulphurea.**Lixivium causticum.*

NOMINA NOVA.

*Infusum gentianæ luteæ compositum.**— rosæ Gallicæ.**Convolvulus jalapa.**Carbonas zinci impurus.**Lavandula spica.**Tinctura opii.**Lignum Hæmatoxyli Campechiani.**Fructus citri medicæ.**Tinctura saponis cum opio.**Oleum lini cum calce.**Tinctura saponis.**Oleum ammoniatum.**Oxidum plumbi femivitreum.**Acetis potassæ.**Carbonas potassæ purissimus.**Carbonas potassæ.**Tartris potassæ.**Sulphas potassæ.**— — cum sulphure.**Aqua potassæ.**Magnesia*

NOMINA MUTATA.

Magnesia alba.
 ——— *usta.*
 ——— *vitriolata.*
Majorana.
Manna.
Mastiche.
Melampodium.
Mercurius.
 ——— *precipitatus ruber.*
 ——— *sublimatus corrosivus.*
Mezereum.
Minium.
Muria.

Nasturtium aquaticum.

Nitrum.

Nux moschata.

Olea stillaritia.

Oleum succini rectificatum.

—— *terebinthinae rectificatum.*

Olibanum.

Oliua.

NOMINA NOVA.

Carbonas magnesiæ.
 Magnesia.
 Sulphas magnesiæ.
 Origanum majorana.
 Succus concretus fraxini orni.
 Refina pistachiæ lentisci.
 Helleborus niger.
 Hydrargyrus.
 Oxidum hydrargyri rubrum.
 Murias hydrargyri.
 Daphne mezereum.
 Oxidum plumbi rubrum.
 Murias sodæ.

Sifymbrium nasturtium.

Nitras potassæ.

Nucleus fructûs myristicæ mos-
 chatæ.

Olea volatilia.

Oleum succini purissimum.

—— *terebinthinae volatile*
purissimum.

Gummi-resina juniperi lyciæ.

Olea Europæa.

Palma.

NOMINA MUTATA.

NOMINA NOVA.

- | | |
|---------------------------------------|---|
| <i>Palma.</i> | <i>Cocos butyracea.</i> |
| <i>Petroleum Barbadenſe.</i> | <i>Bitumen petroleum.</i> |
| <i>Petroſelinum.</i> | <i>Apium petroſelinum.</i> |
| <i>Pilulæ cupri.</i> | <i>Pilulæ ammoniaretæ cupri.</i> |
| —— <i>thebaicæ.</i> | —— <i>opiatæ.</i> |
| <i>Pimento vel piper Jamaicenſis.</i> | <i>Myrtus pimenta.</i> |
| <i>Piper Indicum.</i> | <i>Capſicum annuum.</i> |
| <i>Pix Burgundica.</i> | <i>Refina pini abietis.</i> |
| <i>Plumbum uſum.</i> | <i>Oxidum plumbi ſemivitreum.</i> |
| <i>Potio cretacea.</i> | <i>Potio carbonatis calcis.</i> |
| <i>Prunus Gallica.</i> | <i>Prunus domeſtica.</i> |
| <i>Pulegium.</i> | <i>Mentha pulegium.</i> |
| <i>Pulvis antimonialis.</i> | <i>Oxidum antimonii cum phoſphate calcis.</i> |
| —— <i>cretaceus.</i> | <i>Pulvis carbonatis calcis compoſitus.</i> |
| —— <i>Doveri.</i> | —— <i>ipēcacuanhæ et opii.</i> |
| <i>Pyrethrum.</i> | <i>Anthemis pyrethrum.</i> |
|
 | |
| <i>Raphanus ruſſicanus.</i> | <i>Cochlearia armoracia.</i> |
| <i>Rhabarbarum.</i> | <i>Rheum palmatum.</i> |
| <i>Refina alba.</i> | <i>Refina pini.</i> |
| <i>Rofa pallida.</i> | <i>Rofa centifolia.</i> |

Rofa

NOMINA MUTATA.

Rosa rubra.
Rubigo ferri præparata.

Sabina.

Saccharum saturni.

Sal alkalinus fixus fossilis.

— — — — — *vegetabilis.*

— *ammoniacus.*

— *catharticus amarus.*

— *cornu cervi.*

— *Glauberi.*

— *marinus Hispanus.*

— *polychrestus.*

— *Rupellensis.*

— *succini.*

— *tartari.*

Sanguis draconis.

Santalum rubrum.

Santonicum.

Sarsaparilla.

Sassafras.

Scammonium.

Seneca.

Senna.

Serpentaria Virginiana.

NOMINA NOVA.

Rosa Gallica.

Carbonas ferri præparatus.

Juniperus sabina.

Acetis plumbi.

Carbonas fodæ.

— — — — — *potassæ.*

Murias ammoniæ.

Sulphas magnesiæ.

Carbonas ammoniæ.

Sulphas fodæ.

Murias fodæ.

Sulphas potassæ cum sulphure.

Tartris potassæ et fodæ.

Acidum succinicum.

Carbonas potassæ purissimus.

Resina pterocarpi draconis.

Pterocarpus fantalinus.

Artemisia santonicum.

Smilax sarsaparilla.

Laurus sassafras.

*Gummi-resina convolvuli
 scammoniæ.*

Polygala senega.

Cassia fenna.

Aristolochia serpentaria.

Simarouba.

NOMINA MUTATA.

NOMINA NOVA.

<i>Simarouba.</i>	<i>Quassia simaruba.</i>
<i>Sinapi album.</i>	<i>Sinapis alba.</i>
<i>Soda.</i>	<i>Carbonas sodæ.</i>
— <i>muriata.</i>	<i>Murias sodæ.</i>
— <i>phosphorata.</i>	<i>Phosphas sodæ.</i>
— <i>tartarifata.</i>	<i>Tartaris potassæ et sodæ.</i>
— <i>vitriolata.</i>	<i>Sulphas sodæ.</i>
<i>Spiritus ætheris vitriolici.</i>	<i>Æther sulphuricus cum alco-</i> <i>hole.</i>
— <i>ammonie.</i>	<i>Alcohol ammoniatum.</i>
— <i>cornu cervi.</i>	<i>Aqua carbonatis ammoniæ,</i> — <i>acetitis ammoniæ.</i>
— <i>Mindereri.</i>	<i>Alcohol.</i>
— <i>vinosus rectificatus.</i>	— <i>dilutum.</i>
— — <i>tenuior.</i>	<i>Tinctura camphoræ.</i>
— — <i>camphoratus.</i>	<i>Delphinium staphisagria.</i>
<i>Staphisagria.</i>	<i>Datura stramonium.</i>
<i>Stramonium.</i>	<i>Sulphuretum antimonii præci-</i> — <i>auratum antimonii.</i> } <i>pitatum.</i>
<i>Sulphur antimonii præcipitatum.</i>	<i>Syrupus toluiferæ balsami.</i>
<i>Syrupus balsamicus vel Tolutanus.</i>	— <i>papaveris somniferi.</i>
— <i>papaveris albi.</i>	
<i>Taraxacum.</i>	<i>Leontodon taraxacum.</i>
<i>Tartarus crudus.</i>	<i>Super-Tartaris potassæ impurus.</i>
<i>Tartari crysalli.</i>	— <i>potassæ.</i>
	<i>Tartarus</i>

NOMINA MUTATA.

NOMINA NOVA.

<i>Tartarus emeticus.</i>	<i>Tartris antimonii.</i>
<i>Tartarum solubile.</i>	<i>Tartris potassæ.</i>
—— <i>vitriolatum.</i>	<i>Sulphas potassæ.</i>
<i>Terebinthina Veneta.</i>	<i>Refina pini laricis.</i>
<i>Terra Japonica.</i>	<i>Extractum mimosæ catechu.</i>
<i>Tinctura aloës vitriolata.</i>	<i>Tinctura aloës ætherea.</i>
—— <i>aromatica.</i>	—— <i>lauri cinnamomi</i> <i>composita.</i>
—— <i>ferri.</i>	—— <i>muriatis ferri.</i>
—— <i>cantharidum.</i>	—— <i>meloës vesicatorii.</i>
—— <i>Japonica.</i>	—— <i>mimosæ catechu.</i>
—— <i>rhei amara.</i>	—— <i>rhei cum gentiana.</i>
—— <i>lacra.</i>	<i>Vinum aloës Socotorinæ.</i>
—— <i>Tolutana.</i>	<i>Tinctura toluiferæ balsami.</i>
<i>Toxicodendron.</i>	<i>Rhus toxicodendron.</i>
<i>Tragacantha.</i>	<i>Gummi astragali tragacanthæ.</i>
<i>Trifolium.</i>	<i>Menyanthes trifoliata.</i>
<i>Trochisci Arabici.</i>	<i>Trochisci gummosi.</i>
<i>Turpethum minerale.</i>	<i>Sub-Sulphas hydrargyri flavus.</i>
<i>Tutia.</i>	<i>Oxidum zinci impurum.</i>

Unguentum

NOMINA MUTATA.

Unguentum album vel ceruffæ.———— *æruginis.*———— *cæruleum.*———— *citrinum.*———— *epispasticum fortius.*———— ——— *mitius.*———— *saturninum.*———— *tulia.**Uva passa.*— *urfi.**Valeriana sylvestris.**Vinum amarum.*———— *antimoniale.**Vitriolum album.*———— *cæruleum.*———— *viride.**Vitrum antimonii.*———— ——— *ceratum.*

NOMINA NOVA.

Unguentum oxidi plumbi albi.———— *sub-Acetitis cupri.*———— *hydrargyri.*———— *nitratiss hydrargyri.*———— *pulveris meloës vesicatorii.*———— *infusi meloës vesicatorii.*———— *acetitis plumbi.*———— *oxidi zinci impuri.**Fructus siccatus vitis viniferi.**Arbutus uva urfi.**Valeriana officinalis.**Vinum gentianæ compositum.*———— *tartritis antimonii.**Sulphas zinci.*———— *cupri.*———— *ferri.**Oxidum antimonii cum sulphure vitrificatum.**Oxidum antimonii vitrificatum cum cera.**Winteranus*

NOMINUM MUTATORUM. 223

NOMINA MUTATA.

Winteranus cortex.

Zincum ustum.

—— *vitriolatum.*

Zingiber.

NOMINA NOVA.

Cortex Winteræ aromaticæ.

Oxidum zinci.

Sulphas zinci.

Amomum zingiber.

I N D E X

INDEX ALTER
NOMINUM MUTATORUM
ET
SYNONYMORUM.

NOMINA NOVA.

Acetis hydrargyri.
—— potassæ.
—— plumbi.
Acidum acetosum.
—— fuccinicum.
—— sulphuricum.
—— ——— aromaticum.
Acorus calamus.
Æsculus hippocastanum.
Æther sulphuricus.
—— ——— cum alcohole.
Alcohol.

NOMINA MUTATA.

Hydrargyrus acetatus.
Lixiva acetata vel tartarum re-
generatum.
Cerussa acetata vel saccharum sa-
turni.
Acetum vini.
Sal succini.
Acidum vitriolicum.
—— *vitrioli aromaticum.*
Calamus aromaticus.
Hippocastanum.
Æther vitriolicus.
Spiritus ætheris vitriolici.
Spiritus vinosus rectificatus vel
purissimus.

P

Alcohol

NOMINA NOVA.

Alcohol ammoniatum.

—— dilutum.

Ammoniaretum cupri.

Amomum repens.

—— zingiber.

Amygdali communis nucleus.

Amyridis Gileadenfis refina.

Anethum fœniculum.

Angelica Archangelica.

Anthemis nobilis.

—— pyrethrum.

Apium petroselinum.

Aqua acetitis ammoniæ.

—— ammoniæ.

—— carbonatis ammoniæ.

—— potassæ.

Arbutus uva ursi.

Arctium lappa.

Aristolochia serpentaria.

Artemisia absinthium.

—— santonicum.

Astragalus tragacantha.

Atropa belladonna.

NOMINA MUTATA.

Spiritus ammonia.—— *vinosus tenuior vel dilutus.**Cuprum ammoniacum.**Cardamomum minus.**Zingiber.**Amygdala dulcis.**Balsamum Gileadense.**Fœniculum dulce.**Angelica sativa.**Chamæmelum.**Pyrethrum.**Petroselinum.**Aqua ammoniæ acetatæ vel spiritus Mindereri.**Aqua ammoniæ causticæ.*—— *ammoniæ vel spiritus cornu cervi.**Aqua lixivii causticæ vel lixivium causticum.**Uva ursi.**Bardana.**Serpentaria Virginiana.**Absinthium.**Santonicum.**Tragacantha.**Belladonna vel solanum lethale.*

Bitumen

NOMINUM MUTATORUM.

227

NOMINA NOVA.

NOMINA MUTATA.

Bitumen petroleum.	<i>Petroleum Barbadenſe.</i>
Boletus igniarius.	<i>Agaricus.</i>
Boras fodæ.	<i>Borax.</i>
Bubonis galbani gummi-refina.	<i>Galbanum.</i>
Calx.	<i>Calx viva.</i>
Capſici annui fructus.	<i>Piper Indicum.</i>
Carbonas ammoniæ.	<i>Ammonia præparata vel ſal cornu cervi.</i>
———— barytæ.	<i>Barytes.</i>
———— calcis.	<i>Creta alba vel cancrorum chela et lapilli.</i>
———— ferri.	<i>Ferri rubigo.</i>
———— magnesiæ.	<i>Magneſia alba.</i>
———— potaſſæ.	<i>Lixiva purificata vel ſal alkalinus fixus vegetabilis purificatus.</i>
———— potaſſæ impurus.	———— <i>impura vel alkali fixum vegetabile.</i>
———— ——— puriſſimus.	———— <i>e tartaro vel ſal tartari.</i>
———— fodæ impurus.	<i>Barilla.</i>
———— fodæ.	<i>Soda vel ſal alkalinus fixus ſoſſilis purificatus.</i>
———— zinci impurus.	<i>Lapis calaminaris.</i>
Carum carvi.	<i>Carvi.</i>

P 2

Caffia

NOMINA NOVA.

Cassia fenna.
Centaurea benedicta.
Cinchonæ officinalis cortex.
Citrus aurantium.
 ——— medica.
Coccus casti.
Cochlearia armoracia.
Cocos butyracea.
Conium maculatum.
Convolvuli scammoniae gum-
mi-resina,
Convolvulus jalapa.
Copaiferæ officinalis resina.
Croton eleutheria.
Cucumeris colocynthidis fruc-
tus.

Daphne mezereum.
Datura stramonium.
Delphinium staphisagria.
Dianthus caryophyllus.
Dorstenia contrajerva.

NOMINA MUTATA.

Senna.
Carduus benedictus.
Cortex Peruvianus.
Aurantium Hispalense.
Limon.
Coccinella.
Raphanus rusticus.
Palma.
Cicuta.
Scammonium.
Jalapa.
Balsamum copaiba.
Cascarilla.
Colocynthis.

Mexereum.
Stramonium.
Staphisagria.
Caryophylla rubra.
Contrajerva.

Emplastrum

NOMINA NOVA.

NOMINA MUTATA.

Emplastrum meloës vesicato-
rii.*Emplastrum vesicatorium.*

————— oxidi ferri rubri.

————— *roborans.*————— ——— plumbi fe-
mi-vitrei.————— *commune vel libar-
gyri.*Emulsio amygdalæ commu-
nis.*Emulsio communis.*Ferulæ assæ foetidaë gummi-re-
fina.*Asa foetida.*

Ferri oxidum nigrum.

Ferri squamæ.

Fraxini orni fuceus concretus.

Manna.

Gentiana centaureum.

Centaurium minus.

Gummi mimosæ Niloticæ.

*Gummi Arabicum.*Hæmatoxylum Campechiä-
num.*Lignum Campechense.*

Helleborus niger.

Melampodium.

Juniperi Lyciæ refina.

Olibanum.

Juniperus sabina.

Sabina.

NOMINA NOVA.

Laurus cassia.
 — cinnamomum.
 — saffrafras.
 Leontodon taraxacum.

Magnesia.
 Melaleucæ leucadendri oleum.
 Meloë vesicatorius.
 Mentha pulegium.
 Menyanthes trifoliata.
 Mimosæ catechu extractum.
 Momordicæ elaterium.
 Momordicæ elaterii fuccus
 spissatus.

Murias ammoniæ.
 — — — et ferri.
 — antimonii.
 — hydrargyri.
 — sodæ.

Myroxyli Peruiferi balsamum.
 Myrti pimentæ fructus.

NOMINA MUTATA.

Cassia lignea.
 Cinnamomum.
 Saffrafras.
 Dens leonis.

Magnesia usta.
 Oleum cajuputæ.

Cantharis.
 Pulegium.
 Trifolium.

Terra Japonica vel catechu.
 Cucumis agrestis.
 Elaterium.

Ammonia muriata vel sal ammoniacus.
 Ferrum ammoniatum vel flores
 martiales.
 Antimonium muriatum vel butyrum
 antimonii.
 Mercurius sublimatus corrosivus.
 Soda muriata, sal marinus vel muria.

Balsamum Peruvianum.
 Pimenta vel piper Jamaicensis.

Nitras

NOMINA NOVA.

NOMINA MUTATA.

Nitras argenti.	<i>Argentum nitratum vel causticum lunare.</i>
—— potassæ.	<i>Nitrum.</i>
Olea fixa.	<i>Olea expressa.</i>
—— volatilia.	<i>—— stillatitia vel essentialia.</i>
Origanum majorana.	<i>Majorana.</i>
Oxidum antimonii cum sulphure per nitratem potassæ.	<i>Crocus antimonii vel metallorum.</i>
—— antimonii cum phosphate calcis.	<i>Pulvis antimonialis vel antimonium calcareo-phosphoratum.</i>
—— antimonii cum sulphure vitrificatum.	<i>Vitrum antimonii.</i>
—— antimonii vitrificatum cum cera.	<i>—— antimonii ceratum.</i>
—— arsenici.	<i>Arsenicum.</i>
—— ferri nigrum.	<i>Ferri squamæ.</i>
—— ferri rubrum.	<i>Ferrum vitriolatum usum vel colcothar vitrioli.</i>
—— hydrargyri cinereum.	<i>Hydrargyrus præcipitatus cinereus.</i>
—— hydrargyri rubrum per acidum nitricum.	<i>—— nitratus ruber vel præcipitatus ruber.</i>
—— plumbi album.	<i>Cerussa.</i>
—— rubrum.	<i>Minium vel plumbum usum rubrum.</i>

NOMINA NOVA.

Oxidum plumbi femivitreum.
 ——— zinci.
 ——— ——— impurum.

NOMINA MUTATA.

Lithargyrus vel *plumbum ustum*.
Zincum ustum vel *flores zinci*.
Tutia.

Pilula opiatæ.
Pimpinella anisum.
Phosphas sodæ.
Polygala fenega.
Polygonum bistorta.
Potassa.

Pilula opii vel *thebaica*.

Anisum.

Soda phosphorata.

Seneka.

Bistorta.

Causilicum commune acerrimum.

——— cum calce.

——— ——— *mitius*.

Potio carbonatis calcis.

Potio cretacea.

Pterocarpi draconis refina.

Sanguis draconis.

Pterocarpus fantalinus.

Santalum rubrum.

Pulvis carbonatis calcis compositus.

Pulvis cretaceus.

——— *ipecacuanhæ et opii*.

——— *ipecacuanhæ compositus* vel *Doveri*.

——— *fulphatis aluminæ compositus*.

——— *aluminis compositus* vel *stypticus*.

Quassia fimaruba.

Simarouba.

Rheum palmatum.

Rhabbarbarum.

Rhus

NOMINA NOVA.

NOMINA MUTATA.

Rhus toxicodendron.

Toxicodendron.

Rosæ caninæ fructus.

Cynobatos.

Rosa centifolia.

Rosa pallida.

—— Gallica.

—— *rubra.*

Sisymbrium nasturtium.

Nasturtium aquaticum.

Smilax sarsaparilla.

Sarsaparilla.

Solutio sulphatis cupri composita.

Aqua cupri vitriolati composita vel styptica.

Spartium scoparium.

Genista.

Styracis benzoini balsamum.

Benzoinum.

Sub-acetis cupri.

Ærugo.

Sub-Murias hydrargyri.

Hydrargyrus muriatus mitis vel calomelas.

—— hydrargyri præcipitatus.

Hydrargyrus muriatus præcipitatus.

Sub-Sulphas hydrargyri flavus.

Hydrargyrus vitriolatus flavus vel turpethum minerale.

Sulphas aluminæ.

Alumen.

—— exsiccatum.

—— *ustum.*

—— cupri.

Cuprum vitriolatum vel vitriolum ceruleum.

—— ferri.

Ferrum vitriolatum vel vitriolum viride.

Sulphas.

NOMINA NOVA.

NOMINA MUTATA.

Sulphas magnesiæ.	<i>Magnesia vitriolata vel sal catharticus amarus.</i>
—— potassæ.	<i>Lixiva vitriolata vel tartarum vitriolatum.</i>
—— ——— cum sulphure.	<i>Lixiva vitriolata sulphurea vel sal polychrestus.</i>
—— fodæ.	<i>Soda vitriolata vel sal Glauberi.</i>
—— zinci.	<i>Zincum vitriolatum vel vitriolum album.</i>
Sulphuretum antimonii.	<i>Antimonium.</i>
—— antimonii præcipitatum.	<i>Sulphur antimonii præcipitatum vel auratum.</i>
—— hydrargyri rubrum.	<i>Cinnabaris factitia.</i>
—— hydrargyri nigrum.	<i>Hydrargyrum sulphuratum nigrum vel æthiops mineralis.</i>
—— potassæ.	<i>Hepar sulphuris.</i>
Super-Tartris potassæ impurus.	<i>Tartarus crudus.</i>
—— potassæ.	<i>Tartarus purificatus vel crystalli tartari.</i>
Syrupus Toluiferæ balsami.	<i>Syrupus balsamicus.</i>
Tartris antimonii.	<i>Antimonium tartarificatum vel tartarus emeticus.</i>
—— potassæ.	<i>Lixiva tartarificata vel tartarum solubile.</i>
	Tartris

NOMINA NOVA.

NOMINA MUTATA.

Tartris potassæ et sodæ.	<i>Soda tartarifata vel sal Rupel- lenfis.</i>
Tinctura benzoës composita.	<i>Balsamum traumaticum.</i>
—— camphoræ.	<i>Spiritus vinosus camphoratus.</i>
—— cassiæ fennæ compo- sita.	<i>Elixir salutis.</i>
—— muriatis ferri.	<i>Tinctura ferri vel martis.</i>
—— rhei cum gentiana.	—— <i>rhei amara.</i>
—— opii.	<i>Laudanum liquidum vel tinctura thebaica.</i>
—— saponis.	<i>Linimentum saponaceum.</i>
—— ——— cum opio.	—— <i>anodynum.</i>
Toluifera balsamum.	<i>Balsamum Tolutanum.</i>
Unguentum nitratis hydrar- gyri fortius.	<i>Unguentum citrinum.</i>
Veratrum album.	<i>Helleborus albus.</i>
Vinum aloës focotorinæ.	<i>Vinum aloëticum vel tinctura sa- cra.</i>
—— tartritis antimonii.	—— <i>antimonii tartarifati vel vinum antimoniale.</i>

NOTANDUM.

NOTANDUM.

IN binis his indicibus Nominum Mutatorum (metuentes scilicet ne nimis longi forent, et contenti si ab omni possibili errore præcaveretur) simplicia tantum inscripsimus medicamenta, quorum nomina præcipua et usitata, in Historia Naturali *generica* dicta, mutavimus; cujusmodi sunt Anethum fœniculum pro Fœniculo, Anthemis nobilis pro Chamæmelo, Gentiana centaureum pro Centaurio minore: omisimus vero simplicia omnia quorum nomina priora *generica* manent, adjectis tantum ipsorum nominibus *specificis* aut *trivialibus*; cujusmodi exempla sunt Digitalis purpurea, Rheum palmatum, Papaver somniferum.

PARI ratione sat esse putavimus in utroque indice notâsse nomen mutatum uniuscujusque medicamenti simplicis, omisiss plerumque titulis compositorum aut præparatorum quæ
ex

ex eo fiunt: sic indicavimus Laurum Cinnamomum dici pro Cinnamomo; omisimus vero Aquam, Spiritum, et Tincturam Lauri cinnamomi, confisi neminem, de horum nominibus novis aut dubitare posse aut errare.

INDEX

INDEX

MEDICAMENTORUM.

	A.	Pag.
ACETIS hydrargyri,	—	154
— plumbi,	—	161
— potassæ,	—	130
Acetum aromaticum,	—	77
— scillæ maritimæ,	—	78
Acidum acetosum camphoratum,	—	78
— — destillatum,	—	114
— — forte,	—	114
— benzoicum,	—	115
— muriaticum,	—	115
— nitricum,	—	117
— nitrosum,	—	116
— — dilutum,	—	117
— succini,	—	110
— sulphuricum dilutum,	—	118
		Acidum,

Acidum sulphuricum aromaticum,	—	118
Æther sulphuricus,	—	119
———— cum alcohole,	—	120
———— aromaticus,	—	121
Æthiops mineralis,	—	160
Alcohol ammoniatum,	—	123
———— aromaticum,	—	124
———— fœtidum,	—	124
Alumen ustum,	—	38
Ammonia præparata,	—	121
Ammoniaretum cupri,	—	149
Antimonium præparatum,	—	38
Aqua acetitis ammoniæ,	—	129
—— ammoniæ,	—	122
—— causticæ,	—	122
—— calcis,	—	57
—— carbonatis ammoniæ,	—	122
—— citri aurantii,	—	102
—— citri medicæ,	—	103
—— destillata,	—	102
—— lauri cassiæ,	—	103
—— lauri cinnamomi,	—	103
—— menthæ piperitæ,	—	103
—— myrti pimentæ,	—	103
—— potassæ,	—	126
—— rosæ centifoliæ,	—	103
—— styptica,	—	149
—— super-carbonatis potassæ,	—	127
—— sodæ,	—	129

B.

B.

Balsamum traumaticum,	—	83
-----------------------	---	----

C.

Calomelas,	—	156
Cancrorum lapilli præparati,	—	35
Carbonas ammoniæ,	—	121
—— calcis præparatus,	—	35
—— ferri,	—	150
—— præcipitatus,	—	150
—— præparatus,	—	36
—— magnesiæ,	—	140
—— potassæ,	—	125
—— purissimus,	—	125
—— sodæ,	—	128
—— zinci impurus præparatus,	—	36
Cauticum commune acerrimum,	—	131
—— mitius,	—	131
Ceratum carbonatis zinci impuri,	—	193
—— lapidis calaminaris,	—	193
—— simplex,	—	187
Confectio Japonica,	—	172
Conserva citri aurantii,	—	42
—— rosæ caninæ,	—	42
—— rosæ Gallicæ,	—	42

Q

Creta

Creta præparata,	—	—	35
Crocus antimonii,	—	—	146
Cuprum ammoniacum,	—	—	149

D.

Decoctum althææ officinalis,	—	—	58
———— anthemidis nobilis,	—	—	59
———— chamæmeli, five commune,	—	—	59
———— cinchonæ officinalis,	—	—	59
———— corticis Peruviani,	—	—	59
———— daphnes mezerei,	—	—	60
———— geoffrææ inermis,	—	—	60
———— guajaci officinalis compositum,	—	—	61
———— hordei distichi,	—	—	62
———— lignorum,	—	—	61
———— polygalæ fenegæ,	—	—	62
———— smilacis sarsaparillæ,	—	—	63

E.

Elaterium,	—	—	46
Electuarium aromaticum,	—	—	170
———— cassiæ fistulæ,	—	—	170
———— cassiæ fennæ,	—	—	171
———— catechu,	—	—	172
———— lenitivum,	—	—	171

Electuarium

Electuarium opiatum,		173
—— thebaicum,	—	173
Elixir paregoricum,	—	94
—— sacrum,	—	95
—— salutis,	—	84
—— stomachicum,	—	88
Emplastrum adhæsivum,	—	196
—— afflæ fœtidæ,	—	197
—— cereum,	—	195
—— gummosum,	—	197
—— hydrargyri,	—	198
—— meloës veficatorii,	—	199
—— ——— compositum,		200
—— oxidi ferri rubri,	—	196
—— ——— plumbi femivitrei,	—	195
—— refinofum,	—	196
—— roborans,	—	196
—— faponaceum,	—	199
—— simplex,	—	195
—— veficatorium,	—	199
Emulfio amygdalæ communis,	—	48
—— Arabica,	—	48
—— camphorata,	—	49
—— gummi mimofæ Niloticæ,	—	48
Extractum anthemidis nobilis,	—	100
—— caffæ fennæ,	—	100
—— cinchonæ officinalis,	—	100

Q 2

Extractum

Extractum convolvuli jalapæ,	—	100
— gentianæ luteæ,	—	99
— glycyrrhizæ glabræ,	—	100
— hæmatoxyli Campechensis,	—	100
— hellebori nigri,	—	100
— papaveris somniferi,	—	100
— rutæ graveolentis,	—	100

F.

Ferri limatura purificata,	—	37
— oxidum nigrum purificatum,	—	37
— rubigo,	—	150
— squamæ purificatæ,	—	37
Flores martiales,	—	153

H.

Hepar sulphuris,	—	136
Hydrargyrum purificatum,	—	154
Hydro-sulphuretum ammoniæ,	—	137

I.

I.

Infusum amarum,	—	51
— cinchonæ officinalis,	—	50
— digitalis purpureæ,	—	50
— gentianæ luteæ compositum,	—	51
— Japonicum,	—	52
— mimosæ catechu,	—	52
— rhei palmati,	—	52
— rosæ Gallicæ,	—	53
— tamarindi Indicæ cum cassia senna,	—	54

L.

Lapis calaminaris præparatus,	—	36
Laudanum liquidum,	—	94
Linimentum anodynum,	—	97
— saponaceum,	—	97
— simplex,	—	186
— volatile,	—	112
Lixivium causticum,	—	126

M.

Magnesia,	—	141
— alba,	—	140
Q 3		Magnesia

Magnesia usta,	—	—	141
Mel despumatum,	—	—	39
Mercurius præcipitatus ruber,	—	—	159
———— sublimatus corrosivus,	—	—	155
Mucilago amyli,	—	—	55
———— asfragali tragacanthæ,	—	—	56
———— mimosæ Niloticæ,	—	—	56
Murias ammoniæ et ferri,	—	—	153
———— antimonii,	—	—	147
———— barytæ,	—	—	138
———— hydrargyri,	—	—	155

N.

Nitras argenti,	—	—	142
-----------------	---	---	-----

O.

Oculi cancerorum præparati,	—	—	35
Oleum ammoniatum,	—	—	112
———— amygdalæ communis,	—	—	47
———— camphoratum,	—	—	113
———— lini usitatissimi,	—	—	47
———— — cum calce,	—	—	112
———— succini,	—	—	110
———— — purissimum,	—	—	111
———— sulphuratum,	—	—	113

Oleum

Oleum terebinthinæ volatile purissimum,	111
—— volatile juniperi communis, —	109
—— ———— fabinæ, —	108
—— ———— lavandulæ spicæ, —	108
—— ———— lauri fassasfras, —	109
—— ———— menthæ piperitæ, —	108
—— ———— myrti pimentæ, —	109
—— ———— pimpinellæ anisi, —	108
—— ———— rorismarini officinalis, —	108
Oxidum antimonii cum phosphate calcis,	145
—— ———— cum sulphure per nitratem potassæ,	146
—— ———— cum sulphure vitrificatum,	143
—— ———— vitrificatum cum cera,	144
—— ferri rubrum, — —	152
—— hydrargyri cinereum, —	158
—— ———— rubrum per acidum nitricum,	159
—— zinci, — —	162
—— ———— impurum præparatum, —	37

P.

Phosphas sodæ, — —	134
Pilulæ aloës cum assa fœtida, —	175
—— ———— cum colocynthide, —	176
—— ———— cum myrrhæ, —	177
—— aloëticæ, — —	175
—— ammoniaretæ cupri, —	178

Q 4

Pilulæ

8

Pilulæ assæ foetidæ compositæ,	—	177
— hydrargyri,	—	178
— opiatæ,	—	179
— rhei compositæ,	—	180
— scilliticæ,	—	180
— thebaicæ,	—	179
Potassa,	—	131
— cum calce,	—	131
Potio carbonatis calcis,	—	55
— cretacea,	—	55
Pulvis antimonialis,	—	145
— aromaticus,	—	165
— asari Europæi compositus,	—	165
— carbonatis calcis compositus,	—	166
— cretaceus,	—	166
— Doveri,	—	167
— jalapæ compositus,	—	167
— ipecacuanhæ et opii,	—	167
— opiatæ,	—	168
— scammonii compositus,	—	168
— stypticus,	—	169
— sulphatis aluminæ compositus,	—	169

R.

R.

Rob sambuci,	—	—	45
Rubigo ferri præparata,	—	—	36

S.

Saccharum saturni,	—	—	161
Sal alkalinus fixus fossilis purificatus,	—	—	128
— Glauberi,	—	—	136
— Rupellenfis,	—	—	134
— tartari,	—	—	125
Scilla maritima exsiccata,	—	—	40
Solutio acetitis zinci,	—	—	263
— muriatis barytæ,	—	—	139
— ——— calcis,	—	—	139
— sulphatis cupri composita,	—	—	149
— ——— zinci,	—	—	163
Spiritus ætheris nitrosi,	—	—	117
— ammoniæ,	—	—	123
— ——— aromaticus,	—	—	124
— ——— fœtidus,	—	—	124
— cari carvi,	—	—	104
— lauri cinnamomi,	—	—	105
— myrti pimentæ,	—	—	105
— juniperi communis compositus,	—	—	105
— lavandulæ spicæ,	—	—	106
— ——— ——— compositus,	—	—	106

Spiritus

Spiritus menthæ piperitæ,	—	105
—— Mindereri,	—	129
—— myrsiticæ moschatæ,	—	105
—— rorismarini officinalis,	—	107
—— vinosus camphoratus,	—	83
Sub-murias hydrargyri,	—	156
—— ——— præcipitatus,	—	157
Sub-sulphas hydrargyri flavus,	—	160
Succi ad scorbuticos,	—	43
Succus cochleariæ officinalis compositus,	—	43
—— spissatus aconiti napelli,	—	44
—— ——— atropæ belladonnæ,	—	45
—— ——— conii maculati,	—	45
—— ——— hyosciami nigri,	—	45
—— ——— lactucæ virosæ,	—	45
—— ——— momordicæ elaterii,	—	46
—— ——— sambuci nigri,	—	45
Sulphas aluminæ exsiccatæ,	—	38
—— ferri,	—	151
—— ——— exsiccatæ,	—	152
—— potassæ,	—	132
—— ——— cum sulphure,	—	133
—— sodæ,	—	136
—— zinci,	—	162
—— Sulphur sublimatum lotum,	—	38
Sulphuretum antimonii præcipitatum,	—	146
	Sulphuretum	

MEDICAMENTORUM.

251

Sulphuretum antimonii præparatum,	—	38
— hydrargyri nigrum,	—	160
— potassæ,	—	136
Syrupus acidi acetosi,	—	64
— althææ officinalis,	—	65
— amomi zingiberis,	—	65
— balsamicus,	—	71
— citri aurantii,	—	66
— — medici,	—	66
— colchici autumnalis,	—	67
— dianthi caryophylli,	—	67
— limonum,	—	66
— papaveris somniferi,	—	68
— rhamni cathartici,	—	69
— rosæ centifoliæ,	—	70
— — Gallicæ,	—	69
— scillæ maritimæ,	—	70
— simplex, sive communis,	—	64
— toluiferæ balsami,	—	71
— violæ odoratæ,	—	74

T.

Tartarum solubile,	—	133
— vitriolatum,	—	132

Tartarus

Tartarus emeticus,	—	—	148
Tartris antimonii,	—	—	148
—— potassæ,	—	—	133
—— et fodæ,	—	—	134
Tinctura aloës æthereæ,	—	—	80
—— cum myrrha,	—	—	80
—— focotorinæ,	—	—	79
—— amomi repentis,	—	—	81
—— aristolochiæ serpentariæ,	—	—	82
—— aromatica,	—	—	92
—— assæ fetidæ,	—	—	82
—— benzoës composita,	—	—	83
—— camphoræ,	—	—	83
—— cassiæ fennæ composita,	—	—	84
—— castorei,	—	—	85
—— composita,	—	—	85
—— cinchonæ officinalis,	—	—	86
—— colombæ,	—	—	86
—— convolvuli jalapæ,	—	—	87
—— croci,	—	—	87
—— digitalis purpureæ,	—	—	87
—— gentianæ composita,	—	—	88
—— guajaci,	—	—	89
—— ammoniata,	—	—	89
—— hellebori nigri,	—	—	90
—— hyosciami nigri,	—	—	90
—— Japonica,	—	—	93

Tinctura

Tinctura kino,	—	—	91
—— lauri cinnamomi,	—	—	91
—— ——— composita,	—	—	92
—— meloës vesicatorii,	—	—	92
—— mimosæ catechu,	—	—	93
—— muriatis ferri,	—	—	152
—— myrrhæ,	—	—	93
—— opii,	—	—	94
—— opii ammoniata,	—	—	94
—— rhei amara,	—	—	96
—— — cum aloë,	—	—	95
—— — cum gentiana,	—	—	96
—— — palmati,	—	—	95
—— sacra,	—	—	73
—— saponis,	—	—	97
—— — cum opio,	—	—	97
—— thebaica,	—	—	94
—— toluiferæ balsami,	—	—	98
—— Tolutana,	—	—	98
—— veratri albi,	—	—	98
Trochisci carbonatis calcis,	—	—	182
—— glycyrrhizæ,	—	—	183
—— — cum opio,	—	—	183
—— gummosi,	—	—	184
—— nitratis potassæ,	—	—	185
Turpethum minerale,	—	—	160

U.

U.

Unguentum acetitis plumbi,	—	192
——— acidi nitrosi,	—	192
——— æruginis,	—	189
——— album,	—	192
——— citrinum,	—	191
——— cœruleum,	—	189
——— epispasticum fortius,	—	188
——— ————— mitius,	—	188
——— hydrargyri,	—	189
——— infusi meloës vesicatorii,	—	188
——— nitratis hydrargyri fortius,		191
——— ————— mitius,		191
——— oxidi hydrargyri cinerei,	—	190
——— ————— rubri,	—	190
——— ————— plumbi albi,	—	192
——— ————— zinci,	—	193
——— ————— impuri,	—	193
——— picis,	—	194
——— pulveris meloës vesicatorii,		188
——— refinofum,	—	187
——— saturninum,	—	192
——— simplex,	—	187
——— sub-acetitis cupri,	—	189
——— sulphuris,	—	194
——— tutiæ,	—	193

V.

V.

Vinum aloës focotorinæ,	—	73
— amarum,	—	74
— antimoniale,	—	148
— gentianæ compositum,	—	74
— ipecacuanhæ,	—	75
— nicotianæ tabaci,	—	75
— rhei palmati,	—	75
— tartritis antimonii,	—	148
Vitriolum album,	—	162
Vitrum antimonii,	—	143
— — — ceratum,	—	144

F I N I S.