No. IV.

EXAMPLES OF THE MOST USUAL FORMS OF EXTEMPORANEOUS PRESCRIPTIONS.[1]

POWDERS.

NARCOTIC.

℞ *Pulveris Conii* gr. ii.
——— *Glycyrrhizæ radicis* gr. vi.
Sit pulvis ter quotidie sumendus.

In scirrhous affections, scrophula, painful old ulcers, &c.

℞ *Pulveris Belladonnæ foliorum* gr. i.
——— *Potassæ Nitratis* gr. x.
——— *Sacchari* gr. ix.
Fiat Pulvis hora somni omni nocte sumendus.

In chronic rheumatism, extensive ulcerations, mania, and epilepsy.

ANTISPASMODIC.

℞ *Pulveris Valerianæ radicis* ℈i.
——— *Cinnamomi comp.* gr. x.
Fiat pulvis ter quaterve quotidie sumendus.

In hysteria, hemicrania, chlorosis.

℞ *Pulveris Ipecacuanhæ radicis* gr. iii.
——— *Sodæ subcarbonatis* gr. xii.
——— *Opii* gr. i.
Fiat pulvis octava quaque hora sumendus.

Spasmodic asthma; hooping-cough.

TONIC.

℞ *Pulveris Cinchonæ* ʒss.
——— *Cinnamomi comp.* gr. x.
Sit pulvis, secundis horis, in cyatho tactis, absente paroxysmo, sumendus.

In intermittents, after the stomach and bowels have been cleared.

℞ *Ferri tartarizati* gr. viii.
Pulveris Calumbæ ℈i.
Fiat pulvis quarta quaque hora sumendus.

After diarrhœa, in scrophulous tumours and in dyspepsia.

℞ *Pulveris Simarubæ corticis* ℈i.
——— *Opii* gr. ¼.
Pulvis tertia quaque hora sumendus.

In dysentery, after the bowels have been well cleared.

ASTRINGENT.

℞ *Pulveris Catechu extracti* gr. xv.
——— *Cretæ comp. cum Opio* ℈i.
Sit pulvis, post dejectiones singulas liquidas sumendus.

In diarrhœa, from a weakened state of the bowels.

℞ *Pulveris Kino compositi* gr. x.
Pulvis ex cyatho aquæ menthæ viridis, sexta quaque hora sumatur.

In chronic diarrhœa and in intestinal hæmorrhages.

EMETIC.

℞ *Pulveris Ipecacuanhæ* ℈i.
Antimonii tartarizati gr. i.
Fiat pulvis emeticus.

CATHARTIC.

℞ *Hydrargyri submuriatis* gr. iii.
Pulveris Jalapæ.
Sacchari, sing. gr. x.
Sit pulvis, vespere vel primo mane sumendus.

In bilious fevers, and slimy and obstructed bowels.

℞ *Hydrargyri submuriatis* gr. iii.
Pulveris Scammoneæ compositi gr. xii.
Tere in pulverem quamprimum sumendum.

In worm cases.

℞ *Potassæ supertartratis* gr. xv.
Cambogiæ
Sacchari, singulorum gr. v.
Sit pulvis mane sumendus.

In ascites, and other dropsical cases.

℞ *Potassæ sulphatis* ʒi.
Pulveris Rhei ℈iss.
———*florum Anthemidum* ʒi.
Tere in pulverum, et divide in doses æquales sex, quarum sumat unam bis die in quovis vehiculo.

In dyspepsia, and a sluggish state of the bowels.

EMMENAGOGUE.

℞ *Pulveris foliorum Sabinæ,*
——— *Zingiberis,* ää gr. vii.
Sodæ Boracis gr. xv.
Fiat pulvis bis die sumendus.

In amenorrhœa with a languid pulse.

DIURETIC.

℞ *Supertartratis Potassæ* ʒi.
Pulveris Scillæ siccati gr. ii.

---

[1] The doses are those proper for adults.

Pulveris Zingiberis gr. iv.
Sit pulvis octava quaque hora sumendus.
In ascites.

DIAPHORETIC.

℞ *Pulveris Antimonialis* gr. iii.
——— *Tragacanthæ comp.* gr. x.
Sit pulvis quarta vel sexta quaque hora sumendus.
In the commencement of febrile diseases, after emptying the stomach and bowels.
℞ *Antimonii Tartarizati* gr. ii.
Testarum præparatarum ℈ii.
Intime misceantur in pulverem, et divide in doses æquales decem, quarum sumat unam tertia quaque hora.
In puerperal fever, after bleeding, and the exhibition of a clyster.
℞ *Pulveris Ipecacuanhæ* gr. ii.
Pulveris Opii gr. i. ss.
Potassæ Nitratis gr. xvi. ss.
Fiat pulvis hora somni capiendus
In acute rheumatism.

EXPECTORANT.

℞ *Pulveris Ipecacuanhæ* gr. vi.
——— *Potassæ Nitratis* ℈iss.
——— *Myrrhæ* gr. xii.
Misce, et divide in doses æquales quatuor, quarum sumat unam quartis horis.
In asthma, and the earlier stage of phthisis pulmonalis.

REFRIGERANT.

℞ *Potassæ Nitratis* gr. viii.
Pulveris Tragacanthæ comp. ℈i.
Tere in pulverem, quartis horis in cyatho aquæ vel infusi lini sumendum.
In gonorrhœa.

PILLS.

NARCOTIC.

℞ *Opii* gr. i.
Fiat pilula hora somni sumenda.
To procure sleep in ordinary cases.
℞ *Pulveris Digitalis* gr. iv.
Camphoræ gr. xii.
Extracti Hyosciami gr. viii.
Fiat pilulæ duodecim. Sumat tres omni nocte.
In maniacal and spasmodic affections.

SEDATIVE.

℞ *Plumbi Superacetatis,*
Pulveris Digitalis, āā gr. x.
——— *Opii* gr. iii.
Mucilaginis Acaciæ q. s.
Misce optime, et divide in pilulas æquales decem, quarum sumat unam sexta quaque hora.
In active hæmorrhagies. They have also been given in phthisis, one pill twice a day, after bleeding.

ANTISPASMODIC.

℞ *Opii* gr. ss.
Castorei Rossici gr. vi. ss.
Pulveris Digitalis gr. i.
Syrupi q. s.
Fiant pilulæ duæ bis vel ter die repetendæ.
In spasmodic asthma and dyspnœa.
℞ *Cupri Ammoniati* gr. ii.
Micæ Panis q. s.
Fiant pilulæ quatuor. Sumat unam bis quotidie.
In epilepsy, gradually increasing the dose.

STIMULANT.

℞ *Assafætidæ Gummi resinæ* ℥ir
Pulveris Zingiberis ℥ss.
Ammoniæ Subcarbonatis, āā ℥ss.
Syrupi q. s.
Ut fiant pilulæ triginta, quarum sumat tres tertiis horis.
In palsy.

TONIC.

℞ *Pulveris Rhei,*
——— *Zingiberis,* āā ℥ss.
Extracti Anthemidis ℥i.
Fiat massa in pilulas æquales triginta, dividenda, quarum capiat tres ante prandium quotidie.
In dyspepsia and chlorosis.
℞ *Ferri Carbonatis,*
Extracti Conii āā ℥i.
Distribue in pilulas æquales viginti quatuor. Sumat duas bis die.
In fluor albus and scrophula.

ASTRINGENT.

℞ *Extracti Cinchonæ* ℥ii.
Aluminis ℥i.
Syrupi q. s.
Ut fiant pilulæ triginta sex. Sumat quatuor quarta vel sexta quaque hora.
In passive hæmorhagies.

CATHARTIC.

℞ *Scammoneæ in pulv.* gr. iv.
Extracti Taraxaci gr. xvi
Fiant pilulæ sex, quarum sumat tres bis die.

Universitäts- und Landesbibliothek Düsseldorf urn:nbn:de:hbz:061:2-135391-p1049-3

In hypochondriasis and chronic hæpatitis.

℞ *Hydrargyri Submuriatis* gr. iii.
Pulveris Jalapæ gr. ix.
Mucilaginis Acaciæ q. s.
Fiant pilulæ tres hora somni sumendæ.

To empty the bowels in bilious affections.

℞ *Pulveris Aloes compositi* ʒi.
Pulveris Jalapæ ℈ii.
Olei Lavandulæ min. x.
Syrupi q. s.
Ut fiant pilulæ triginta. Sumat duas vel tres, adstricto alvo.

In habitual costiveness.

℞ *Pulveris Rhei* ʒiss.
Saponis gr. xv.
Aquæ q. s.
Ut fiant pilulæ viginti quatuor. Sumat tres vel quatuor pro re nata.

In costiveness arising from a deficiency of bile in the intestinal canal.

EMMENAGOGUE.

℞ *Ferri Sulphatis* ʒss.
Potassæ Subcarbonatis gr. x.
Myrrhæ ʒi.
Pulveris Aloes compositi ʒss.
Contunde simul, et divide massam in pilulas æquales triginta. Sumat tres bis quotidie.

In amenorrhœa with languid pulse.

℞ *Pilulæ Hydrargyri* ʒi.
Divide in pilulas æqules quindecim. Sumat unam omni mane et nocte.

In suppression of the menstrual discharge.

DIURETIC.

℞ *Pulveris Digitalis* gr. xii.
Hydrargyri Submuriatis gr. iv.
Opii gr. iv.
Confectionis Rosæ q. s.
Fiant pilulæ duodecim. Sumat unam octava quaque hora

In hydrothorax, and ascites depending on some visceral obstruction.

℞ *Pilulæ Hydrargyri* ʒi.
Pulveris Scillæ ℈i.
Confectionis Rosæ q. s.
Fiant pilulæ viginti. Sumat unam octava quaque hora.

In ascites and anasarca.

DIAPHORETIC.

℞ *Pulveris Antimonialis* gr. v.
Opii,
Hydrargyr. Submuriatis āā gr. i.
Confectionis Rosæ q. s.
Fiant pilulæ æquales duæ hora somni sumendæ

In acute rheumatism.

℞ *Antimonii tartarizati* gr. ii.
Opii gr. vi.
Camphoræ gr. xxxvi.
Spiritus rectificati min. iii.
Confectionis Rosæ q. s.
Fiant pilulæ æquales duodecim, quarum sumat unam quarta quaque hora.

In fevers.

EXPECTORANT.

℞ *Pulveris Scillæ* gr. xxx.
Ammoniaci gum. res. ʒiss.
Extract. Conii gr. xxx.
Contunde simul, et divide massam in pilulas æquales triginta, quarum sumat duas sextis horis.

In asthma and chronic catarrh.

SIALOGOGUE.

℞ *Pilulæ Hydrargyri* ʒi.
Divide in pilulas æquales duodecim. Sumat unam mane nocteque.

In syphilis, herpetic eruptions, and chronic hepatitis.

℞ *Submuriatis Hydrargyri* ℈i.
Opii gr. v.
Confectionis Rosæ q. s.
Fiant pilulæ viginti. Sumat unam omni mane et nocte.

In syphilitic cases.

LITHONTRIPTIC.

℞ *Sodæ Subcarbonatis exsiccatæ* ʒiss.
Pulveris Cinnamomi comp. ʒss.
Saponis ʒss.
Balsami Peruviani q. s.
Fiant pilulæ æquales triginta. Sumat tres ter quotidie.

In calculous affections.

TONIC AND PURGATIVE COMBINED.

℞ *Ferri Ammoniati* ʒi.
Extracti Aloes,
——— *Gentianæ,* āā ʒss.
Contunde simul, et divide massam in pilulas triginta, quarum sumat duas ter quotidie.

In dyspepsia, hysteria, scrophula, and mesenteric obstructions.

DIAPHORETIC AND ALTERATIVE.

℞ *Hydrargyri sulphureti rubri,*
Serpentariæ radicis in pulv. āā ʒi.
Syrupi Aurantii q. s.
Misce, et divide in pilulas viginti quatuor, quarum sumat quatuor ter quotidie.

In herpetic and other obstinate, cutaneous affections.

Universitäts- und Landesbibliothek Düsseldorf urn:nbn:de:hbz:061:2-135391-p1050-4 DFG

DRAUGHTS.

NARCOTIC.

℞ *Misturæ Camphoræ* f℥iss.
Tincturæ Opii ♏ xxxv.
Etheris sulphurici f℥i.
Syrupi Croci. f℥j.
Fiat haustus in promptu habendus, et urgente febris paroxysmo sumendus.
In intermittent head-ache.

℞ *Ammoniæ subcarbonatis* gr. xv.
Succi Limonis recentis f℥iv.
Aquæ distillatæ f℥i.
Spiritus Myristicæ f℥i.
Syrupi Aurantii f℥ss.
Extracti Conii gr. iv.
Fiat haustus ter die sumendus, addendo de die in diem extracti Conii gr. i. *donec dosis ad* gr. vii. *pervenerit, in singulis haustibus.*
In diseases of increased irritability.

℞ *Potassæ subcarbonatis* ℈i.
Succi Limonum recent. f℥iv.
Aquæ Menthæ viridis f℥i.
Tincturæ Opii min. xxv.
Syrupi Tolutani f℥ss.
Fiat haustus, hora somni, vel vespertino, vel sera nocte, sumendus.
To procure sleep in the majority of diseases.

ANTISPASMODIC.

℞ *Misturæ Moschi* f℥xiv.
Liquoris Ammoniæ min. xvi.
Tincturæ Castorei f℥i.
Syrupi Papaveris f℥ss.
Fiat haustus, quarta quaque hora sumendus.
In hysteria, and convulsive affections, after the bowels have been effectually cleared.

℞ *Olei Anisi* ♏ x.
Magnesiæ ℈i.
Tincturæ Sennæ f℥ii.
Aquæ Menthæ piperitæ f℥x.
Fiat haustus, urgente flatulentia sumendus.
In spasm of the stomach arising from flatulence.

TONIC.

℞ *Infusi Cinchonæ cordifoliæ* f℥iss.
Tincturæ Cinchonæ comp. f℥i.
Pulveris Cinchonæ cordifoliæ ℈ii.
Syrupi Aurantii f℥ss.
Fiat haustus, secunda quaque hora sumendus.
In intermittents, and acute rheumatism after purging.

℞ *Infusi Cascarillæ* f℥iss.
Tincturæ Cascarillæ,
——— *Zingiberis,* āā f℥i.
Fiat haustus, bis quotidie sumendus.
In dyspepsia, arising from intemperance.

℞ *Myrrhæ* gr. v.
Potassæ Nitratis gr. iv.
Syrupi Papaveris f℥ss.
Infusi Calumbæ s℥xvss.
Fiat haustus, ter in die sumendus.
In humoral asthma, chronic catarrh, and phthisis pulmonalis unattended by much active inflammation.

ASTRINGENT.

℞ *Extracti Hæmatoxyli* gr. xii.
Aquæ Cinnamomi f℥xv.
Tincturæ Catechu f℥i.
Fiat haustus, quarta quaque hora vel post dejectiones singulas liquidas, sumendus.
In diarrhœas, and protracted dysentery.

EMETIC.

℞ *Pulveris Ipecacuanhæ* ℈i.
Vini Ipecacuanhæ f℥ii.
Aquæ communis f℥vi.
Fiat haustus emeticus, quamprimum vel vespere sumendus.
For unloading the stomach in ordinary cases.

℞ *Zinci Sulphatis* ℈i.
Aquæ distillatæ f℥x.
Fiat haustus, quamprimum sumendus.
In the commencement of the paroxysm of intermittent fever, or in cases of poisons having been taken into the stomach.

℞ *Cupri Sulphatis* gr. x.
Aquæ distillatæ, f℥ii.
Fiat haustus emeticus, statim sumendus.
To excite immediate vomiting, when laudanum has been taken as a poison.

CATHARTIC.

℞ *Potassæ Tartratis* ℥i.
Tincturæ Sennæ f℥i.
Infusi Sennæ f℥xivss.
Syrupi Croci f℥ss.
Fiat haustus, quamprimum vel primo mane sumendus.
In acute diseases.

℞ *Magnesiæ Sulphatis* ℥ii.
Infusi Rosæ f℥xiv.
Acidi Sulphurici diluti ♏ x.
Mannæ ℥ii.
Fiat haustus quartis horis sumendus.
In inflammatory affections.

℞ *Magnesiæ carbonatis* ℥i.
Pulveris Rhei ℈i.
Aquæ Menthæ piperitæ f℥xii.

Tincturæ Cardamomi comp. f℥i.
Fiat haustus hora ante prandium sumendus.
In dyspepsia, attended with costiveness and acidity.

℞ *Olei Ricini* f℥v.
Vitelli ovi q. s.
Aquæ Rosæ f℥viii.
Tinct. Lavandulæ comp. ♏ viii.
Syrupi Papaveris f℥i.
Fiat haustus statim sumendus.
In colic, and calculous affections.

DIURETIC.

℞ *Tincturæ Jalapæ* f℥iii.
Aceti Scillæ f℥i.
Aquæ Menthæ piperitæ f℥viii.
Fiat haustus ter in die sumendus.

℞ *Potassæ Nitratis* gr. viii.
Tincturæ Digitalis ♏ xvi.
Infusi Rosæ f℥xiii.
Syrupi Rosæ f℥i.
Fiat haustus ter in die sumendus.
In dropsy.

DIAPHORETIC.

℞ *Potasse subcarbonatis* ℈i.
Succi Limonis recentis f℥iv.
Antimonii Tartarizati gr. ½.
Aquæ distillatæ f℥xi.
Syrupi Papaveris f℥i.
Fiat haustus quarta vel sexta quaque ora sumendus.

℞ *Liquoris Ammoniæ acetatis* f℥vi.
Misturæ Camphoræ f℥x.
Vini Ipecacuanhæ ♏ xx.
Syrupi Tolutani f℥ss.
Fiat haustus sextis horis sumendus.
In fevers, and inflammatory diseases.

REFRIGERANT.

℞ *Potassæ Nitratis* gr. xii.
Misturæ Amygdalæ f℥iss.
Syrupi Tolutani f℥i.
Fiat haustus quarta quaque hora sumendus.

℞ *Potassæ subcarbonatis* ℈i.
Syrupi f℥ss.
Spiritus Myristicæ f℥ss.
Aquæ distillatæ f℥xi.
Fiat haustus in effervescentia cum succi limonis cochleari magno, secunda quaque hora sumendus.
In fevers, and inflammatory diseases.

ANTACID.

℞ *Magnesiæ* ℥i.
Aquæ Menthæ piperitæ f℥iss.
Tincturæ Aurantii f℥i.
Fiat haustus pro re nata sumendus.
In heartburn, and other cases of acidity of the stomach.

℞ *Liquoris Ammoniæ* ♏ xvi.
Misturæ Amygdalæ f℥ii.
Tincturæ Opii ♏ x.
Fiat haustus ter die sumendus.
In acidities of the primæ viæ.

MIXTURES.

TONIC.

℞ *Infusi Calumbæ* f℥vss.
Tincturæ Cinnamomi comp. f℥ii.
Syrupi Aurantii f℥ii.
Fiat mistura, cujus cochlearia duo majora quarta quaque hora sumantur.
In debilities of the digestive organs: and to check the severe vomiting which often occurs during pregnancy.

ASTRINGENT.

℞ *Catechu extracti* ℥ii.
Aquæ Cinnamomi f℥viii.
Tincturæ Opii ♏ix.
Fiat mistura, cujus sumantur cochlearia tria magna post singulas dejectiones liquidas.
In the last stage of diarrhœa, or dysentery.

EMETIC.

℞ *Antimonii Tartarizati* gr. viii.
Aquæ distillatæ f℥vi.
Syrupi Mori f℥i.
Fiat mistura, cujus cochlearia magna duo quamprimum, et octavis minutis donec evomuerit, sumenda.

℞ *Pulveris Ipecacuanhæ* ℥ss.
Antimonii Tartarizati gr. i.
Tincturæ Scillæ f℥i.
Aquæ distillatæ f℥viiss.
Fiat mistura emetica, cujus sumat quamprimum cochlearia majora quatuor, et cochlearia duo sexta quaque parte horæ donec supervenerit vomitus.
In dropsies before exhibiting the foxglove.

CATHARTIC.

℞ *Potassæ sulphatis* ℥ii.
Aquæ fontanæ f℥vss.
Tincturæ Jalapæ f℥iv.
Sit mistura, cujus sumat cochlearia duo magna omni bihorio.

EXPECTORANT.

℞ *Misturæ Amygdalæ* f℥v.
Vini ipecacuanhæ,
Tincturæ Scillæ ää f℥i.
Syrupi Tolutani f℥vi. *Misce.*

Sumat cochleare magnum urgente tussi.

In humoral asthma, and the latter stage of catarrh.

DEMULCENT.

℞ *Decocti Althææ officinalis* f℥vi.
Syrupi f℥i.
Fiat Mistura, cujus sumatur tertia pars sexta quaque hora.

In calculous cases, and inflammation of the kidneys.

DETERGENT GARGLE.

℞ *Potassæ Nitratis* ʒii.
Mellis Rosæ f℥iv.
Infusi Rosæ f℥vss. *Misce.*
Fiat gargarysma sæpe utendum.

In inflammatory sore throat.

ASTRINGENT GARGLE.

℞ *Infusi Rosæ* f℥vii.
Tincturæ Catechu f℥vi.
Acidi Sulphurici diluti f℥i.
Tincturæ Opii f℥iss.
Sit gargarysma sæpe utendum.

In relaxations of the uvula.

EXTERNAL APPLICATIONS.

LOTIONS.

℞ *Ammoniæ Muriatis* ʒi.
Aquæ fontanæ f℥v.
Spiritus rectificati f℥i.
Misce ut fiat lotio tumori applicanda.

In swelled testicle, and other inflammatory tumours.

℞ *Opii* ʒii.
Aceti distillati f℥vi.
Tere ut fiat lotio parti dolenti applicanda.

To painful affections of the joints, and in colic.

℞ *Zinci sulphatis,*
Plumbi acetatis āā gr. x.
Aquæ Rosæ,
——— *Sambuci* āā f℥iii.
Fiat Colyrium subinde utendum.

In ophthalmia after local bleeding.

℞ *Plumbi acetatis* gr. ix.
Aquæ Rosæ f℥vss.
Aceti distillati f℥iii.
Spiritus rectificati f℥i.
Misce ut fiat colyrium sepæ utendum.

In the acute stage of ophthalmia.

EMBROCATIONS.

STIMULANT.

℞ *Linimenti Ammoniæ fortioris* f℥vi.
Olivæ olei f℥ii.
Fiat embrocatio, cum panno laneo, faucibus externis applicanda.

In cynanche tonsillaris.

STIMULANT AND ANODYNE.

℞ *Linimenti Camphoræ comp.* f℥ix.
Tincturæ Cantharidis f℥i.
——— *Opii* f℥ii.
Parti dolenti applicandum.

To be rubbed over the bowels in colic, cramp, and in painful affections of the joints.

POWDERS.

℞ *Pulveris gummi Acaciæ* ℥ss.
Aluminis gr. v.
Misce diligentissime ut fiat pulvis, cujus inspergatur pauxillum super mamillas pro re nata.

In sore nipples, to be applied after suckling.

℞ *Acetatis plumbi* ʒi.
Pulveris Cinchonæ ʒvii.
Tere, ut fiat pulvis, cujus pauxillum super ulceres omni mane spergatur.
For scrophulous ulcers.

OINTMENTS.

℞ *Hydrargyri nitrico-oxydi* ℈ii.
Adepis ʒi.
Tere diligenter in mortario, donec bene misceantur.
In ulcerations of the eyelids.

℞ *Zinci oxydi* ℈i.
Adepis ʒi.
Tere optime in mortario, ut fiat unguentum.
In tinea capitis.

No. V.

A TABLE OF PHARMACEUTICAL EQUIVALENTS.

ACID, Acetic (dry)	4 Carbon	(6 × 4) =	24	50
	3 Oxygen	(8 × 3) =	24	
	2 Hydrogen	=	2	
——— (crystallised or glacial)	1 Dry Acid	=	50	59
	1 Water	=	9	
—— Arsenious (dry)	1 Arsenic	=	38	54
	2 Oxygen	(8 × 2) =	16	
—— Benzoic (dry)	15 Carbon	(6 × 15) =	90	120
	3 Oxygen	(8 × 3) =	24	
	6 Hydrogen	=	6	
—— Boracic (dry)	1 Boron	=	6	22
	2 Oxygen	(9 × 2) =	16	
——— (crystallised)	1 Dry Acid	=	22	40
	2 Water	(8 × 2) =	18	
—— Carbonic (dry)	1 Carbon	=	6	22
	2 Oxygen	(8 × 2) =	16	
—— Citric (dry)	4 Carbon	(6 × 4) =	24	58
	4 Oxygen	(8 × 4) =	32	
	2 Hydrogen	=	2	
——— (crystallised)	1 Dry Acid	=	58	76
	2 Water	(9 × 2) =	18	
—— Hydriodic (dry)	1 Iodine	=	125	126
	1 Hydrogen	=	1	
—— Hydrocyanic (dry)	1 Cyanogen	=	26	27
	1 Hydrogen	=	1	
—— Muriatic (dry)	1 Chlorine	=	36	37
	1 Hydrogen	=	1	
—— Nitric (dry)	1 Nitrogen	=	14	54
	5 Oxygen	(8 × 5) =	40	
——— (liquid, sp. gr. 1.5)	1 Dry Acid	=	54	72
	2 Water	(9 × 2) =	18	

Universitäts- und Landesbibliothek Düsseldorf
urn:nbn:de:hbz:061:2-135391-p1054-8
DFG