

Arzneimittelverzeichnis.

A.

A bies	I, 165	Capillus Veneris	I, 146
Abelmoschus	I, 306	Nigrum	I, 146
Abrotanum	I, 155	Vulgare	I, 146
Abfinthium Pontic.	I, 136	Aerugo Aeris	I, 298 II, 131
Roman.	I, 136	Aether	II, 89
Santonie.	I, 138	Aethiops Antimonialis	II, 156
Vulgare	I, 166	Mineralis	II, 155
Abfinthii sal fixum	II, 115	Agarici fungus	I, 246 306
Acacia	I, 122	Agallochum	I, 152
Aegyptiaca	I, 113 123	Agnus castus	I, 281
German.	I, 123. II, 289	Agresta	I, 284
Trifolia	I, 1 3	Agrimonia	I, 156
Acanthus	I, 136	Albumen oui	I, 290
Acerofa	I, 281	Alcea	I, 304 306
Acerofae sal essentielle	II, 114	Alchamilla	I, 156
Acerofella	I, 156. 282	Alcohol	II, 42
Acetum	II, 43	Alhandala	I, 256
Colchicum	II, 47	Alkali volatile causticum	II, 77
Destillatum	II, 46	Alkekengi	I, 204
Lithargyrites	II, 50	Alkermes	I, 77
Rofatum	II, 47. 48	Alkerua	II, 404
Rutaceum	II, 48	Album	I, 166. 174 185. 188
Sambucinum	II, 48	Alnus nigra	I, 262
Scilliticum	II, 49	Aloës	I, 248
Theriacle	II, 50	Alline	I, 281
Achillea	I, 118. 171	Althaeae fol.	I, 141
Acidulae	I, 330	radix	I, 205
Acidum Nitrosum, A. N. tenue	II, 68	Altilis maior	I, 73
Acorus	I, 84	Alumen	I, 132
Aconitum Anthora	I, 217	Rupeum	I, 132
Pardalianches	I, 217	Vitum	II, 72
Salutiferum	I, 217	Amaranthus	I, 108
Adeps Anseris	I, 292	Amara dulcis	I, 274
Canis	I, 292	Ambra grysea	I, 105
Ceti	I, 192	Tinct et Essent.	II, 8
Hominis	I, 292	Ambrosia	I, 168
Viperæ	I, 292	Ambrosioides vulg.	I, 168
Vrsi	I, 292	Ammi fol.	I, 166
Adianthum album	I, 146	semina	I, 177
		Ammoniacum Gummi	I, 180
		Sal	II, 73
		Sublimatum	II, 74

Arzneimittelverzeichnis.

Amomum	I, 304	Antimon. Tinctura	II, 166. 167
Cardamomum	I, 91	Vitrum	II, 163
Zinziber	I, 86	Ceratum	II, 163
Amoris Pomum	I, 304	Antirrhinum	I, 314
Amygdal. Amar.	I, 177	Antithora	I, 217
Dulces	I, 144	Aparine	I, 109
Perfic.	I, 237	Apes Praeparat.	II, 16
Similis Guatimal.	I, 150	Apiana	I, 73
Amygdaloides	I, 152	Apium	I, 167. 200. 208
Amylum	I, 304	Aqua Absinth. magis compos.	II, 189. 205
Anacardium	I, 76	minus compos.	II, 204
Occidentale	I, 76	Alexiteria simplex	II, 191
Anagallis Aquatica	I, 167	Spirituosa	II, 198
Anchusa	I, 282	cum aceto	II, 199
Anethum	I, 90. 207	Aqua Aluminosa	II, 73. 212
Fruct. Quat.	I, 89	Bateana	II, 73
Angelica	I, 88. 93	Magistral.	II, 73
Anguria	I, 143	Anethi seminum	II, 192
Anima Articulorum	I, 251	Angelicae compos.	II, 189.
Pulmonum	I, 220		205
Anisum	I, 90	Anhaltina	II, 216
Anonis	I, 167	Anili semin. compos.	II, 199
Anthelminthia	I, 320	Antiepileptica Langii	II,
Anthemis	I, 88. 229		208
Anthora	I, 217	Antiphthifica	II, 213. f.
Anthos	I, 71	Antiscorbutica	II, 210. 215
Antihæctic. Poterii	II, 139	Aromatica	II, 203
Antihysterorum Princeps	II,	Aurantior cort.	II, 193
	96	Spirituos.	II, 199
Antimonium	I, 305	Bryoniae compos.	II, 1. 9.
Aethiops	II, 156		205
Butyrum	II, 169. 170	Calcis mag. compos.	II, 221
Calx	II, 164. 165	Simplex	II, 220
Catharticum	II, 167	min. compos.	II, 221
Cauticum	II, 170	Cardamom. semina.	II, 200
Cerussa	II, 167	Camphorata	II, 210
Cinnabaris	II, 169. 170	Cardui Benedicti	II, 200
Crocus	II, 164	Carui	II, 200
Diaphoret.	II, 164. 165	Castorei	II, 193
Lotum	II, 165	Cephalica	II, 211
Panacea	II, 168	Cerafor. Nigr.	II, 193
Praeparatum	II, 157. 12	Chamaemeli compos.	II,
Regulus	II, 157. 158		189. 206
Martis	II, 159	Cinamomi Simpl.	II, 195.
Stellatus	II, 160		231
Sulphur aurat.	II, 160		

Arzneimittelverzeichnis.

Aqua Pulegii Spirituos. II, 201	Aqua Cinamomi Spirituosa II, 202
Crapulae I, 276	Purgantes I, 330
De Luce II, 326	Putealis I, 329
Epidemia II, 203 189	Raphani comp. I, 210. II, 190. 202
Ferruginea I, 332	Regia II, 70
Fluuialis I, 328	Reginae Hungar. II, 222
Foeniculi II, 195	Rofar. Alb. II, 197
Fontana I, 326	Damascen. II, 196
Fortis II, 69	Rubr. II, 197
Duplex II, 69	Sapphirina II, 133
Compof. II, 69	Scordii comp. II, 203
Parificata II, 70	Sclopetaria II, 217
Hordeata II, 245	Stephani II, 189. 209
Hormini compof. II, 211	Styptica II, 219
Hungarica II, 222	Camphorata II, 212
Imperialis II, 188	Sulphurata II, 41
Iuniperi comp. II, 201	Theriacalis II, 189. 209
Lactis Alexit. II, 189	Valeriana comp. II, 203
Linacum Ten. II, 190	Vitriolica II, 219
Marina I, 330	Camphorat. II, 219
Meliffae I, 218	Coerulea II, 218
Compof. II, 217	Vulneraria II, 217
Menthae Piperit. simpl. II, 196	Aquila Alba II, 144
Spirit. II, 201	Aquilegia I, 167
Vulgar. simpl. II, 195	Arabic. Gum. I, 112
Spirit. II, 201	Aracus Aromaticus I, 77
Mirabilis I, 81. II, 206. 188	Arbor Canella Malabar. I, 116
Naphae I, 72	Narbonensis I, 184
Nephritica II, 190. 202 212	Vitae I, 305
Nivealis I, 330	Arbutus I, 118
Nucis Moschatae II, 202	Arcanum duplex II, 70
Ophthalmica II, 218	Duplicat. II, 70
Sapphir. II, 133	Archangelica I, 110 142
Palustris I, 329	Arcium I, 204
Paeoniae compof. II, 188. 207	Arcium I, 204
Phagedaenica II, 221	Areca I, 305
Picis liquidae II, 645	Argentina I, 109
fortior II, 647	Argentum I, 305. II, 119
Piperis lamaicensis II, 196	Praeparat. II, 117
Spirit. II, 207	Ari Radix I, 184
Pluuialis I, 328	Aristolochia Longa I, 100
Protheriacalis II, 189. 203. 208	Rotunda I, 100
Pulegii Simplex II, 196	Virginiana I, 229
	Aroma Germanicum I, 187

Arzneimittelverzeichnis.

Aromaticum Rosarum	II, 390	Balsamum Anodynum	II, 402.
Artanita	I, 168		414. 432
Artemisia	I, 95. 136. 138. 155.	Bateanum	II, 402
	166	Apoplecticum	II, 347. 402
Arum	I, 18. 218	Arthriticum	II, 622
Asa foetida	I, 98	Copaivae	I, 181
Purificat.	II, 16	Commendatoris	II, 320
Afarum	I, 270	Gileadense	I, 181
Hypocistis	I, 123	Guaiacinum	II, 401
Asclepias	I, 66	Guidonis	II, 414
Aseli	I, 210	Hyperici	II, 409
Aspalathum	I, 83	Iudaeicum	I, 181
Aparagus	I, 205	Lucatelli	II, 346
Asperula Odorata	I, 168	Mecha	I, 181
Asplenium	I, 111. 146. 147.	Nephriticum	II, 622
	168	Perficum	II, 320
After Atticus	I, 153. 156	Persuvianum	I, 81
Astragalus Tragac.	I, 116	Polychrestum	II, 401
Astrantia	I, 227	Saponaceum	II, 431
Athamantia Annua	I, 91	Simplex	II, 35
Atriplex Olida	I, 95	Succini	II, 93. 403
Atropa	I, 274	Sulphuris Anifat.	II, 37
Auellana	I, 145	Craffum	II, 36
Mexicana	I, 150	cum oleo Lini	II, 36
Avena	I, 112	Oliuar.	II, 34
Aurantia Curassauensis	I, 138.	Knoephelii	II, 403
	285	Rulandi	II, 403
Aurantiorum Cortex	I, 138	Succinat.	II, 37
Flores	I, 72	Terebinth.	II, 35
Fructus	I, 285	Syriacum	I, 181. 307
Auricula Muris	I, 109	Terebinth.	II, 35. 235. 413
Aurum	I, 306	Tolutanam	I, 151
Musium, vulgo: Mosai-		Traumaticum	II, 321
cum	II, 140	Viride	II, 402. 432
Axungiae Porcin. Praep.	II, 14	Bamia Aegyptiaca	I, 306
Viperinae Praep.	II, 14	Moschata	I, 306
B.		Banilla	I, 77
Baccae Juniperi	I, 179	Barba Capri	I, 219
Lauri	I, 192	Bardana	I, 204
Piscatoriae	I, 277	Basilicum	I, 95
Balanus Myrepfica	I, 145	Baume de Commandeur	II, 320
Balaustia	I, 119	Bdellium	I, 152
Balnea Calida	I, 333	Beccabunga	I, 167
Frigida	I, 335	Bellis	I, 101
Mariae	I, 39	Benzoinum	I, 152
Balsamum Americanum	I, 181		

Arzneimittelverzeichnis.

Benzoini Flores	II, 9. 10	Calamintha	I, 217
Oleum et Spiritus	II, 11	Calamus Aromat.	I, 84
Tinctura	II, 9	Calcanthum Rubefactum	II, 84
Berberis cortex	I, 184	Calendula	I, 219
Fructus	I, 120	Calomelas	II, 143
Bera	I, 141	Calx Viua	I, 300
Beronica	I, 67	Antimon.	II, 164
Berula	I, 141	Iouis	II, 138
Bezoar Occident.	I, 233	Nitrosa Antimon.	II, 164
Oriental.	I, 233	Zinci	II, 86
Bezoarticum Minerale	II, 171	Cambogia	I, 259
Bismalua	I, 141	Camphora	I, 221
Bismuthum	I, 206	Camphorata	I, 67
Flores	II, 172	Cancerorum chelae	I, 131
Magisterium	II, 172	Praeparat.	II, 13
Bistorta	I, 125	Oculi	I, 131
Bitumen	I, 194	Praeparat	II, 13
Blitum foetidum	I, 95	Canella Alba	I, 83
Boletus	I, 306	Iauanensis	I, 68. 116
Bolus Armen.	I, 133	Malabarica	I, 68. 116
Praeparat.	II, 13	Zeylanica	I, 123
Alexipharmac. var.	II, 532. f.	Cannabis Semina	I, 284
Cathart. var.	II, 535. f.	Cantharides	I, 211. 301
Opiat.	II, 536.	Tinct.	II, 308
Bonus Henricus	I, 142	Capillus Veneris	I, 146
Borax	I, 242	Capparis	I, 168
Botrys	I, 168	Cortex	I, 184
Branca Vrfina	I, 136	Caprifolium	I, 169
Brassica	I, 156. 209	Capficum	I, 80
Bryonia	I, 101. 252. 265	Caranna	I, 162
Britannica	I, 188	Cardamines	I, 169
Bruscus	I, 174	Cardamomum	I, 91
Bufo Praeparat.	II, 17	Cardiaca	I, 96
Buphthalmum	I, 95	Carduus Benedictus	I, 137
Bupleurum	I, 160	Fullonum	I, 158
Bursa Pastoris	I, 109	Careum	I, 90
Butyrum	I, 306	Carica	I, 177
Buxus	I, 127	Carlina	I, 217
C.		Caros	I, 90
Cacao	I, 150	Carpesium	I, 78
Caerrefolium	I, 199	Carpobalsamum	I, 307
Cajous	I, 76	Carthamus	I, 237
Calaminaris Diaph.	II, 17	Carum	I, 90
Lapis	I, 290	Caryophyllus	I, 73
Magister.	II, 17	Aromat. Americ.	I, 81
Praeparat.	II, 13	Hortens.	I, 72

Arzneimittelverzeichnis.

Cascarilla	I, 224	Cera Flava	I, 308
Caseus	I, 307	Cerae Oleum	II, 56
Cassamunair	I, 101	Cerata	I, 77
Castia Alexandrina	I, 244	Ceratum Album	II, 433
Fistula	I, 247	Citrinum	II, 433
Lignea	I, 116	Epuloticum	II, 433
Castaneae	I, 120. 145	e Lapide Calaminari	II, 433
Castoreum	I, 104	Mercuriale	II, 434
Cataplasma Apoplecticum		Cerevisia	I, 309
	II, 615	Hydropica	II, 454
Anthelmintic.	II, 618	Juniperina	II, 454
Aromatic.	II, 436	Stomachica amara	II, 450
Auriculare	II, 616	Cerussa	I, 290. II, 134
Cephalicum	II, 615	Ceterach	I, III. 168
e Cymino	II, 434	Chaerophilium	I, 199
Discutiens	II, 435	Chalybis Praeparationes	
Diureticum	II, 618		II, 119
Emolliens	II, 620	Rubigo Praeparat.	II, 120
Febrifugum	II, 617	Sal	II, 124
Haemorrhoidale	II, 621	cum Sulphure praep.	
ad Hydropem	II, 618		II, 122. 123
Laterale	II, 619	cum Saccharo	II, 121
Maturans	II, 435	cum Tartaro	II, 121
Paralyticum	II, 616	Chamaeacle	I, 184. 203
ad Paronychiam	II, 621	Chamaecissus	I, 158
Podagricum	II, 616	Chamaedaphne	I, 254
Refrigerans	II, 621	Chamaedrys	I, 169
Sambucinum	II, 620	Chamaelea	I, 254
Stomachicum	II, 619	Chamaeleon Albus	I, 217
Suppurans	II, 435	Chamaemelum	I, 88.
Synanchicum	II, 619	Chamaepitys	I, 157
Cataputia	I, 255. 302	Cheiri	I, 67
Cataria	I, 96	Chelae Cancrorum	I, 131
Catechu	I, 133. II, 21	Praeparat	II, 13
Cauda Equina	I, 109	Chelidonium	I, 157
Causticum comm. fort.	II, 112	Chenopodium	I, 95. 142. 168
mitius	II, 113. 114	China	I, 129
Antimonii	II, 170	Chrysocolla	I, 242
Lunare	II, 117	Cicer	I, 149
Canterium Potentiale	II, 113	Cichoreum	I, 282
Centauria	I, 137. 188	Cicla	I, 141
Centinodium	I, 109	Cicuta	I, 272
Centaurium minus	I, 137	Cinara	I, 109
Centauroides	I, 172	Cinchona	I, 224
Cepa	I, 185	Cineres Russici	I, 308
Cera Alba	I, 308	Cinnabar. Factis.	II, 146

Arzneimittelverzeichnis.

Cinnabar. Natin.	I, 106	Corallium Rubrum	I, 134
Cinnamomum	I, 123	Corall. Praeparat.	II, 13
Cistus Ladanifera	I, 82	Cordia Sebestena	I, 82
Citrei Cortex	I, 138	Cordia Sebesten	I, 178
Fructus	I, 285	Coriandri Semina	I, 91
Citrulli	I, 143	Corinthiacae	I, 178
Cnicus	I, 237	Corna Cerui calcinatio	II, 54
Siluestris	I, 137	Praeparat.	II, 13
Cnidia Grana	I, 255	Rasura	I, 130
Coagulum Aluminosum	II, 436	Spirit. Sal, Oleum	II, 53. f.
Coccinilla	I, 232	Aromatic.	II, 57
Cocccum Insector.	I, 77	Cornus	I, 110
Cocculae Indicae	I, 277	Coronopus	I, 110. 111
Coccus Baphica	I, 77	Cortex Peruianus	I, 224
Cochlearia	I, 209	Extract.	II, 257
Hortenlis	I, 169	Infusio	II, 21
Marin.	I, 170	Tinctur.	II, 310. 311
Spirit. aureus	II, 31	Vlmi	I, 165
Simplex	II, 31	Winteranus	I, 83
Coffiaea	I, 77	Corylus	I, 145
Colchicum	I, 206. 251	Costus Arabicus	I, 85
Colcothar Vitrioli	II, 123	Coryledon	I, 110. 284
Colocynthis	I, 255	Crataegus	I, 123. 204
Colophonium	II, 235	Cremor Tartari	II, 98
Colubrina	I, 229	Creta	I, 132
Columbinum	I, 110	Crithmum	I, 170
Columbo	I, 125	Crocodilus Terrestris	I, 232
Confectio Alkermes	II, 280.	Crocus	I, 219
Archigenis	II, 349. 357	Antimonii	II, 164
Cardiaca	II, 347. 348.	Lorus	II, 164
Damocratis	II, 349	Martis adstring.	II, 123
Fracastorii	II, 355	Aperiens	II, 120. 123
Iaponica	II, 345	Metallorum	II, 164
Paulina	II, 348	Crytalli Tartari	II, 98
Raleighana	II, 347. 358	Cubebae	I, 78
Conium	I, 272	Cucumis	I, 143. 144. 255. 285
Conseruae	II, 333. f.	Cucumeris	Afinimi fecula
Consolidae Flores	I, 111		I, 261. II, 290
Radix	I, 116	Cucurbita	I, 144. 286
Contrayerua	I, 227	Cuminum	I, 91
Conuoluulus	I, 208. 252. 253.	Aethiopicum	I, 166
	261	Pratenfe	I, 90
Copaifera Offic.	I, 181	Cunula	I, 174
Copaiuae Balsam.	I, 181.	Cuprum	I, 308
Corallina	I, 138	Ammoniacum	II, 132
		Curcuma	I, 185

Arzneimittelverzeichnis.

Cuscuta	I, 158. 282	Decoctum expect. potent.	II, 472
Cuscuta	I, 123		II, 481
Cycas Indica.	I, 112	febrifugum	II, 460
Cyclamen	I, 168	Fracastorii	II, 245
Cydonia Mala	I, 120	hordei	II, 459
Cumini Sem.	I, 91	hystericum	II, 241
Cyborrhodon	I, 151	laponicum	II, 242
Cynoglossum	I, 110	ad Istericos	II, 473
Cynobatos	I, 151	icteric. var.	II, 463
Cyperus	I, 96	incrassans	II, 478
Babylonica	I, 84	imiperinum simpl.	II, 478
Longa	I, 227	compof.	II, 463
Cyprus Indica	I, 185	lignorum	II, 243
Cytinus	I, 119. 121	limacum	II, 471
Cynifus Spinofus	I, 123	maltae	II, 461
D.		maltiches	II, 243. 478
Dactyli	I, 179	nephriticum	II, 244
Daphne	I, 254	nitrofum	II, 486
Daucus Creticus	I, 91	pacificum	II, 244. 465. 471
Siluestris	I, 91	pectorale	II, 484
Decoctum album	II, 240. 460	polychrestum	II, 463
Compof.	II, 241	ad thachitidem	II, 466
Allii	II, 473	refrigerans	II, 461
Altheae	II, 477	reftringens	II, 471
Amar. Aromatic.	II, 476	Rofarum	II, 460
Antiphthificum	II, 466	rubicundum	II, 481
Aperiens	II, 478	facrum	II, 464
Aromat. Amar.	II, 476	fanctum	II, 465
Balfamicum	II, 466	Sarfaparillae	II, 479
Cannabinum	II, 463	scarleticum	II, 487
Catarrhale	II, 462	Scorzonerae	II, 245
Catechu	II, 462	Serpentariae comp.	II, 465
Compof.	II, 462	ftypticum	II, 245
Chamaepityos	II, 457	Tamarind. c. Senna	II, 474
Commune pro Clyft.	II, 242	Vlmi	I, 282
Corallinum	II, 476	Diaboli intestina	II, 344
Corticis balfam.	II, 481	Diacaffia	II, 417
cum acidis	II, 42	Diachylon simp.	II, 418
Chalybe	II, 482	cum gum.	II, 442
contra diarrhoeam	II, 460	comp.	II, 275
cretaceum	II, 241	Diacodium	II, 30
diureticum	II, 477	Diagrydium	I, 173
dysentericum	II, 462	Dianthus	I, 118
edulcorans	II, 464	Diapenfia	II, 355
emmenagogum	II, 458	Diafcardium	

Arzneimittelverzeichnis.

Diasulphur	II, 366	Elect. diureticum	II, 527
Dictamnus Creticus	I, 96	Ducis Sabaudiae	II, 506
Albus	I, 96	contra dysent.	II, 517
Digitalis	I, 157	emmenagogum	II, 512
Dipacus	I, 158	I cum Chalybe	II, 512
Diureticor. Princeps	II, 96	Helleboro	II, 513
Doronicum	I, 217	de Guaiaco	II, 524
Dorstenia	I, 227	ad Haemoptoen	II, 519
Draconis Sanguis	I, 115	Haemorrhoidale	II, 520
Dracontium	I, 218	ad Hernias	II, 16
Dracunculus	I, 218	hystericum	II, 511
Drakena	I, 227	ictericum	II, 526
Dulcamara	I, 274	incrassans	II, 514
E.		Iaponicum	II, 345
Eau des Carmes	II, 217	iuniperin.	II, 511
Eau de Luce	II, 326	lenituum	II, 344
Eboris Rafura	I, 130	lithontripicum	II, 526
Ebulus cort.	I, 184	nephriticum	II, 526
Semen	I, 203	paralyticum	II, 507
Eclegma	II, 294	pectorale	II, 344 519
Elaeocacchara	II, 7	Cort Peruu.	II, 529 f.
Elatenium	I, 261. II, 290	ad Phthisin var.	II, 521
Elatine	I, 314	Poterii	II, 519
Elect. Acidum	II, 531	refrigerans	II, 531
Aethiopic.	II, 524	restaurans	II, 521
Alexipharmac.	II, 528	cum Chalybe	II, 516
Analepticum	II, 515	restringens	II, 518
Cordiale	II, 515	e Scammonio	II, 345
ex Angelica	II, 511	e Scordio	II, 345
Antiepidemic.	II, 528	de Sinapi	II, 509
Asthmatic	II, 524	solutium	II, 530
Adstringens	II, 514	de Sperm. Ceti	II, 520
e Baccis Lauri	II, 343. 511	splanchnicum	II, 513. 527
Camphoratum	II, 528	stomachicum	II, 509. 510.
Cardiacum	II, 348. 507		517
magn.	II, 508	ad strumas	II, 525
Caryocostinum	II, 359. 345	de symphyto	II, 515
Caryophyllat.	II, 506	terebinthinatum	II, 526
e Cassia	II, 343. 344	Thebaicum	II, 353
contra catarrh.	II, 516	de Visco Quercino	II, 509
cephalicum	II, 506	vulneraria varia	II, 522. f.
chalybear.	II, 513	Elemi Gummi	I, 298
cinnabar.	II, 508	Eleoselinum	I, 167
e Cinnamomo	II, 518	Eleutheria	I, 224
Conditorum	II, 521	Elixir Aloës	II, 321. 322
Dialthaeae	I, 519	rhubarb.	II, 322

Argueimittelverzeichnis.

Elixir antiuener.	II, 332	Emplastrum Commune	
asthmaticum	II, 323 332	cum Gum.	II, 417. f.
camphoratum	II, 329	cum Mercur.	II, 419
Guaiacini	II, 322	Croceum	II, 420
volat.	II, 320	defensuum	II, 418
hypochondriac.	II, 333	Diachylon simpl.	II, 417
Myrrinae compos.	II, 325	compos.	II, 442
paregoricum	II, 323	cum Gum.	II, 418
pectorale	II, 323	Diapalmæ	II, 417
proprieratis	II, 321	dorsale corrobor.	II, 613
cum acido	II, 323	epispastic. II, 422	442. 610.
dulce	II, 329	febrifugum	II, 611
Helmontii	II, 299	Flos Vnguentor.	II, 443
tartarifat.	II, 330	e Gum. Elemi	II, 443
vitriolic.	II, 322	gummosum	II, 418
sacrum	II, 322. 325	ad herniam	II, 420
salutis	II, 316	hystericum	II, 610
stomachicum	II, 307	ictericum	II, 612
traumaticum	II, 321	de Meliloto simpl.	II, 443
vite	II, 330	Mercuriale	II, 419. 443
vitrioli	II, 324	de Minio	II, 420
acidum	II, 323	mucilag.	II, 420. 442
dulce	II, 324	nephriticum	II, 612
Mynsicht	II, 324	Nostratibus	II, 443
uterinum	II, 325	nuchale	II, 607
Elleborus alb.	I, 271	Opiatum	II, 444
niger	I, 263	Opodeldoc	II, 444
Embrocationum forma	II, 588	Oxycroceum	II, 420
Emplastrum contra abort.		paralyticum	II, 608
	II, 614	pectorale	II, 612
adhaesiu.	II, 417	podagricum	II, 444
ex Ammon. c. Mercur.		roborans	II, 420
	II, 419	de Sapone	II, 421
Anodynum	II, 415 612	spleneticum	II, 610
anthelminthic.	II, 611	stomachic.	II, 421. 613
antihysteric.	II, 415	ad strumas	II, 445. 614
apoplectic.	II, 606	suppedale	II, 607
arthritic.	II, 446. 608	vermifugum	II, 445
attrahens	II, 416	vesicatorium	II, 422
carminatiuum	II, 609	volatile	II, 422. 434
cephalicum	II, 416 606	Emulsio Alexipharmaca	II, 483
cereum	II, 416	c. Ammonisaco	II, 474
e Cicuta c. Ammon.	II, 416	Analeptica	II, 458
e Cymino	II, 418	Arabica	II, 251
Commune	II, 417	asthmatica	II, 479
adhaesiu.	II, 417	balsamica	II, 468. 475

Arzneimittelverzeichnis.

Emulſio camphorata	II, 251	Ernum	I, 150
communis	II, 251. 472	Eryngii rad. condit.	II, 339
cretacea	II, 467	Eryngium	I, 153
c. C. C.	II, 467	Effenti Ambrae girs.	II, 8
Diuretica	II, 480	Martis	II, 128
edulcorans	II, 468	Neroli	I, 72
hysterica	II, 459	Odorifera	II, 325
pacifica	II, 487	Viperarum	II, 51 52
Paioniata	II, 457	Eupatorium	I, 171
Fulleri	II, 457	Euphorbium	I, 270. 302 303
de Sarſa	II, 472	Euphrasia	I, 67
Sperma Ceti	II, 475	Euphrasia	I, 67
contra ſtrumas	II, 614	Exprellio aſthmatica	II, 627
ſtyptica	II, 467	cephalica	II, 629
varioloſa	II, 483	iſterica	II, 628. I.
vulneraria	II, 474	millepedum	II, 628
Endiua	I, 282	ſcorbutica	II, 630
Enema de Amylo	II, 577	ſtyptica	II, 630
Anodynum	II, 579	Extracta	II, 251
antheimintic.	II, 575	Abſinthii	II, 254
balfamicum	II, 577	antiſcorbutic.	II, 210
carminatiu.	II, 575	Aconitum	II, 254
cathartic.	II, 574	Belladonnae	II, 254
commune	II, 573	Campech. lign.	II, 256.
emolliens	II, 576	cathartic.	II, 259
febrifugum.	II, 580	Centaur. min.	II, 254
haemorrhoidale	II, 576	(hamaemeli flor.	II, 254
hystericum	II, 575	Cicutae	II, 259. 254
reſtringens	II, 578	Enulae Camp. rad.	II, 253
terebinthinat.	II, 576	Flammul. louis	II, 255
Ens Veneris	II, 126	Gentian. rad.	II, 253
Enula Campana	I, 187	Guaiac. lign. moll. et dur.	II, 258
Epithema anodynum	II, 626		II, 255
c. Calce viua	II, 624	Glycyrrhizae	II, 255
cephalicum	II, 625	Hellebori nigri	II, 255
c. Saccharo Saturn.	II, 625	Hyofcyami	II, 255
ſaponaceum	II, 625	Ialapii	II, 256
ſtomachicum	II, 626	Martis	II, 127
velicatorium	II, 434	Opii	II, 24
volatile	II, 434	D. Goddard,	II, 26
Epithymum	I, 158	Peruu. moll. et dur.	II, 257
Equiſetum	I, 109	Piantaginis	I, 253
Ergeron	I, 237	Rudii	I, 261
Eriſyum	I, 170	Kutae	II, 255 254
Erpillos	I, 71	Sabinae	I, 255
Erucac ſol.	I, 147	Saturni	II, 156

Arzneimittelverzeichnis.

Extractum Stramonii	II, 255	Fotus scorbuticus	II, 591
Thebaicum	II, 24	spleneticus	II, 591
F.		stomachicus	II, 595
Faba	I, 112	Fragaria	I, 199
Sal spiritum	II, 115	Fraxula	I, 262
Fagus Castanea	I, 145	Fraxinus	I, 177 251
Farfara	I, 148	Frontale cephalic.	II, 631
Fel Naturae	I, 248	mastachin.	II, 631
Ferrum	I, 313	camphoratum	II, 631
Praeparatio Willis.	II, 120	Fuga Daemonum	I, 159
Ferula Persica	I, 98	Fuligo Ligni	I, 316
Ficus Communis	I, 177	Fuliginis Oleum	II, 56
Filago Germanica	I, 117	Fumaria	I, 171
Filipendula	I, 207	Fungus Agarici	I, 246
Filius ante patrem	I, 148	Sambuci.	I, 158
Filix	I, 126 186	Furfur	I, 294
Fistula Cassia	I, 247	G.	
Flores Benzoe	II, 9	Galanga	I, 84
Bismuthi	II, 172	Galbanum	I, 99
Martis	II, 125. 126. f	praeparat	II, 116
Salis Ammoniaci	II, 78	Galeza	I, 218
Sulphuris	II, 32	Galeopsis	I, 110 142
Albi	II, 33	Gallae	I, 121
Loti	II, 33	Galum	I, 109. 110.
Zinci	II, 86	Gambogia	I, 259
Flos Cereuisiae	I, 294	Gargarisma adstringens	II, 584
Vnguentorum	II, 443	detergens	II, 584
Roeniculum	I, 89. 207	emolliens	II, 585
Mar.	I, 170	Gas sulphuris	II, 42
Foenugraeci sem.	I, 143	Gelatina Berberorum	II, 289
Foenum Camelorum	I, 71	cydoniorum	II, 289
Fotus Anthelminticus	II, 596	ribesiorum	II, 290
arthriticus	II, 590	Gellaminum	I, 73
astringens	II, 594	Genista	I, 171
carminatiuus	II, 591	Gentiana	I, 137
communis	II, 242	Geranium	I, 110
corroborans	II, 595	Columbinum	I, 110
discutiens	II, 596	Moschat.	I, 110
diureticus	II, 592	Robertian.	I, 110
emolliens	II, 592	Gilla Vitrioli	I, 322. II, 86
erysipelatosus	II, 593	Ginseng	I, 85
haemorrhoidalis	II, 594	Glandes	I, 121
contra hydropem	II, 593	Glans vnguentaria	I, 145
pacificus	II, 593	Glastum	I, 117
sanguinem sistens	II, 594	Glechoma	I, 158

Arzneimittelverzeichnis.

Glycyrrhiza	I, 186	Humulus	I, 150
Graphalium	I, 117	Hydrargyrum	I, 195
Guaiacum	I, 302	Hydrolapathum	I, 18
Grana	I, 208. 228	Hydromel	II, 455
Grana Paradisi	I, 91	Hydropiper	I, 200
Granadilla	I, 227	Hyoſcyamus	I, 271. 277
Granata	I, 121. 124	Hypericum	I, 159
Gratia Dei	I, 110	Hypocistis	I, 123
Gratiola	I, 172	Hyllopus	I, 172
Groſſularia	I, 286		
Guaiacum	I, 127. 223. II, 262		I,
Gummi Aloës	II, 261	Ialapium	I, 265
Ammoniacum	I, 180	Ialapii reſina	II, 18
Guaiacum	II, 262	Iaponica terra	I, 133
rubrum adſtringens	I, 114	tinctura	II, 313
verum	I, 114	Iasminum	I, 173
Elemi	I, 298	Ibiscus	I, 141
Gutta Alba	II, 666	Iberis	I, 73
Emetica D. Ward	II, 665	Ichthyocola	I, 114
Gamba	I, 259	Ilex	I, 77
Guttae Vitae	II, 27	Imperatoria	I, 227
		Infuſio alexipharmaca	II, 484
H.		amara	II, 247
Halec	I, 294	chalybeata	II, 476
Haematoxylon	I, 316	antiphthiſica	II, 468
Halicacabum	I, 204	cathartica	II, 485
Handala	I, 255	communis	II, 485
Hedera terreſtris	I, 158	Corticis Peruuiiani	II, 21
Hedychroi	II, 364	diuretica	II, 489
Heliotropius	I, 131	liberans	II, 469
Helxine	I, 142	paralytica	II, 458
Hepar Sulphuris	II, 34	rhubarb.	II, 250. 485
Hepatica	I, 172	roſar compoſ.	II, 469
Herba Inferni	I, 282	urticarum	II, 469
Herba Sacra	I, 70	zedoariae	II, 484
Herculeum	I, 174	Infuſum amarum	II, 247
Hermodaſtyli	I, 251	ſimplex	II, 247
Herniaria	I, 117	purgans	II, 248
Hibiscus	I, 306	c. Senna	II, 248
Hiera Picra	II, 387	Flammul. Iouis	II, 249
Hieracium	I, 109	Sennae comm.	II, 249
Hippofelinus	I, 173	limoniæ.	II, 250
Hirudo	I, 294	vnc. quatuor	II, 250
Hirundinaria	I, 66	Tamarind. c. Senna	II, 250
Hordeum	I, 149	Inguinalis	I, 153. 156
Horminum	I, 111	Injectio auricularis	II, 581

Arzneimittelverzeichnis.

Iniectio ad gonorrhoeam	Lapis Calaminaris	I, 135. 290
vterin.	praeparat.	II, 13
Inula	Magister.	II, 17
Iouis calx et sal	Contrayeruae	II, 384
Ipecacuanha	de Goa	II, 641
Iris	Granatorum	I, 134
Isatis tinctoria	Haematites	I, 131
Iua arthritica	Hibernicus	I, 193
Iuglandes	Hyacinthus	I, 134
Iuinbae	Lazuli	I, 135
Iulapium alexipharm.	medicamentosus	II, 92
496	Rubinus	I, 134
balsam.	Sapphirus	I, 134
e Camphora	Septicus	II, 113
carmimatiu.	Smaragdus	I, 134
cardiac et cephal.	Tutiae	I, 135. 291
e creta	Lappa Maior	I, 204
diaphoretic.	Lafer	I, 89
diuretic.	Laferpitium	I, 89
hyfteric.	Laudanum liquidum Syden-	II, 25. 26. 305
e Moscho	ham	II, 29
Iuncus odoratus	Londinense	I, 14
Iuniperi baccae	Lauendula	I, 75
gummi	Stoechas	I, 254
Iusculum ad tabem	Laureola	I, 92
Ius viperinum	Lauri bacca	I, 152
K.	Laurus Benzoin	I, 221
Kali	Camphora	I, 116
Kermes mineralis	Cassia	I, 128
Kino	Sassafras	I, 92
L.	Vulgaris	I, 123
Labdanum	Zeylanica	I, 283
Lac Ammoniacum	Lemna minor	I, 283
Asininum	Lens aquatica	I, 283
Caprinum	I. palustris	I, 127
Ouinum	Lentiscus	I, 96
Sulphuris	Leonurus Cardiaca	I, 284
Vaccinum	Leontodon	I, 173. 302
Virginale	Lepidium	I, 67
Lactuca	Leucojum luteum vulg.	I, 89
Ladanum	Leuisticum	I, 173
Lamium	Lichen	I, 172
Lapathum acutum	Caninus	I, 172
Lapis Aetires	Coriaceus	I, 172
	terrestris ciner.	I, 172
	Licopericon	I, 274

Arzneimittelverzeichnis.

Lignum nephriticum	I, 205	Lithontripticum Doct. Chit-	
peregrinum	I, 205	rick's	II, 653
tinctile Campechense	I, 316	Litus aluminosus	II, 634
Ligusticum	I, 89. 221	detergens	II, 635
Ligustrum	I, 173	c. sperma Ceti	II, 634
Lilium album	I, 143	Lixivium c. Calce	II, 635
conuall.	I, 74	causticum	II, 109
vernum	I, 74	hydropic.	II, 636
Limaces	I, 190	Martis	II, 128
Limonium cortex	I, 138	Salis tartari	II, 101
fructus	I, 285	Saponaceum	II, 108
Linctus detergens	II, 504	Lohoc commune	II, 293
emolliens	II, 502	ex amylo	II, 293
Lingua Serpentaria	I, 160	de lino	II, 293
Linimentum Album	II, 431	de manna	II, 293
Arcae	II, 438	saponaceum	II, 293
cephalic.	II, 600	sanum	II, 294
cereum	II, 431	de sperma ceti	II, 294
cosmetic.	II, 606	Lonicera	I, 169
crinitic.	II, 599	Lotio oleosa	II, 587
depilator.	II, 599	repellens	II, 586
digestivum	II, 605	saponacea	II, 219
ad foueas	II, 605	Luiula	I, 156 282
haemorrhoidale	II, 601	Lumbrici terrestres	I, 193
herpeticum	II, 603	Lupinus	I, 96
laterale	II, 604	Lupulus	I, 150
ad lumbricos	II, 603	Lycopersicon	I, 304
ophthalmicum	II, 600		
— Hans Sloane	II, 660	M.	
paralyticum	II, 600	Macis	I, 78. 83
pectorale	II, 605	Magister. Bismuthi	II, 172
podagricum	II, 606	lapid. calamin.	II, 17
Saponaceum	II, 431	Magnesia alba	II, 656
sympatheticum	II, 602	vsta	II, 660
tripharacum	II, 432	Maiorana	I, 67
virilitatis	II, 602	Cretic. Syriac.	I, 68
volatile	II, 432	Mala Armeniaca	I, 286
Lini semen	I, 143	Aurea	I, 274. 304
Linum cathartic.	I, 254	Cotonea	I, 120
Liquamen salis tartari	II, 101	hortensia	I, 286
Liquor aether. vitriolic.	II, 88	Perfica	I, 286
anodyn. min. Hoffmann.	I, 90	Punica	I, 119. 121
	II, 90	syluestria	I, 119. 121. 286
Lithargyrus	I, 290	Malabrathum	I, 68. 116
Lithospermum	I, 203	Malicorium	I, 121. 124
Lithontripticum Io. Stephens	II, 648. f.	Malua	I, 141. 304

xx

Arzneimittelverzeichnis.

Mandragora	I, 274	Mel Rosaceum	II, 285
Manna	I, 251	Saponis	II, 283
Margaritae	I, 131	Violaceum	II, 288
praeparat.	II, 13	Melissa Calamintha	I, 217
Marrubium	I, 96. 159	Mellegueta	I, 91
Mars diaphoretic.	II, 125	Mellis despumatio	II, 14
saccharatus	II, 121. 340	Mellilotus	I, 160. 295
solubilis	II, 121	Melissa	I, 218. 217
sulphuratus	II, 123	Nepeta	I, 217
tartarifatus	II, 121	Melones	I, 144. 287
Martis crocus aperiens	II, 123	Mentastrium	I, 117. 173
adstringens	II, 123	Mentha varia	I, 117
flores	II, 125. 126. 127	Felina	I, 96
limatura praeparat.	II, 121	filuestris	I, 173
lixivium	II, 128	Menyanthes	I, 175
praepar. c. saccharo	II, 121	Mercurialis	I, 142
c. sulphure	II, 123	Mercurius alcalifatus	II, 156
c. Tartaro	II, 121	calcinatus	II, 154
Willif.	II, 120	calx	II, 142
rubigo praeparata	II, 120	corallinus	II, 155
Sal	II, 124	dulcis	II, 144
Tinctura	II, 130	emet. flauus	II, 152
florum	II, 130	Panacea alba	II, 150
in Spir. Salis Mar.	II, 129	rubra	II, 149
Vitriolum	II, 124	praecipit. alb.	II, 151
Vinum	II, 128. 129	ruber	II, 147. 148
Marum	I, 68	ruber corrol.	II, 148
Creticum	I, 68	praecipit. per se	II, 154
Mastich.	I, 68	purificat.	II, 140
Syriacum	I, 68	resuscitat.	II, 147
Mastiche	I, 182	solutio	II, 141
Materia Medica	I, 2. 57	sublimat. corrol. alb.	II, 141.
Matricaria	I, 96		142
Matrifilua	I, 169	dulcis	II, 143. 144
Mechoacanna	I, 252. 265	vitae	II, 170
Meconium	I, 278	Mespilus	I, 121. 204
Mel	I, 314	Meum	I, 228
Aegyptiacum	II, 284	Milium Solis	I, 203
Anacardium	I, 76	Millegrana maior	I, 117
Anthosatum	II, 287	Millefolium	I, 118
Diamoron	II, 287	Millepedes	I, 210
Elatines	II, 284	Milleped. praeparat.	II, 21
Elleboratum	II, 284	ol. spir. et sal. vol.	II, 22
Mercuriale	II, 287	vinum	II, 22. 302
Mororum	II, 287	Mimosa Aegypt.	I, 122
		Nilotica	I, 112

Arzneimittelverzeichnis.

Minium	I, 291. II, 133	Nodulus cephalicus	II, 637
Mirqueth	I, 122	hyftericus	II, 637
Mithridatium	II, 349	Nux Moschata	I, 78
Miua Cydoniorum	II, 239	torrefacta	II, 14
Mixtura v. Potio		Vomica	I, 277
Molen	I, 207	O.	
Mori fructus	I, 121. 287		
Morsus Gallinae	I, 281	Ocimum	I, 95
Moschatum	I, 110	Ocularia	I, 67
Moschus	I, 101	Oculi Cancrorum	I, 131
Moxa	I, 95. 302	praeparat.	II, 13
Mucilago Gum. Arab.	I, 112	Oenanthe	I, 272
sem. cydon.	II, 246	Offa Alba	II, 58
Mulcus Marinus	I, 138	Oleum Absinthii	II, 228. 407
pyxidatus	I, 111	Acusticum	II, 598
Myristica Moschata	I, 78	Amygdal.	II, 406
Myrobalani	I, 248	amar.	II, 406
Myrrha	I, 99	dulc.	II, 406
Myrrhae oleum	II, 23	Anethi	II, 228. 407
per deliqu.	II, 23	Anifi	II, 228
Myrrhis	I, 199	Anthos	II, 229
Myrti baccae	I, 121	Balsami	I, 181
Myrtillus	I, 122	Benedictum	II, 413
Myrtus Iamaicenf.	I, 81	Benzoin.	II, 11
Pimento	I, 81	Buxi	II, 412
N.		Camphorae	II, 43
Naphtha	I, 194	Camphoratum	II, 407
Nardus Celtica et Indica	I, 228	Carui	II, 230
Nasturtii fol.	I, 169. 173. 175	Caryophyllor.	II, 230
sem.	I, 177	Cephalic.	II, 598
Nepeta	I, 96	Cerae	II, 56
Nicotiana	I, 271. 274. 295	Ceti	I, 192
Ninzig	I, 85	Chaimaemeli	II, 230. 407
Nitrum	I, 213	Cherinum	II, 409
catharticum	II, 65	Chrysolinum	II, 405
fixatum	II, 65. 71	Cicinum	II, 405
purificat.	II, 63	Cinnamomi	II, 231
stibiutum	II, 165	Copaiauae comp.	II, 414
vitriolat.	II, 68. 71	Corna Cerui	II, 53. 54
Nitri Spiritus	II, 65	Cosmetic.	II, 597
c. ol. Vitrioli	II, 66	Cremoris	II, 598
dulcis	II, 68. 69	de Kerua	II, 405
Glauberi	II, 68	Exstrense	II, 411
Tinctura	II, 71	Foeniculi	II, 231
		Fuliginis	II, 56
		Guaiaci	II, 412

Arzneimittelverzeichnis.

Oleum Hederae	II, 231	Oleum Sulphuris per camp.	II, 39
Hyperici	II, 407. 409	Tartar. per deliqu.	II, 101
Iuniperin	II, 232	Terebinth.	II, 235. 413
Keirinum	II, 409	aether.	II, 413
Lateritium	II, 413	empyreumat.	II, 413
Lauendulae	II, 232	Viperar. rectificat.	II, 52
Laurin.	II, 406. 407	Viride	II, 408. 599
Lilior. Albor.	II, 407	Virriol.	II, 84
Limonum	II, 230	Olea per destillat.	II, 227
Lumbricor.	II, 410	essentia	II, 4. 227
Macis	I, 79. II, 232. 407	per express.	II, 404
Mandragorae	II, 411	per intus, et decoct.	II, 407
Majoranae	II, 232	Olibanum	I, 115
Martis per deliqu.	II, 128	Oliuae	I, 287
Menthae	II, 232	Omphacinum	I, 284
Piperitid.	II, 233	Ononis	I, 167
Myrrhae	II, 23	Onisci	I, 210
per deliqu.	II, 23	Opium	I, 278
e Mucilaginis	II, 408	colatum	II, 24
Neroli	I, 72	extract.	II, 24
Nicotianae	II, 410	Goddardi	II, 26
Nucis Moschatae	I, 78. II, 233	praeparat.	II, 24
Oliuarum	I, 295. II, 407	Ophioglossum	I, 160
Omphacinum	I, 284	Ophthalmica	I, 67
Origani	II, 233	Opobalsamum	I, 181
Palm. Christi sem.	II, 404	Opodeldoc	II, 431
Papaveris	II, 410	Opopanax	I, 162
Paralyticum	II, 598	Orchis	I, 85. 154
Petrol. Barbad.	II, 413	Origani flores	I, 69
Philosophor.	II, 413	Origanum	I, 69
Pulegii	II, 234	Maiorana	I, 67
Rhodii	II, 234	Onites	I, 69
Ricini	II, 404	Anglicum	I, 69
Rofaceum	II, 408. 409	Creticum	I, 69
Rutae	II, 234	Vulgare	I, 69
Rutaceum	II, 408. 410	Oriza	I, 112
Sabinae	II, 234. 410	Orobanche	I, 123
Salviae	II, 234	Orobis	I, 150
Sambuci	II, 408. 410	Os Sepiae	I, 298
Sanctum	II, 413	Osmunda Regalis	I, 126. 186
Sassafras	II, 235	Ouum	I, 316
Semin. Lini	II, 407	Oxalis	I, 281. 282
Sinapi	II, 407	Oxyacantha	I, 120. 200. 204
Spicae	I, 194	Oxycroceum	II, 420
Succini	II, 93. 9	Oxylapathum	I, 187

Arzneimittelverzeichnis.

Oxymel ex Allio	II, 285	Petasites	I, 228
Colchicum	II, 286	Petroleum	I, 194
Pectorale	II, 286	Barbad.	I, 194
Scilliticum	II, 287	Petroelinum	I, 200 208
Simplex	II, 287	Perum	I, 271
Oxyrrhodium	II, 406	Philonium Londinense	II, 354
Oxys Alba	I, 156	Romanum	II, 354 357
P.		Phoenix dactylifera	I, 179
Paeonia vid. Paeonia.		Phu	I, 230
Palma Dactylifera	I, 179	Physalis	I, 204
Christi	I, 255	Pilae masticatoriae	II, 636
Oleola	I, 316	Pilulae Aethiopicae	II, 369
Prunifera	I, 112	Alexiteriae	II, 552
Paludapium	I, 167	de Allio	II, 547
Panacea Antimonii	II, 168	Aloëticae	II, 371
Panax	I, 174	de Ammon. Mag.	II, 376.
Coloni	I, 174		548
Hercul.	I, 162	Antipodagrica	II, 537
Panicula Minor	I, 147	Aromaticae	II, 370
Panicum	I, 147	Arthritic. cathart.	II, 556 f.
Panis	I, 317	Asthmaticae	II, 544
Viperat.	II, 638	Astringentes	II, 544
Papauer Alb.	I, 277	Barbarosiae	II, 378
Erratic.	I, 275	Cachecticae	II, 549
Nigrum	I, 277	Castoreae	II, 537
Paralyfis	I, 276	contra Catarrh.	II, 546 f.
Pareira Braua	I, 208	Catharticae	II,
Parietaria	I, 142	Catholicae	II, 553
Parthenium	I, 96	Cephalicae	II, 554
Pastulae	I, 178	Ceti	I, 192
Corinthiacae	I, 178	Chalybeat. cathart.	II, 554
Minores	I, 178	Colicae	II, 555
Solis	I, 178	c. Cinnabari	II, 537
Pasta epispastica,	II, 442	Cocciae	II, 371
Hippiatra	II, 639	Cochiae Maiores	II, 377
Hypoglottida	II, 638	Minores i.e. Pil. col. c.	
Pastilli cathartici	II, 376	Aloë.	
Pastinaca	I, 154 162	Coeruleae	II, 371 378
Pentaphyllum	I, 188	ex Colocynth. simpl.	II, 371
Pepo	I, 144	c. Aloë	II, 371
Perfoliata	I, 160	Communes	II, 377
Periclymenum	I, 169	Crapulariae	II, 553
Perficaria	I, 200	Cretaceae	II, 540
Perficarum flores	I, 237	de Croco	II, 548
Pes Columbinus	I, 110	Diambrae	II, 370
		Diureticae	II, 551

Arzneimittelverzeichnis.

Pilulae ex Duobus	II, 370	Pinus	I, 160
ad Dysenteriam	II, 541	Piper	I, 79
Ecpbraeticae	II, 372 547.	rotund. Theophrasti	I, 78
purg.	II, 373	Piperitis	I, 302
Syluii	II, 550	Pistolochia	I, 229
Emmenagogae	II, 539	Pisum	I, 112
Febrifugae	II, 543	Pisa rubra	II, 640
Gentianae	II, 543	lutea	II, 640
Gileadens.	II, 545	virid.	II, 640
ad Gonorrh.	II, 542	Pisselaenum Indicum	I, 194
Guaiaci	II, 548	Pistachia Lentiscus	I, 127. 182
Gummosae	II, 373	Pistachiae Nuces	I, 151
Hydragogae	II, 556	Pix Burgundica	I, 296
Hystericae	II, 540	naualis	I, 296
de Ialappa	II, 372	Plantago	I, 111
Ictericcae	II, 550	Coronopus	I, 110
Martiales	II, 542	Plumbum	II, 133
Matthaei	II, 27. 374	vstum	II, 134
Mercuriales	II, 373. 374	Poeonia	I, 74 85. 98
Nephriticae	II, 551	Polygonum	I, 109. 117. 125. 200
Pacificae	II, 374	Polypodium	I, 188
Pectorales	II, 546	Polium Creticum	I, 160
Plumeri	II, 374	Hydropiper	I, 200
Rudii	II, 261	Montanum	I, 160
Ruffi	II, 375. 377	Pompholyx	I, 291
Sanctae	II, 546	Populus	I, 283
c. Sangu. Drac.	II, 541	Tacamahaca	I, 182
Saponaceae	II, 375	Porri fol.	I, 174
Scilliticae	II, 375	rad.	I, 188
c. Sperm. Ceti	II, 545	Portulaca	I, 283
Spleneticae	II, 549	Potentilla	I, 188
Starkaei	II, 28	Poterium Sanguisorba	I, 118
Stomachicae	II, 375. 542	Potestates	II, 6.
cathart.	II, 555	Potio balsamica	II, 493
e Stryace	II, 376. 544	carminatiua	II, 491
Succinatae	II, 537	cathart. mit. et fort.	II, 497
Terebinthinatae	II, 540	cardiaca et cephal.	II, 489
de Terra Japon.	II, 541	corroborans	II, 492
Thebaicae	II, 374	cretacea	II, 501
Tolutanae	II, 546	diaphoretica	II, 495
Pimento	I, 81	diuretica	II, 494
Pimpinella	I, 118	emetica	II, 496
Anisum	I, 90	hysterica	II, 491
Saxifraga	I, 203	narcotica	II, 499
Pini Nutes	I, 178	refrigerans	II, 500

Arzneimittelverzeichnis.

Poudre des Chartreux	II, 162	Pulvis Carthusianorum	II, 162
Prasium	I, 159	cathartic.	II, 572
Praeparationes Argenti	II, 117	pro pueris	II, 397. 398
Bismuthi	II, 172	cephalicus	II, 386. 558
Calamin. Lapid.	II, 13	e cerussa comp.	II, 383
Corall. et Testar.	II, 13	e chelis canceror. comp.	II, 383
Ferri	II, 120	Comitis Warwic.	II, 392
Metallorum	II, 116	contrayeruae comp.	II, 384
Opii	II, 24	Cornachini	II, 385. 390
Salinae	II, 59	cretaceus	II, 385
Saturni	II, 133	dentifricius	II, 399
Scammon.	II, 30	diaromaton	II, 388
e Sulph.	II, 30	diatragacanthi	II, 387
terreor. aliorumque, quae		diureticus	II, 569
aqua non dissoluuntur corp.	II, 12	Doueri	II, 387
Veneris	II, 131. 132	emmenagogus	II, 562
Primula	I, 269. 276	epilepticus	II, 382. 398
Pruna	I, 248	febrifugus certus	II, 395
Prunell. siluestr.	I, 122	fulminans	II, 72
Prunus Armeniaca	I, 286	de Gutteta	II, 382. 391
siluestris	I, 122. 123	Haly	II, 391
Pulegium	I, 96	Hierae Picrae	II, 387
Pulmonaria	I, 161	hydragogus	II, 397
Pulparum extractio	II, 15	hystericus foetid.	II, 561
Pulvis absorbens	II, 565	odorat.	II, 562
Aethiopicus	II, 566	vulnerar.	II, 561
alexipharmacus	II, 570	Ialapp. comp.	II, 385
Algarothi	II, 170	incrassans	II, 563
anthelminticus	II, 567	martial. comp.	II, 395
anticardialgicus	II, 392	myrrh. comp.	II, 385
antilyssus	I, 172. II, 382	Principis	II, 149
ari compof.	II, 381	purpureus	II, 396
arthrit. Duc. Portland.	II, 392	Scammon. comp.	II, 385
Turneri	II, 393	Sennae comp.	II, 386
astringens	II, 564	solutius	II, 397
balsamicus	II, 568	splanchnicus	II, 568
basilicus	II, 393	sternutator.	II, 386. 396.
bezoardicus	II, 384		572
e bolo comp. sine opio	II, 382	stomach. amar.	II, 566
cum opio	II, 383	stypticus	II, 386
Cantianus	II, 394	succini comp.	II, 386
carminatiuus	II, 559	sudorificus	II, 387
		tragacanth. comp.	II, 387
		vermifugus	II, 397. 398
		Punica	I, 119. 121

Arzneimittelverzeichnis.

Pyrethrum	I, 229	Roberrianum	I, 110
Pyrola	I, 161	Rodium	I, 83
Pyrus	I, 120, 286	Ros Solis	I, 69
Q.		Rosa Canina	I, 151
Quercus	I, 124	Damascen.	I, 75, 246
gallam ferens	I, 121	rubra	I, 119
Quinquetolium	I, 188	siuestris	I, 251
Quinqueneruia	I, 111	Rosmarinus	I, 71
R.		Rubia Tinctor.	I, 189
Ranunculus	I, 157	Rubeola	I, 168
Rapa	I, 209	Rubus Idaeus	I, 122
Raphanistrum	I, 209	Rumex	I, 187, 281
Raphanus hortens.	I, 209	Ruscus	I, 174
rusticanus	I, 209	Ruta	I, 97
Rasura C. C. et eboris	I, 130	Muraria	I, 146
Regina prati	I, 219	Capraria	I, 218
Regulus Antimonii	II, 157.	Rysagon	I, 101
		S.	
Resina	I, 296. II, 251	Sabina	I, 97
Aloës	II, 261	Saccharum	I, 317
Guaiaci	II, 18, 262	hordeat.	II, 341
Isalapii	II, 18	rosaceum	II, 368
Laricis	I, 164	rubrum	II, 368
Scammonii	II, 18, 30	tabular.	II, 341
Resta bouis	I, 167	Saturni	II, 134, 135
Rha Dioscoridis	I, 188	tabulat. simpl. et per.	II, 340
Rhabarbarum	I, 252	composit.	II, 340
torrefact.	II, 14	Sagapenum	I, 162
Rhamnus	I, 258	Sago	I, 112.
Zizyphus	I, 178	Sal Absinthii fixum	II, 115
Rhaponticum	I, 188	Acetosae essent.	II, 114
Rheum Dioscoridis	I, 188	Ammoniac.	I, 318. II, 73
Rhoeas	I, 275	diuretic.	II, 111
Ribes	I, 286	flor.	II, 78, 125
Ribesia	I, 286	sublimat.	II, 74
Ricinus	I, 255	cathartic. amarum	I, 319
Rob baccar. Sambuci	II, 289.	Glauberi	II, 61
	292	commune	I, 194, 319
Berberis	II, 291	C. C.	II, 53, 54
de Cerasis	II, 291	succinat.	II, 58
de Cornis	II, 291	diuretic.	II, 111
Prunor acidor.	II, 292	Ducis Holfatiae	II, 71
Ribes	II, 292	enixum Paracelsi,	II, 67
simplex	II, 290	fabarum stipit.	II, 115
		fuliginis	II, 56
		genitae	II, 115

Arzneimittelverzeichnis.

Sal gemmae	I, 195	Santonicum	I, 138
Glauberi	II, 60	Sapa simplex	II, 290
Iouis	II, 138	Sambuci	II, 292
lixiv. purificat.	II, 100	Saponaria	I, 189
marin.	I, 194 319	Sapo	I, 183 303
Martis	II, 124	amygdalin.	II, 110
Millepedum	II, 22	Philosophor.	II, 108
mirabile Glauberi	II, 60	tartari	II, 108
nitri	I, 213	Starkei	II, 108
polychrest.	II, 64	Saracenica	I, 111
prunellae	II, 64	Sarcocolla	I, 162
sedativum Homberg	II, 91	Sarsa	I, 129
fuccini	II, 93 94	Sarsaparilla	I, 129
rectificat.	II, 94 95	Sassilaras	I, 128
sulphuris	II, 41	Satureia	I, 174 203
tartari	II, 99	Satyrium	I, 85 154
viperar.	II, 50	Saxifraga	I, 203
vitrioli	I, 322 II, 86	Scabiosa	I, 147 230
volatile oleof.	II, 79 80	Scammonii praeparatio	II, 30
salis ammon.	II, 74 76	c. fulph.	II, 30
vrinae	II, 81	resina	II, 18 30
Salinae praeparationes	II, 59	Scammonium	I, 261
Salis spiritus, vid. Spiritus.		Scandix	I, 99 199
Salix	I, 283	Schoenanthum	I, 71
Salap	I, 318	Schropularia	I, 157 174
Salsola	I, 199	Scilla	I, 237
Salvia	I, 70	coctio	II, 14
Sclarea	I, 111	exsiccatio	II, 14
vitae	I, 146	Scinci	I, 132 323
Sambuci baccae	I, 178	Scolopendrium	I, 111 168
Herbacea	I, 203	Scolymus	I, 109
cortex	I, 184	Scordii foliis Salvia	I, 70
flores	I, 176	Scordium	I, 219
fol.	I, 174	Scordonia	I, 70
Sambucus Ebulus	I, 184 203	Scorodotis	I, 70
Humilis	I, 184 203	Scorzenera	I, 229
Nigr.	I, 184	Scrophularia	I, 157 174
Sampfuchus	I, 68	Sebesten	I, 178
Sandarache	I, 162 179	Secale	I, 175
Sanguis Draconis	I, 115	Sedativum Archaei	II, 126
ver.	I, 114	Sedum vel Semperuium	I,
Sanguiforba	I, 118		283 291
Sanguis Sulphuris	II, 37	Semperuium	I, 248 283
Sanicula	I, 118	Semecio	I, 237
Santalor. omn. lign.	I, 127	Senna	I, 244
Santerna	I, 242	Sepiae Os	I, 298

Arzneimittelverzeichnis.

Septineruia	I, 111	Spiritus aceti	II, 46. 47
Serpentaria	I, 218	aethereus	II, 89
Virginiana	I, 229	antepilept. pueror.	II, 226
Serpyllum	I, 71. 203	aurantior	II, 224
Serum	I, 319	Benzoin	II, 11
aluminosum	II, 247	Castorei	II, 224
catharticum	II, 455	cochleariae	II, 31
scorbuticum	II, 247. 452	aureus	II, 31
sinapinum	II, 455	C. C.	I, 53. 54
Sesamum	I, 144	aromat. et succinat.	II, 57. 58
Seseli	I, 203. 221	Croci	II, 225
Seuum bouinum	I, 297	febrifugus di Clutton	II, 91
ceruin. et ouium	I, 297	fuliginis	II, 56
praeparat.	II, 14	Lauendul. simpl.	II, 223
Sief. Alb.	II, 362	comp.	II, 223
Silar Montan.	I, 221	mellis	II, 19
Siliqua hirsuta	I, 303	millepedum	II, 22
Arabica	I, 248	Mindereri	II, 81
Simaruba	I, 125	niri	II, 65. 66
Sinapi	I, 76	dulcis	II, 68
Sinapismus simplex	II, 436	Glauberi	II, 68
Silybrium	I, 117. 173. 175	c. ol. vitrioli	II, 66
Smilax China	I, 129	rorismarini	II, 122
Virginiana	I, 129	sacchari ardens	II, 42
Smyrnum	I, 173	salinus aromaticus	II, 81
Solamen intestinorum	I, 93	salis ammoniaci	II, 75. 76
Solanum	I, 204. 274. 304	c. calc. viu.	II, 76. 77
Solidago	I, 148	dulcis	II, 78. 79
Sonchus laevis	I, 284	fuccinatus	II, 79
Sophia chirurgor.	I, 175	vinosus	II, 79
Sorbus	I, 123	salis dulcis	II, 62
Spartium	I, 171	Glauberi	II, 60
Species aromaticae	II, 388	salis marini	II, 59
diabrae c. odor.	II, 391	coagulatus	II, 62
Hierae Picrae	II, 387	Glauberi	II, 60
e Scordio c. opio	II, 389	fuccini	II, 93. 94
fine opio	II, 389	fulphuris	II, 39. 40
Sperma Ceti	II, 192	theriacalis camphorat.	II, 226
Sphondilium	I, 136	vini	I, 321
Spica	I, 74	camphor	II, 326
Spigelia	I, 320	rectif.	I, 321
Spina Alba	I, 200. 204	tartarif.	II, 57
Aegyptiaca	I, 122	vitrioli	II, 84
ceruina	I, 258	dulc.	II, 87. 88. 90
Spinachia	I, 284		
Spiraea	I, 207. 219		

Arzneimittelverzeichnis.

Spiritus vitrioli ten. et fort.	II, 85	Sulphur. hepar.	II, 34
volat. aromatic.	II, 81	lac	II, 34
foetid.	II, 81	ol. per campan.	II, 39
vrinae	II, 81	praecipitat.	II, 33
Spongia	I, 303	sal	II, 41
vfio	II, 15	sanguis	II, 37
Stoechas	I, 75	Spiritus per camp.	II, 39.40
Stannum	I, 321. II, 137	tinctura	II, 38
pulueratum	II, 138	vitrum	I, 193
Staphysagria	I, 277	Suffimentum catarrhale	II, 632
Sternutat. c. euphorb.	II, 626	hystericum	II, 632
maioran.	II, 627	odoriferum	II, 633
fal. volat.	II, 627	ad proci. ani	II, 633
fuccis	II, 627	vteri	II, 633
turpeth. min.	II, 626	Symphytum	I, III. II, 161
Stibium vid. Antimon.		Syrupus acetosus	II, 280
Stramen camelorum	I, 71	ex allio	II, 270
Strychnos	I, 277	Althaeae	II, 271
Strammoneum	I, 274	Aurantior. cort.	II, 271
Styrax	I, 152	ballam.	II, 272
purificat.	II, 15	de Berberis	II, 280
Succinum	I, 105	capillor. Veneris	II, 281
Succini potestates	II, 97	caryophyllor. aromat.	II, 281
fal rectific.	II, 93. 94	rubr.	II, 273
fal vol. spir. et ol.	II, 94. 95	citreor. cort.	II, 281
tinct.	II, 97	colchici	II, 273
Succi antiscorbut.	II, 288	communis	II, 278
attemper.	II, 488	croci	II, 273
cochlear. vinof.	II, 475	cydonior.	II, 274
glycyrrhizae	II, 292	glycyrrhizae	II, 282
ad haemorrhoid.	II, 469	Kermesinus	II, 274
hydropici	II, 480	e limonum succo	II, 274
prunor. siluestr.	II, 289	de meconio	II, 275
scorbutici	II, 288	e moror. succo	II, 274
Succisa	I, 230	papau. alb.	II, 275
Sulphur. antimon.	II, 160	errat.	II, 276
caballin.	I, 193	paralysis	II, 276
balsam. anifat.	II, 37	pectoralis	II, 276
crass.	II, 36	persicor.	II, 282
c. oleo oliu.	II, 34	restringens	II, 283
c. ol. lini	II, 36	de rhabarb.	II, 282
simplex	II, 35	rosar. pallidar.	II, 277
fuccinat.	II, 37	rosar. solut.	II, 277
terebinth.	II, 36	de rosis ficcis	II, 277
flores	II, 32	rubi Idæi	II, 275

Arzneimittelverzeichnis.

Syrupus scilliticus	II, 278	Thea viridis	I, 148. 201
simplex	II, 278	Theobroma	I, 150
de spina ceruina	II, 278	Theriaca Andromachi	II, 349
violar.	II, 279	Germanorum	I, 179
zinziberis	II, 280	Londinensis	II, 358
T.		Thermae	I, 333
Tabacum	I, 271	Thlaspi	I, 76
Tabellae diatrag.	II, 340	Tatuum	I, 109
cardialg.	II, 368	Thya, vel Thuia	I, 305
Tacamahaca	I, 182	Thus	I, 297
Tamarindi	I, 248	masculum	I, 115
Tamariscus	I, 184	Thymelaea	I, 254
Tanacetum	I, 175	Thymus	I, 171
Tapfus barbatus	I, 142	Tilia	I, 75
Taraxacum	I, 284	Tincal	I, 242
Tartarus	I, 321	Tinctura Absinthii	II, 306
crystall. et cremor.	II, 98	amara	II, 306
emet. et cathart.	II, 102. 105	Ambrae grif.	II, 8
lixiv.	II, 101	Antimoni	II, 166. 167. 318
regenerat.	II, 112	antiphthifica	II, 130
sal	II, 99	aromatica	II, 307
sapo	II, 108	asthmatica	II, 328
solubil.	II, 101	balsamica	II, 307
vitriolat.	II, 105. 106	Benzoin.	II, 9. 308
Tecomhacca	I, 182	Cantharid.	II, 308
Tela araneae.	I, 291	cardamomi	II, 309
Terebinth. Argentor. et bals.		castorei	II, 309
omni. I, 163. f. 183. 298		compof.	II, 309
e Chio	I, 163	cephalica	II, 303
commun.	I, 163	purgans	II, 303
e Cyprio	I, 163	cinnamomi	II, 310
Indica	I, 151	cort. Peruu.	II, 310. 311
Strasburg.	I, 163	volat.	II, 310
Venet.	I, 163	croci	II, 311
Vulgaris	I, 297	distamni albi	II, 311
Terra Iaponica	I, 133	euphorbii	II, 24
tinct.	II, 313	foetida	II, 312
Lemnia	I, 134	fuliginis	II, 312
Samia	I, 134	guaiac. vol.	II, 312
Sigillata	I, 134	hellebor. alb.	II, 319
Terreor. praeparat.	II, 12	nigr.	II, 314
Testae ostreor. praepar.	II, 13	Ialapii	II, 312
Teucrium I, 157. 160. 169. 219		Iaponica	II, 313
Thapsia	I, 267	Ipëcacuanh.	II, 302
Thea Bohea	I, 148	e Kino	II, 313
		laccæ	II, 313

Arzneimittelverzeichnis.

Tinctura Martis	II, 130	Tota Bona	I, 142
in spir. Sal. mar.	II, 129	Tragacantha	I, 116
flor.	II, 130	Tragopogon	I, 229
Mynsichti	II, 331	Tremella Auricula	I, 158
meconii	II, 25	Trichomanes	I, 147
Melampodii	II, 314	Trifolium Melilotus	I, 160
mellis	II, 20	odoratum	I, 160
menthae	II, 303	paludof.	I, 175
moschi	II, 304	palustre	I, 175
myrrhae	II, 314	Trigonella	I, 143
et aloës	II, 315	Trillago	I, 169
paralytica	II, 329	Triticum	I, 112. 208
reginae	II, 331	Trochisci alb. Rhaf.	II, 362.
rhabbarbari spir.	II, 315		383
vin.	II, 304	apoplect.	II, 538
rhei amara	II, 315	balsamici	II, 369
dulcis	II, 315	bechic. alb.	II, 362
roris solis	II, 332	nigr.	II, 363
rosarum	II, 305. 641	c. opio	II, 363
sacra	II, 304	de Benzoe	II, 368
salis tartari	II, 111	de Carabe	II, 387
saturina	II, 130	cephalici	II, 538
sennae	II, 316	Cypheos pro Mithr.	II, 363
comp.	II, 316	ad emulg. saliu.	II, 539
serpentar.	II, 316. 317	haemoptoici	II, 544
stomachica	II, 317	magna Hedychroi pro ther.	
stomach. amara	II, 330	Andr.	II, 364
styptica	II, 317	de minio	II, 364
succini	II, 97	de myrrha	II, 364. 385
sudorifica	II, 317	e nitro	II, 365
sulphuris	II, 38	odorati	II, 539
volat.	II, 38	paralytici	II, 538
Thebaica	II, 25. 26. 305	Peruvian.	II, 544
theriacalis	II, 328	de Scilla	II, 366
terrae Japonicae	II, 313	scillit. pro ther. Androm.	
Tolutana	II, 318		II, 366
valerian. simpl.	II, 318	stomachici	II, 539
volat.	II, 319	e sulphure	II, 366
Veneris	II, 132	de terra lapon.	II, 367
volat.	II, 132	viperini	II, 367
veratri	II, 319	Turpethum	I, 253
Tithymalus	I, 303	mineral.	II, 152. 153
Toluifera balf.	I, 151	Turundae odontalgicae	I, 639
Carthag.	I, 81	Tussilago	I, 148. 228
Tolutan. Balsam.	I, 151	Tutia	I, 135. 291
Tormentilla	I, 126	praepar.	II, 13

Arzneimittelverzeichnis.

V.		Viperaria	I, 229
Vaccinia	I, 122	Virga Aurea	I, 148
Valentia Scabios.	II, 440	pastoris	I, 158
Valeriana	I, 228. 230	Vilcus quercin.	I, 161
Veratrum album	I, 271	alb.	I, 161
nigrum	I, 263	Vitellus oui	I, 298
Verbasculum	I, 269	Vitex	I, 281
Verbascum	I, 142	Viris Idaea	I, 122
Verbena	I, 176	vinifera	I, 178
Vermicelli	I, 112	Vitriolum	I, 322
Veronica mas	I, 176	calcinat.	II, 83. 84
Beccabunga	I, 167	gilla	II, 86
Viciae	I, 221	Martis	II, 124
Vincetoxicum	I, 66	ol. et spiritus	II, 84
Vinum	I, 321	purificat.	II, 83
aloëtic.	II, 304	spirit. dule.	II, 87. 88
alcalin.	II, 298	ten. et fort.	II, 85
amarum	II, 300	Vlmaria	I, 219
pro oenopol.	II, 450	Vlmi cortex	I, 165
antimoniale	II, 300	Vmbilicus muralis	I, 284
arthriticum	II, 447	Veneris	I, 110
chalybeat.	II, 128. 129. 301.	Vaguentum Aegyptiac.	II, 437
	448. 449	ex aerug.	II, 437
croceum	II, 301	comp.	II, 437
distamni albi	II, 301	album	II, 422. 423
enulat.	II, 451	campb.	II, 423
Hippocratic.	II, 447	ex althaea	II, 423
hydropic.	II, 452	aureum	II, 438
ipecacuanh.	II, 302	basilicon. flau.	II, 423
ictericum	II, 453	nigrum	II, 424
millepedum	II, 22. 302	viride	II, 424
mirabile	II, 448	cereum	II, 424
pectorale	II, 451	coerul. fortius	II, 425
rhei	II, 303	mitius	II, 425
scilliticum	II, 327	e cerussa	II, 423
scelotyrbic.	II, 451	citrinum	II, 425
scorbutic.	II, 452	emolliens	II, 425
stomachic.	II, 449	epispastic.	II, 430
viperin.	II, 302	mitius	II, 430
Viola lutea	I, 67	flos vnguentor.	II, 443
Violae flores	I, 247	de Gummi Elem.	II, 426
Viperæ	I, 189	e lap. calamin.	II, 433
destillat.	II, 50	martiatum	II, 441
essentia	II, 51. 52	e mercur. praecip.	II, 426
sal volat.	II, 50	mercuriale	II, 426

Arzneimittelverzeichnis.

Vnguentum neruin.	II, 427	Vngula alcis	I, 103
de nicotiana	II, 438	Vniones	I, 185
nutrit.	II, 427. 439	Vrtica	I, 118
ex oxylapatho	II, 439	mortua	I, 142
de pero	II, 438	Vua vrsi	I, 118
e pice liquida	II, 427	Vuluaria	I, 95
pomatum	II, 429. 439		
populneum	II, 441	W.	
rosaceum	II, 429	Winteranus	I, 83
rubrum desiccet.	II, 440	X.	
sambucin.	II, 427. 440	Xylo Aloes	I, 82
saturnin.	II, 428	Y.	
simplex	II, 428	Ylzequinpathi	I, 95
e sulphure	II, 429	Z.	
tetrapharmac.	II, 424	Zedoaria	I, 85
tripharmac.	II, 429	Zibethum	I, 323
tutiae	II, 429	Zinziber	I, 86
camph.	II, 430	Zizyphus	I, 178
ad vesicat.	II, 430	Zizypha sativa	I, 178
viride	II, 431		
detergens	II, 424		

