

CATALOGUS

MATERIÆ MEDICÆ.

MEDICAMENTA agunt in

I. NUTRIENTIA.

Solida	Simplicia	NUTRIENTIA	I.	Ex VEGETABILIB.
		ADSTRINGENTIA	II.	a. <i>Fructus acido-dulces.</i>
		EMOLLIENTIA	III.	<i>Drupaceæ.</i>
Viva		STIMULANTIA	IV.	<i>Cerasa.</i>
		SEDATIVA	V.	<i>Mala Armeniaca.</i>
		ANTISPASMODICA	VI.	<i>Mala Persica.</i>
				<i>Pruna.</i>
				<i>Pomaceæ.</i>
				<i>Mala Hortensia.</i>
				<i>Pyra.</i>
				<i>Hesperideæ.</i>
				<i>Aurantia.</i>
				<i>Senticoſæ.</i>
Fluida	Alterantia	ATTENUANTIA	VII.	<i>Fraga.</i>
		INSPISSANTIA	VIII.	<i>Rubi Idæi fructus.</i>
		DEMULCENTIA	IX.	
		ANTACIDA	X.	
		ANTALKALINA	XI.	
		ANTISEPTICA	XII.	<i>Uvæ Vitis.</i>
				<i>Ribesia.</i>
				<i>Uvæ crispæ.</i>
				<i>Fructus ficcateæ.</i>
				<i>Uvæ passæ.</i>
Evacuantia		ERRHINA	XIII.	<i>Dactyli.</i>
		SIALAGOGA	XIV.	<i>Ficus.</i>
		EXPECTORANTIA	XV.	
		EMETICA	XVI.	b. <i>Cucurbitaceæ.</i>
		CATHARTICA	XVII.	<i>Cucumeres.</i>
		DIURETICA	XVIII.	<i>Melones.</i>
		DIAPHORETICA	XIX.	
		MENAGOGA	XX.	<i>Pepones.</i>
				c. <i>Herbæ</i>

c. *Herbæ—Oleraceæ.*

Atriplex.

Beta.

Spinacia.

Lactuca Agnina.

Siliquosæ.

Brassica.

Nasturtium.

Semifosculosæ.

Cichorium.

Dens Leonis.

Endivia.

Lactuca.

Umbellatæ.

Celeri.

Asparagus.

Capitatæ.

Cinara.

d.

Fungi.

e.

Radices.

Raphanus.

Rapum.

Umbellatæ.

Daucus.

Pastinaca.

Sisarum.

Semifosculosæ.

Scorzonera.

Tragopogon.

Battatas.

Aliaceæ.

Porrum.

Cepa.

Allium.

f. *Semina.*

Avena.

Hordeum.

Secale.

Milium.

Triticum.

Oryza.

Mayz.

Fagopyrum.

Medulla farinosa.

Sago.

Radix farinosa.

Salep.

Legumina.

Pisa.

Fabæ.

Phaseoli.

Nuces oleosæ.

Amygdalæ dulces.

Avollana.

Cacao.

Castanea.

Juglans.

Pistacia.

g. *Sepiariæ.*

Olivæ.

h. *Fermentati potus.*

Cerevisia.

Vinum.

i. *Condimenta & condita.*

Aromata.

Saccharo, Sale, vel Aceto
condita.

2. Ex ANIMALIBUS.

a. *Lac Fœminæ.*

Asinæ.

Equæ.

Vaccæ.

Ovis.

Capræ.

b. *Quadrupeda.*

Bos.

Ovis.

Caper.

Cervus.

Glires.

Lepus.

Bestieæ.

Sus.

c. *Aves—Gallinæ.*

Gallus Gallinaceus.

Meleagris Gallopavo.

Pavo Cristatus.

Tetrao Perdix.

Coturnix.

Tetrao

- Tetrao Lagopus.
 Tetrix.
 Urogallus.
Anseres.
 Anas domestica.
 moschata.
 Boschus major.
 Querquedula.
 Anser domesticus.
 ferus.
 Cygnus.
 Pelecanus Bassanus.
 Alca torda.
Grallæ.
 Ardea.
 Scolopax.
 Tringa.
 Charadrius.
 Hæmatopus.
 Fulica.
 Rallus.
 Otis.
Passeres.
 Columba.
 Alauda.
 Turdus.
 Emberiza.
 d. *Pisces.*
 Salmo Salar.
 trutta.
 hucho.
 alpinus.
 eperlanus.
 thymallus.
 Cyprinus barbus.
 carpio.
 gobio.
 tinca.
 cephalus.
 rutilus.
 alburnus.
 brama.
 Perca fluviatilis.
 Gadus æglesinus.
 merlangus.
 morhua.
 Gadus molva.
 virens.
 callarias.
 Cyclopterus lumpus.
 Scomber scombrus.
 thynnus.
 Trigla cuculus.
 Mugil.
 Elox lucius.
 Clupea harengus.
 sprattus.
 encrasicolus.
 alosa.
 Pleuronectus flesus.
 solea.
 platessa.
 maximus.
 hippoglossus.
 Ammodytes.
 Muræna anguilla.
 conger
 Anarrhichas.
Amphibia nantia.
 Petromyzon.
 Raia batis.
 Accipenser Sturio.
 e. *Insecta.*
 Cancer pagurus.
 gammarus.
 squilla.
 f. *Vermes.*
 Sepia loligo.
Testaceæ.
 Patella vulgata.
 Helix pomatia.
 Buccinum undatum.
 Turbo littoreus.
 Solen Siliqua.
 Cardium edule.
 echinatum.
 Venus Chione.
 Ostrea maxima.
 edulis.
 Mytilus edulis.
 Volucrum Ova.
 II. ADSTRIN,

II. ADSTRINGENTIA.

1. Ex FOSSILIBUS.

Terræ.

Bolus.

Cimolia.

Osteocolla.

Aluminosa.

Alumen.

Lapis Hibernicus.

Metallicæ, ex Cupro.

Cuprum.

Ærugo.

Vitriolum cæruleum.

Ex Ferro.

Ferrum.

Hæmatites.

Rubrica fabrills.

Vitriolum viride.

Ex Plumbo.

Plumbum.

Cerussa.

Lithargyrus.

Minium.

Ex Zinco.

Zincum.

Calaminaris Lapis.

Tutia.

Vitriolum Album.

2. Ex VEGETABILIBUS.

a. *Senticosæ.*

Agrimonia.

Alchimilla.

Argentina.

Caryophyllata.

Fragaria.

Quinquefolium.

Rosa.

Tormentilla.

Stellatæ.

Aprine.

Gallium.

Rubia.

c. *Vaginales.*

Acetosa.

Hydrolapathum.

Oxylapathum.

Bistorta.

Rheum.

d. *Fiices.*

Filix florida.

Lingua cervina.

Trichomanes.

Musci.

Muscus.

e. *Acerba.*

Cydanea mala.

Mespila.

Mora.

Pruna Sylvestria.

Sorba.

f. *Varia.*

Anchusa.

Balauftia.

Brunella.

Hypericum.

Lythrum.

Millefolium.

Myrtus.

Plantago.

Polygonatum.

Sanicula.

Sedum.

Viscus Quernus.

Urtica.

Uva Ursi.

Succi inspissati.

Acacia.

Catechu.

Hypocistis.

Sanguis Draconis.

Cortices.

Cortex Granatorum.

Fraximi.

Quercus.

Simaroubæ.

Lignum Campechense.

Gallæ.

3. *Acida* I. 1. a. XI. 1. 2.

Vink

*Vina Austeræ.**Amara* IV. i.*Sedativa.**Balsamica* IV. f.

IV. STIMULANTIA.

1. Ex VEGETABILIBUS.

III. EMOLLIENTIA.

1. Aqua et aquosa blanda.

2. Ex VEGETABILIBUS.

a. *Columnifera.*

Althæa.

Malva.

b. *Farinosa et Mucilaginosæ.*

Sem. Cannabis.

Cydoniorum.

Fœnugræci.

Lini.

Psyllii.

c. *Oleraceæ.*

Atriplex.

Beta.

Bonus Henricus.

Spinacia.

d. *Varie.*

Alfina.

Brancæ ursina.

Melilotus.

Parietaria.

Saponaria.

Verbascum.

Rad. Lilliorum alborum.

Cepæ coctæ.

e. *Oleosa.*

Olea pressa blanda.

3. Ex ANIMALIBUS.

Lac.

Butyrum.

Adeps.

Axungia.

Sperma Ceti dictum.

Verticillatæ. Cephalicæ.

Betonica.

Lavendula.

Stæchas Arabica.

Melissa.

Calamintha.

Majorana.

Marum Vulgare.

Origanum.

Dictamnus Creticus.

Rosmarinus.

Pectoralia.

Hyssopus.

Hedera terrestris.

Pulegium.

Stomachicæ.

Mentha sativa.

piperitis.

Nepeta.

Cardiacæ.

Marum Syriacum.

Satureia.

Serpyllum.

Thymus.

Alexipharmicæ.

Salvia.

Chamædrys.

Scordium.

b. *Umbellatæ.*

Ammi.

Anomum.

Anethum.

Angelica.

Anisum.

Carum.

Coriandrum.

Cuminum.

Daucus Creticus.

Fœniculum.

Hippofelinum.

Levisticum :

- Levisticum.
 Pimpinella Saxifraga.
 Sefeli Massiliense.
 Siler Montanum.
- c. *Siliquosæ.*
 Alliaria.
 Cochlearia.
 Eruca.
 Erysimum.
 Lepidium.
 Nasturtium.
 Napum.
 Raphanus rusticanus.
 Sinapi.
 Thlaspi.
- d. *Alliaceæ.*
 Allium.
 Cepa.
 Porrum.
- e. *Conifera.*
 Abies.
 Pinus.
 Juniperus.
- f. *Balsamica.*
 Terebintina.
 Balf. Copaibæ.
 Gileadense.
 Peruvianum.
 Tolutanum.
 Gum. Guaiacum.
 Myrrha.
 Styrax Liquida.
- g. *Sudorifica—Ligna.*
 Guaiacum.
 Sassafras.
 Santalum.
Radices.
 China.
 Contrayerva.
 Sarsaparilla.
- h. *Aromatica fragrantiora.*
 Cinnamomum.
 Cassia lignea.
 Macis.
 Nux moschata.
 Caryophylli.
 Pimento.
- Minus fragrantia.*
 Canella alba.
 Cort. Winteranus.
 Zinziber.
Acriora.
 Piper.
 Caplicum.
Debilia.
 Cubebæ.
 Cardamomum minus.
 Grana Paradisi.
Ingratiora.
 Galanga.
 Zedoaria.
 Serpentaria Virg.
Debilissima.
 Balsamita.
 Costus orientalis.
 Ginseng.
 Lilium convallium.
 Malabathrum.
 Nardus Celtica.
 Indica.
- Cascarilla.*
Ligna.
 Aspalathus.
 Rhodium.
Gummi.
 Benzoinum.
 Labdanum.
 Styrax calamita.
- i. *Amara calida.*
 Abrotanum foemina.
 mas.
 Absinthium Romanum.
 vulgare.
- Artemisia.
 Carduus benedictus.
 Carlina.
 Chamemœlum.
 Santonicum.
 Tanacetum.
 Aurantiorum Cortex.
 Aurantia Curaflavenfia.
 Limoniorum Cortex.
- Centaurium minus.
 Gentiana.

China.

China Chinæ.
 Acorus verus.
 Chamæpitys.
 Marrubium album.
 Dictamnus albus.
 Lupulus.
 Trifolium palustre.
 k. *Amara frigida.*
 Cichorium.
 Dens Leonis.
 Endivia.
 Lactuca.

Fumaria.
 l. *Acria.*
 Arum.
 Euphorbium.
 Imperatoria.
 Iris nostras.
 Perficaria urens.
 Pyrethrum.
 Sedum minus acre.
 Staphisagria.

m. Vinum.

n. Olea essentialia.

3. Ex ANIMALIBUS.

Cantharides.
 Millepedæ.
 Cochinilla.
 4. *Nutrientia.*
Adstringentia.
Sedativa.
Antispasmodica.
Acida I. 1. a. XI. 1. 2.
Alkalina X. b.
Sales nutri.

V. SEDATIVA.

1. *Strictius dicta.*
 a. *Rhæades.*
 Papaver.
 b. *Umbellatæ.*
 Cicuta.

Cicuta aquatica.

c. *Luridæ.*
 Belladonna.
 Hyoscyamus.
 Mandragora.
 Nicotiana.
 Solanum.
 Stramonium.

d. *Varia.*

Lactuca.
 Laurus.
 Coffea.
 Thea.
 Crocus.
 Nymphaea.

e. *Spirituosæ.*
 Vinum.
 Alcohol.

2. *Acida* I. 1. a. XI. 1. 2.

Sales nutri.

Emollientia.

Adstringentia.

Antispasmodica.

VI. ANTISPASMODICA.

1. Ex FOSSILIBUS.

Ambragrisea.
 Succinum.
 Petroleum.

2. Ex VEGETABILIBUS.

a. *Herbæ fætida.*

Aristolochia.
 Artemisia.
 Atriplex olida.
 Cardiacæ.
 Cuminum.
 Levisticum.
 Meum.
 Matricaria.
 Pulegium.
 Ruta.
 Sabina.

b. *Gummi*

b. *Gummi fœtida.*

Affa fœtida.
Ammoniacum.
Galbanum.
Opopanax.
Sagapenum.
Tacamahaca.

c.

Camphora.

d. *Radices graveolentes.*

Cassumuniar.
Pœonia.
Valeriana sylvestris.

e.

Fuligo ligni.

f.

Olea essentialia.
empyreumatica.

g.

Alcohol.
Liquor Æthereus.

3. Ex ANIMALIBUS.

Moschus.
Zibethum.

Castoreum.

Sales alkalini volatiles.
Olea empyreumatica.

4. *Adstringentia.*

Emollientia.
Demulcentia.
Stimulantia.
Sedativa.

VII. ATTENUANTIA.

Aqua.
Alkalina X. b.
Sales neutri.
Sapones.

Dulcia IX. c.

Nutrientia 1. a. b. c. d.

Emollientia 2. c. d.

VIII. INSPISSANTIA.

Acida XI. 2.

Alcohol.

Nutrientia 1. e. f. 2. b. c.

Adstringentia.

Demulcentia a. b. d.

IX. DEMULCENTIA.

a. *Asperifolia.*

Consolida major.

Cynoglossum.

Pulmonaria.

b. *Farinosa.*

Sem. Cucurbitæ.

Citrulli.

Cucumeris.

Melonis.

Papaveris.

c. *Dulcia.*

Saccharum.

Mel.

Uvæ passæ.

Dactyli.

Ficus.

Cynobatos.

Glycyrrhiza.

d. *Mucilaginosæ.*

Gum. Arabicum.

Ceraforum.

Senega.

Tragacantha.

Amylum.

Ichthyocolla.

e.

Nutrientia.

Emollientia.

Sedativa.

X. ANTACIDA.

a. *Fossilia.*

Calcarius lapis.

Creta.

Osteocolla.

Osteocolla.

Animalia plerumque testacea.

Cancrorum chelæ.

oculi disti.

Cervi Cornu ustum.

Corallina.

Corallium rubrum.

Lapis Bezoar orientalis.

Margaritæ.

Ovorum testæ.

Ostreorum testæ.

Sepiæ os.

b. *Sales alkalini.*

Alkali fixum vegetabile.

fossile.

Calx viva.

Alkali volatile.

c. *Neutra.*

Borax.

Tartarus solubilis.

Sapo.

d.

*Stimulantia.**Sedativa.**Antispasmodica.**Demulcentia.*

XI. ANTALKALINA.

1. *Acida nativa.*

Acetosa.

Acetofella.

Berberis.

Ribesia.

Tamarindi.

Succus Aurantiorum.

Limoniorum.

2. *Acida arte parata.*

Vinum.

Acidum vegetabile.

muriaticum.

nitrosum.

vitriolicum.

Sal Sedativum.

Succini.

3. *Nutrientia a. b. c. d. e. g.**Adstringentia 2. c.**Demulcentia.*

XII. ANTISEPTICA.

Acida I. a. II. c. XI. v. 2.

Alkalina X. b.

Sales neutri.

metallici.

terrestres.

Olea essentialia.

emphyreumatica.

Vinum.

Alcohol.

*Nutrientia 1.**Adstringentia.**Stimulantia.**Sedativa.**Antispasmodica.*

XIII. ERRHINA.

Mitiora.

Beta.

Betonica.

Majorana.

Acriora.

Asarum.

Euphorbium.

Helleborus albus.

Iris nostras.

Nicotiana.

Ptarmica.

Pyrethrum.

Fossilia.

Turbit mineralis.

XIV. SIALAGOGA.

Stimulantia externa.

Angelica.

Caryophylli.

Imperatoria.

Nicotiana.

Piper.

Pyrethrum.

Stimulantia interna.

Hydrargyrus.

XV. EXPEC-

XV. EXPECTORANTIA.

Hedera terrestris.
 Hyssopus.
 Marrubium.
 Pulegium.
 Enula campana.
 Iris Florentina.
 Nicotiana.
 Scilla.
 Petasites.
 Tussilago.
 Benzoinum.
 Styrax calamita.
 Pix liquida.
 Sapo.
Stimulantia b. c. d. f.
Antispasmodica 2. b.
Demulcentia c.

Castia fistularis.
 Tamarindi.
Dulcia.
 Saccharum.
 Mel.
 Manna.

Aqua.
 Serum Lactis.
 Lac ebutyratum.

Olera blanda f. i. c. d.

Olea blanda ex Vegetabilibus
 et Animalibus.
 Sapo albus Hispanus.
 Rosæ Damascenæ.
 Viola.
 Polypodium.
 Sinapi.

Sulphur.

XVI. EMETICA.

1. Ex FOSSILIBUS.

Cuprum.
 Hydrargyrus.
 Antimonium.
 Zincum.

Amara IV. i. k. VI. i. a.
 Bilis Animalium.
Balsamica IV. f.
Salina.
 Tartarus.
 Alkalina fixa.
 Sales neutri.
 Magnesia alba.

2. Ex VEGETABILIBUS.

Afarum.
 Erigerum.
 Ipecacuanha.
 Nicotiana.
 Scilla.
 Sinapi.
 Raphanus rusticanus.
Amara IV. i.
Cathartica.

Acriora.
Antispasmodica 2. b.
 Aloe.
 Agaricus.
 Rhabarbarum.
 Seneka.
 Genista.
 Senna.
 Helleborus niger.
 Mechoacanna.
 Turpethum.
 Jalapium.
 Scammonium.
 Soldanella.
 Arthanita.

XVII. CATHARTICA.

Acescentia.
 Fructus acido-dulces I. 1. 2.
 Pruna Brignolensia.
 Gallica.

Ebulus

Ebulus.
Sambucus.
Rhamni baccæ.
Frangulæ cortex.
Linum Catharticum.
Chelidonium majus.
Gambogia.
Mercurialis.
Ricinus.
Gratiola.
Nicotiana.
Helleborus albus.
Colocynthis.
Cucumis asininus.
Elaterium.

Metallica.

Aurum.
Argentum.
Hydrargyrum.
Antimonium.

Emetica.

XVIII. DIURETICA.

a. *Umbellatæ.*

Apium.
Petroselinum.
Chærefolium.
Daucus Sylvestris.
Feniculum.
Meum.
Pimpinella Saxifraga.
Siler montanum.
Eryngium.

b. *Stellatæ.*

Aparine.
Asperula.
Rubia.

c. *Variæ.*

Alkekengi.
Arnica.
Arum.
Asarum.
Asparagus.
Absinthium.
Carduus benedictus.
Bardana.

Dulcamara.
Enula.
Genista.
Gramen.
Linaria.
Lithospermum.
Ononis.
Pareira brava.
Perficaria urens.
Ruta.
Sabina.
Saxifraga alba.
Seneka.
Scilla.

d. *Acida* I. 1. a. XI. 1: 2.*Alkalina* X. b.

Sales nutri.

Antacida a.

Sal Ammoniacum fixum.

Sapo.

Olera I. 1. c. e.*Emollientia* 1. 2. c. d.*Stimulantia* 1. b. c. d. e. f. k. 2.

XIX. DIAPHORETICA.

Vegetabilia.

Angelica.
Calendula.
Crocus.
Dulcamara.
Opium.
Ambragrisea.
Moschus.
Zibethum.
Camphora.
China.
Contrayerva.
Serpentaria Virg.
Guaiacum.
Sassafras.
Sarsaparilla.
Seneka.
Salvia.
Scordium.

Metallica.

Antimonium.

F f

Hydrargyrum.

Hydrargyrus.

*Cathartica.**Diuretica.*

Aqua.

Vinum.

Acida vegetabilia.

Alkali volatile.

Sales neutri.

Olea Essentialia.

Empyreumatica.

*Stimulantia.**Sedativa.**Antispasmodica.**Antacida a.**Emetica.*

XX. MENAGOGA.

Aloe.

Castoreum.

Crocus.

Ferrum.

Hydrargyrus.

*Stimulantia.**Antispasmodica. 1. 2. a. b.**Emetica.**Cathartica.**Diuretica.*

Some substances mentioned in the Catalogue are not to be found in the Index, as not being particularly treated of; but their qualities will be understood by looking in the Index for the general title, class, or order under which each substance stands arranged in the Catalogue. Thus the *Alechimilla* is not mentioned particularly in the Index, but its general qualities will be understood by those of the *Senticosa*, which is to be found in the Index, and is the order to which it belongs.

INDEX.