



Pathologia, tertia pars Theoricæ, res præternaturam continens, ut morbos, symptomata, eorumque causas.

De differentijs morborum similium, simplicium & compositorum, ex Gal. de Morborum differentijs, cap. 4. 5. & 12.




De differentijs morborum instrumentalium, simplicium & compositorum, ex Gal. de differentijs morborum, cap. 6. 7. 8. 9. 10. 13.




¶ Potest etiam morbus instrumentalis componi cum unitatis solutione, quemadmodum in tumoribus praeternaturalibus.

De differentijs morborum, tam partibus similaribus quàm instrumentalibus, communium, simp. & compositorum, ex Gal. de morb. dif. cap. 11.





De causis morborum similium, simplicium & compositorum, ex Gal. de morborum causis, cap. 2. 3. 4. 5. 6.

Causa morbi { Antecedens, præcedens seu interna, est affectus uel motus præter naturam, in ipso animali consistens.
Evidens seu externa, quæ etiam Procatartica uocatur, quæ extrinsecus adueniens, uehementer alterat, & immutat corpora.




De causis morborum, partium instrumentalium, simplicium & compositorum, ex Gal. de Morborum causis, cap. 8. 9. & 10.






□ Compositorum, facile inueniuntur: quoniam ex simplicibus iam dictis componuntur.


De causis morborum utriusque parti communium, id est solutionis unitatis, simp. & comp.
ex Gal. de Morb. causis, cap. 11.




De symptomatum differentijs, actionum animalium, vitalium & naturalium,
ex Gal. de Sympt. dif. cap. II. III. & IIII.




* Vitalium, pulsus { Abolitus
Debilis
Deprauatus } De his in quarta theoricæ parte.




De symptomatum differentiis affectus corporis, ex Gal. de differentiis sympt. cap. 5.




De symptomatum differentijs, immodicè excretorum uel retentorum, ex Gal. de Differen-
tijs symptomatum, cap. 6.





De symptomatum causis, facultatis & functionis animalis sensificæ, uisus aboliti,
debilis & deprauati, ex Gal. de Causis sympt. lib. primo, cap. 11.







De causis symptomatum functionis animalis, sensificæ, auditus, olfactus, gustus, aboliti, debilis & deprauati, ex Galibidem.





De causis symptomatum functionis animalis sensificae tactus aboliti, debilis, deprauati, ex Gal. de sympt. causis, lib. primo, cap. 5. & 7.







De causis symptomatum functionis animalis, sensus communis, id est uigiliæ, ueterni, doloris, ex Gal. de Sympt. causis, lib. primo, cap. 3.



Dolor, est pathos præter naturam uolenter & affatim incidens.




De causis symptomatum functionis animalis motricis, abolitæ, debilis, deprauatæ, ex Gal.
lib. secundo, de Sympt. causis, cap. 1. 2. 3. 4. & 5.




ANNOTATIO, EX GAL. IBIDEM.


Ex his conuulsio & palpitatio, solius morbi sunt opera, nihil ad illorum generationem conferente natura. Opera uero solius naturæ, sunt rigor, horror, sensus ulceris, pruritus, tussis, sternutamentum, oscitatio, pandiculatio, singultus, uomitus, ructus, sed à causa aliqua præter naturam excitata. Amborum enim naturæ & morbi simul, sunt omnes motus torpidi, ac alij quoq; quibus ij, quorum nervi resolvuntur, sed nondum resoluti sunt, mouentur: præterea & tremor.

De causis symptomatum functionis animalis principis, ex Gal. de causis sympt.
lib. secundo, cap. 7.




De causis symptomatum functionum naturalium, ex Gal. de sympt. causis,
lib. tertio, cap. 1. & 2.








De causis symptomatum affectus corporis nostri, ex Gal. de Sympt. differ.
cap. 3. & lib. tertio de Sympt. causis, in fine.




De causis symptomatum excretionis & retentionis immodicæ, ex Gal. de Sympt. causis, lib. tertio, cap. 2. & 4.









De differentijs febrium, ex Gal. de Febrium dif.



De differentijs febrium putridarum simp. & compos. ex Gal. de Februm differentijs, lib. secundo, cap. 2. & de Crisibus, lib. 2. cap. 7.




De causis febrium omnium, ex Gal. de Febrium diff.



¶ Notandum ab ephemeris aliquando putridas febres accendi, maxime cum pari statu diem unum excefferint, tunc metendum, ne uel in synochum, uel putridam transeant.

De differentijs & causis omnium Tumorum præter naturam, ex Gal. de Tumoribus præter naturam, & alijs eiusdem authoris libris.



Finis Pathologia, tertie partis theoreticæ.