





Tafelband mit 63 Kupfertafeln.

Nicht ausleihbar

ULB Düsseldorf



+4178 280 01





Rara
Dv 577 (2) (Tafeln)



C. Müller, ad nat. del.


1. *Viverra Zibetha.* 2. *Viverra Civetta.*

F. Guépard, sc.



C. Müller. ad nat. del.


F. Guimpel sc.




Castor Fiber.

C. Müller ad nat. del.


F. Guimpel. sc.





Müller aut. scul. del.

C. H. Weber, sc.






C. Müller. ad nat. del.

Cervus Alces.

F. Gimpel. sc.






C. Müller. ad nat. del.

Cervus Elaphus.

F. Guérin. sculp.





Wied. del.


W. J. Schlegel pin. sc.


Moschus moschiferus.

Supplement zu Bd. I.




Moschus moschiferus altaicus.





Matthei und nach ihm


© H. v. H. v. H.





C. Müller. del. 1. *Ovis Musimon*, α *orientalis*. 2. *Ovis Musimon*, β *occidentalis*. 3. *Ovis Argali*. *F. Guérin del. sc.*






C.L. Müller ad nat. del.

1. *Bos Bubalus.*



F. Guimpel. sculp.



Sus Scropha.


Müller et. del.




Blas. sc.



1. *Physeter macrocephalus* fem. 2. mas. 3. *Ph. cylindricus*.

W. L. Meyer sc.







1. *Physeter polycephalus*. 2. *Physeter Trumbo*. 3. *Physeter*.....?
4. *Balaena mysticetus* fem. adult., 5. pullus.

Müller del.


Albrecht sc.




1. *Balaena Physalus*. 2. *B. longimana*. 3. *B. rostrata* fem. & mas.

Waller del.


C. H. v. d. W.






Miller ad nat. del.

Langer, P.



XVII









Gallus Bankiva.

Dr. P. Müller and Ernst J. Brandt. 1822.





1. *Lacerta agilis.*

2. *Scincus officinalis.*

C.R. Fiedler sc.


Miller et F. Wagner ad nat. del.




Vipera Berus

W. Wagner et F. Steudner del.


J. E. Wagner sc.



1.




2.




Emys europaea

Müller del. v. d. d.


F. G. Langer, sculp. et.



2. *Chelonia isculenta*.

Müller et Wagner ad. nat. del.


C. Müller sc.




1. *Bufo cinereus*. 2. *Bufo variabilis*.


Natter et Wagner sculpsit et del.

CH. 20









1. *Acipenser naseus* pall. 2. *A. brevirostris* Le Sueur. 3. *A. schypha* Gildenst?
J. Krieger del. nat. del. *Fromm Jr.*



1. *Acipenser Kuso* (adult.) 2. *Acipenser Schyua Guldensf.* (adult.)
3. *Acipenser Ratzburgii Brandt.*






1. *Acipenser Lichtensteinii*. 2. *A. Ruthenus*. mus.

F. Wagner. del. et sculpsit.


Frank. sc.






1. *Acipenser Hurio* Linn. 2. *A. Güldenstädtii* Nob. 3. *A. stellatus* Pall.

J. Wagner del. sculp.

Thom. sc.













1. *Salmo Thymallus*. 2. *Silurus Glanis*.

Wagner del. et sculp.

Frank sc.









1. *Clupea Harengus*. 2 *Gadus Lota*.

F. Wagner ad viv. del.

C. Blas sc.








1. *Gadus Carbonarius*. 2. *G. Callarius*. 3. *G. Morrhua*


F. Wagner sculp. del.

C. Haas sc.




Astacus fluviatilis.

J. Müller del. et sculp.









1. 2. 3. 4. *Porcellio scaber* 5. *P. pictus* 6. *P. dilatatus* 7. *Cniscus murarius*
8. 9. 10. *Armadillo officinarum*.

G. Wied. del. et sculp.




1.2.3 *Armadillidium commutatum* 4.5.6. *A. depressum*.
7.8.9.10. *Glomeris marginata*


Sc. Natur. del. et. sculp.




1. *Epeira Diadema* mas 2. 3. 4. *sem.* 5. *E. calophylla* 6. *Tegeneria scalaris* Nol. mas.
7. sem. 8. 9. *T. domestica.*

J. Wilson del. v. pinx. et fudit.










1. 2. *Meloe cicaltrivestis* 3. *M. Tuccius* 4. *M. Proscurebricus* mas 5. *fem* 6. *M. variigatus* *fem*.


7. *M. rictatus* 8. *M. brevicollis* 9. *M. corallifer* 10. *M. limbatus* 11. *M. majalis*.


J. Müller del. et sculp.



1. 2. 3. 4. 5. 6. *Lytta vesicatoria* 7. *L. ruficeps* 8. *L. atomaria* 9. *L. atrata*
 10. *L. violacea* Nob. 11. *L. marginata* 12. *L. vittata* 13. *L. cinerea* 14. 15. *L.*
Gigas 16. *Lyttus trimaculatus* 17. *Mylabris Cichorii* 18. *M. Sidae*.


L. Vitor ad nat. del. et sculp.





1. *Coccinella septempunctata*. 2. *C. quinquepunctata*. 3. *C. ocellata*.
4. 5. *C. dispar*. 6. *C. tredecimpunctata*. 7. *C. mutabilis*.


C. Kibbe ad nat. pin. et. oculis.






1-4. *Cynips Brandtii* fem. 5-7. *C. Rosae* fem. 8-10. *Urticae* ? mas
11-13. *C. Gallae tinctoriae* fem.

J. Krieger del. et sculp.





Formica rufa: 1, 6, 3. neutra. 4, 8, 5. mas. 2, 7. fem. *F. fuliginosa*:

9, 11. neutra 12, 13. mas 10. fem.


cf. Willer. ad nuptias et ovip.




Partes externae et metamorphosis (Fig. 1-53.) Cynipis, (Fig. 64-96.) Formicæ.

33. Ratsbury ad nat. del.


Frons. 12.





Apis mellifica, neutra 1-3, fem. 4-7, mas 8-11.


St. Meier. ad nat. pasc. et. pasc.



Anatomie *Apis mellificae*.

D. Rottschy a. Weyner del.


C. K. Weyner fecit.






1-2. *Tettigonia Crui* mas 3-4. fem. - 5-9. *Coccus Cacti* mas, 10-11. fem. 13-14. *Coccus Lucci*.
15. *C. Niciis*. - 16. *Cactius cum familia Coci* 17. *Crui*.

Et. Wilson et. nat. pict. a. J. G. G.






1-10. *Coccus Cacti*, 11-28. *Felligonina Orni*, 29-30. *Coccus Lacca*.

Dr. Ratsburg ad nat. del.

C. E. Wiber sculp.









Fig. 1-2. *Sanguisuga chlorogaster*. F. 5. 17. A.M. *Sanguisuga medicinalis*.

F. Faqua ad nat. del. Tetrapodi.

C. H. Weber, Jr. Revoluti.







Sanguisugae medicinalis anatome.

D^r. Brandt del. Tetrupoli.

C. E. Weber, sc. Tetrupoli.






177. Bonaldi del. Petropoli.

Sanguifugae medicinalis et Haemopsis nigrae anatome.

C. E. Nuber sc. Bonaldi.







Fig. 1. A, B, C. *Sanguisuga officinalis*. F. 1. M. *Hirudo provincialis*. F. 2. *Sanguis. Verbana*.
F. 3. D, E, F. *Sang. obscura*. F. 4. G, H, I, K, L. *Sang. interrupta*.
Fig. 5. - 24. *Sanguisugae medicinalis* evolutio.


E. Weber sc.




1. *Sepia officinalis*. Auct 2-5. *Sepia elegans* Blainv. (?)

F. Kuper ad nat. del.

Franz, sc.






Anatome Sepiae.

Dr. Brandt et F. Wagner ad nat. del.


Brandt sc.





1. 2. *Helix Pomatia* Linn. 3. 10. *Arion empuricorum* Feruss.
 3. brunneus, 4. nigricans, 5. niger, 6. obscure fuscus, 7. totus ruber, 8. flavescens,
 9. totus rufus, 10. virescens.


Frans. de.



Anatomic Helicis et Arionis.

F. Wagner ad nat. del.

Præp. sc.




Bd. II. Tab. XXXV.



Ostrea edulis.

H. Meyer del.

C. F. Müller sculp. Broun del.





Ostrea edulis Anatomie.

J. B. Brault et F. Wigner del.

Prout, sc.

