
I C O N V M

EXPLICATIO.

Tab. I.

Cor infantis a postica facie exhibitum;
basi paulo elatiore, et aspera arteria demta,
vt reliqua eo distinctius pateant.

v. pag. 74 sq. it. p. 68. 73.

- a. vena caua superior.
- b. vena caua inferior.
- c. sinus anterior f. dexter.
- d. appensa huic sinui auricula.
- e. eiusdem lateris ventriculus.
- f. arteriae pulmonalis truncus.
- g. eiusdem rami sinistri, et

Kk

h. dex-

- h.* dextri.
- i.* quaternae venae pulmonales.
- k.* sinus posterior s. sinister.
- l.* annexa huic auricula.
- m.* eiusdem lateris ventriculus.
- n.* arcus aortae.
- o.* truncus communis, abiens in
- p.* subclauiam dextram, et
- q.* eiusdem lateris carotidem.
- r.* sinistra carotis.
- s.* eiusdemque lateris subclauia.
- t.* arteria bronchialis communis (talis
enim erat in eo funere) et interco-
stales ex aorta oriundae.
- u.* vena azygos.
- w.* vena coronaria sinistra, et
- x.* dextra.

*Tab. II.**Fig. I.*

Oculus adulti hominis dexter, magnitudine auctiore, superiore corneae et scleroticae dimidio demto; resecto iridis limbo ab orbiculo ciliari, paululumque sublato, ut utraque oculi camera pateat.

v. p. 204 fq.

- a. sclerotica.
- b. cornea.
- c. chorioidea.
- d. orbiculus ciliaris.
- e. iris.
- f. corpus ciliare.
- g. capsula lentis.
- h. nervus opticus cum arteria centrali.

Kk 2

Fig.

Fig. 2.

Anterius segmentum oculi foetus octi-
mestris itidem lente auctum.

v. p. 207 fq.

- a.* sclerotica.
- b.* processus ciliares.
- c.* vnea.
- d.* membrana pupillaris, vti nunc iam,
centro fatiscere incipit.

Tab.

Tab. III.

Ad testium in foetu masculo ex abdomine descensum.

v. pag. 394 sq.

Fig. 1.

Ex foetu gemello fere maturo sed inique adulto; sinister testis iam ex abdominali cauo delapsus; dexter eo fere momento deprehensus quo angiportum penetrare ceperat.

- a. testis dexter cum epididymede, *ascendenti* peritoneaei processui cylindrico iam complicato inhaerens.
- b. vestigia vasorum spermaticorum eiusdem lateris; et
- c. ductus deferentis.
- d. processus peritoneaei *descendens*, bullosi sacculi speciem prae se ferens.

Kk 3

e. peri-

- e. peritonaei ostiolum per angiportum in
sacculum illum ducens, cui sinister
testis nunc iam inhaeret.
- f. vestigia vasorum spermaticorum eius-
dem lateris; et
- g. ductus deferentis.
- h. vesica vrinaria; fundo suo in vrachum
abiens, vtrique arteriis iuncta um-
bilicalibus.

Fig. 2.

Ex foetu quadrimestri; vt testes adhuc abdominali cauo contenti, et processus peritonaei *ascendens* tunc temporis magnam partem non nisi plicam exhibens longitudinalem, et ostiolum peritonaei ad inferiorem et anticam huius plicae partem situm, patefcatur.

Tab.

Tab. IV.

Ouulum abortiuum primi vt videtur
a conceptione mensis; dissectum, sed pau-
lisper auctius exhibitum.

v. pag. 438 fq.

Fig. 1.

- a.* decidua reflexa.
- b.* chorii muscoli flocculi, quibus ouulum
in decidua crassa radicatur.
- c.* interior chorii pagina aquula crystal-
lina tunc temporis plena.
- d.* Amnion apertum.


Fig. 2.

Exterior eiusdem ouuli facies.


ADDENDA ET CORRIGENDA.


Pag. 3. lin. 10. *l. stillatitiis.* — p. 11. l. 2 *l. humorem.* —
 p. 15. l. 7. *l. generis* — ib. not. h) l. 2. a fine *l. quasque.* —
 p. 86. §. 118. l. 3. *post arteriae adde aortae rami.* — p. 105.
 l. 9. *cellulosa l. mucosa.* — p. 115. l. 4. *post temperata est,*
ponatur) idem vero post fit deleatur. — p. 152. l. 1. *l. quae,*
 — p. 269. l. 7. *sublingualibus l. salinalibus.* — p. 334. l. penult.
 et ult. *phlogificatum l. carbonifatum.* — p. 337. §. 430 l. 6.
post eorum l. et. — ib. l. 6 sq. *dele verba et ad pulsus vici-*
narum arteriarum. — p. 359. *sectionis titulum l. DE SECRE-*
TIONIBVS IN VNIVERSVM. — p. 371. l. 6. *l. destinati.*

I



Mark. Jo.






Marx fecit




M. J. c.




IV.

1



2





2315
39 B.
1 B. f. 2. 3. 4. 5.
di. 2. 3. 4. 5.
6. 7. 8.

6. 7. 8.



2315-
39 Pg.
1 by Jan 3/2007
di. 2/2007 4.30
6.85